

ACETAMINOPHEN- acetaminophen tablet, coated
WAL-MART STORES INC

341R Walmart Acetaminophen 500 mg Tablets (49035-869)

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- headache
- the common cold
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- symptoms do not improve
- new symptoms occur
- pain or fever persists or gets worse

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed.

adults and children 12 years and over:

- take 2 caplets (1,000 mg) every 6 hours while symptoms last
- do not take more than 6 caplets (3,000 mg) in 24 hours, unless directed by a doctor
- do not use more than 10 days unless directed by a doctor

children under 12 years:ask a doctor

Other information

- SODIUM FREE
- store at 25°C (77°F) excursions permitted between 15-30°C (59-86°F)
- use by expiration date on package

Inactive ingredients

hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid, titanium dioxide

*may contain this ingredient

equate™
NDC 49035-869-50
Compare to Tylenol's Extra Strength active ingredient

EXTRA STRENGTH

Pain Reliever
Acetaminophen
500 mg

**Pain Reliever/
Fever Reducer**
For Adults

Actual Size
500 mg EACH **500 CAPLETS****

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts Active ingredient (in each caplet) Purpose Acetaminophen 500 mg. Pain reliever/ fever reducer Uses ■ temporarily relieves minor aches and pains due to: ■ headache ■ the common cold ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 8 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.	Drug Facts (continued) Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor Ask a doctor before use if you have liver disease Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop using and ask a doctor if ■ symptoms do not improve ■ new symptoms occur ■ pain or fever persists or gets worse If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	Drug Facts (continued) Directions ■ do not take more than directed adults and children 12 years and over ■ take 2 caplets (1,000 mg) every 6 hours while symptoms last ■ do not take more than 6 caplets (3,000 mg) in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor children under 12 years ask a doctor Other information ■ SODIUM FREE ■ store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F) ■ use by expiration date on package Inactive ingredients hypromellose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid, titanium dioxide *may contain this ingredient Satisfaction guaranteed - For questions or comments please call 1-888-287-1915
---	---	---

LOT #: 8113136704
EXP. DATE: 2

Manufactured by Wal-Mart Inc., Bentonville, AR 72716
PRODUCT OF USA
This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol Extra Strength.
80350

ACETAMINOPHEN

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-869
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (caplet)	Size	17mm
Flavor		Imprint Code	TCL341
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-869-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2020	

Labeler - WAL-MART STORES INC (051957769)

Registrant - TIME CAP LABORATORIES INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(49035-869)

Revised: 1/2025

WAL-MART STORES INC