

**RETAINÉ CMC- carboxymethylcellulose sodium solution/ drops
OCuSOFT INC.**

Retaine® CMC® Lubricant Eye Drops

Drug Facts

Active ingredient

Carboxymethylcellulose sodium (0.5%)

Purpose

Eye lubricant

Uses

- Relieves dryness of the eye.
- Temporarily relieves discomfort due to minor irritations of the eye or from exposure to wind or sun.
- As a protectant against further irritation.

Warnings

For use in the eyes only.

Do not use

if solution changes color or becomes cloudy.

When using this product

- do not touch tip of container to any surface to avoid contamination.
- do not reuse once opened.

Stop use and ask a doctor if

- you experience eye pain, changes in vision, continued redness or irritation of the eye.
- the condition worsens or persists for more than 72 hours.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Instill 1 or 2 drops into affected eye(s) as needed and discard container.

Other information

- Use only if tamper seal on top and bottom flaps are intact.
- Store between 15°-30°C (59°-86°F).
- Keep carton for complete product information.

Inactive ingredients

Calcium chloride, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium lactate. May also contain hydrochloric acid and/or sodium hydroxide to adjust pH.

Questions or comments?

(800) 233-5469 M-F 8:30-5:00PM CST or visit www.ocusoft.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

NDC 54799-460-30

OCuSOFT®

**LUBRICANT
EYE DROPS**

Carboxymethylcellulose Sodium 0.5%

PRESERVATIVE-FREE

Restores Moisture

**For Immediate
Long-Lasting Relief
of Dry Eyes**

OCuSOFT®

**30 Sterile
Single-Dose Containers
0.01 fl oz (0.4 mL) each**

Retaine® CMC® Lubricant Eye Drops provides immediate relief for dry, scratchy, irritated eyes which can be caused by excessive heat, air conditioning, reading, medications or prolonged computer use. The soothing formula utilizes

Carboxymethylcellulose (CMC) to restore moisture with the same healthy quality as natural tears and is preservative-free to eliminate the risk of irritation caused by preservatives found in other eye drops.

DIRECTIONS FOR USE

1. To open, twist top and pull to remove.

2. Instill 1 or 2 drops into affected eye(s) as needed and discard container.

NOT ACTUAL SIZE

Use only if twist top of single-dose container is intact.

Manufactured for OCuSOFT Inc.
Rosenberg, TX 77471 USA

© 2024 OCuSOFT Inc.

www.ocusoft.com

Retaine® and CMC® are registered trademarks of OCuSOFT Inc.

777-4-60 R05/24

<p>Drug Facts</p> <table border="1"> <tr> <td>Active ingredient</td> <td>Purpose</td> </tr> <tr> <td>Carboxymethylcellulose sodium (0.5%)</td> <td>Eye lubricant</td> </tr> </table> <p>Uses</p> <ul style="list-style-type: none"> Relieves dryness of the eye. Temporarily relieves discomfort due to minor irritations of the eye or from exposure to wind or sun. As a protectant against further irritation. <p>Warnings</p> <p>For use in the eyes only.</p> <p>Do not use if solution changes color or becomes cloudy.</p> <p>When using this product</p> <ul style="list-style-type: none"> do not touch tip of container to any surface to avoid contamination. do not reuse once opened. <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> you experience eye pain, changes in vision, continued redness or irritation of the eye, the condition worsens or persists for more than 72 hours. <p>Keep out of reach of children</p> <p>If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p>Directions</p> <ul style="list-style-type: none"> Instill 1 or 2 drops into affected eye(s) as needed and discard container. <p>Other information</p> <ul style="list-style-type: none"> Use only if tamper seal on top and bottom flaps are intact. Store between 15°-30°C (59°-86°F). Keep carton for complete product information. <p>Inactive ingredients</p> <p>Calcium chloride, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium lactate. May also contain hydrochloric acid and/or sodium hydroxide to adjust pH.</p> <p>Questions or comments?</p> <p>(800) 233-5469 M-F 8:30AM-5:00PM CST or visit www.ocusoft.com</p>	Active ingredient	Purpose	Carboxymethylcellulose sodium (0.5%)	Eye lubricant	<p>OCuSOFT®</p>	<p>NDC 54799-460-30</p>	<p>OCuSOFT®</p>	<p>LUBRICANT EYE DROPS</p>	<p>Retaine® CMC® Lubricant Eye Drops provides immediate relief for dry, scratchy, irritated eyes which can be caused by excessive heat, air conditioning, reading, medications or prolonged computer use. The soothing formula utilizes Carboxymethylcellulose (CMC) to restore moisture with the same healthy quality as natural tears and is preservative-free to eliminate the risk of irritation caused by preservatives found in other eye drops.</p>
Active ingredient	Purpose								
Carboxymethylcellulose sodium (0.5%)	Eye lubricant								
	<p>retaine® CMC®</p>	<p>retaine® CMC®</p>	<p>Carboxymethylcellulose Sodium 0.5%</p>	<p>PRESERVATIVE-FREE</p>	<p>DIRECTIONS FOR USE</p>				
			<p>Restores Moisture</p>	<p>For Immediate Long-Lasting Relief of Dry Eyes</p>	<p>1. To open, twist top and pull to remove. 2. Instill 1 or 2 drops into affected eye(s) as needed and discard container.</p>				
			<p>OCuSOFT®</p>	<p>30 Sterile Single-Dose Containers 0.01 fl oz (0.4 mL) each</p>	<p>NOT ACTUAL SIZE</p> 				
<p>Manufactured for OCuSOFT Inc. Rosenberg, TX 77471 USA</p> <p>© 2024 OCuSOFT Inc. www.ocusoft.com Retaine® and CMC® are registered trademarks of OCuSOFT Inc.</p>	<p>OCuSOFT® 777-4-60 R05/24</p>				<p>Use only if twist top of single-dose container is intact.</p>				

RETAINÉ CMC

carboxymethylcellulose sodium solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54799-460
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZ17B19X)	CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Calcium Chloride (UNII: M410D6VV5M)	
Magnesium Chloride (UNII: 02F3473H9O)	
Potassium Chloride (UNII: 660YQ98I10)	
Water (UNII: 059QF0KO0R)	
Sodium Chloride (UNII: 451W47IQ8X)	
Sodium Lactate (UNII: TU7HW0W0QT)	
Hydrochloric Acid (UNII: QTT17582CB)	
Sodium Hydroxide (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54799-460-30	30 in 1 BOX	01/13/2025	
1		0.4 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/13/2025	

Labeler - OCuSOFT INC. (174939207)