# MUCUS RELIEF DM MAXIMUM STRENGTH- dextromethorphan hbr, guaifenesin liquid Safeway, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Drug Facts**

### Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg Guaifenesin 400 mg

### **Purposes**

Cough suppressant

**Expectorant** 

### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of botherosme mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

### **Warnings**

### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm(mucus)

## When using this product, do not use more than directed

### Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- dose as follows or as directed by a doctor
- adults and children 12 years of age and older: 20 mL every 4 hours
- children under 12 years of age: do not use

### Other information

- each 20 mL contains: sodium 20 mg
- store between 20-25°C (68-77°F). Do not refrigerate

### **Inactive ingredients**

anhydrous citric acid, disodium EDTA, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

### Questions or comments?

Call 1-888-723-3929 Monday-Friday 7AM-6PM PST

### **Principal Display Panel**

FOR AGES 12 YEARS & OVER

MAXIMUM STRENGTH

DM Max Relief

Dextromethorphan HBr 20 mg Cough Suppressant

Guaifenesin 400 mg Expectorant

Relief of: cough, mucus & chest congestion

FL OZ (mL)

**Compare to Maximum Strength Mucinex® Fast-Max® DM Max active ingredients\*** 

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® DM Max.

### TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

**DISTRIBUTED BY:** 

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

www.betterlivingbrandsLLC.com

### **Package Label**



Compare to
Maximum Strength
Mucinex® Fast-Max®
DM Max
active ingredients\*

NDC 21130-505-06

## DM Max Relief

FOR AGES 12 YEARS & OVER

Dextromethorphan HBr 20 mg - Cough Suppressant Guaifenesin 400 mg

- Expectorant

Relieves

Cough
 Mucus & Chest Congestion

PLD-B409A LB007558

6 FL OZ (177 mL)

### Drug Facts (continued)

### Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product, do not use more than directed.

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

### TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® DM Max.





DISTRIBUTED BY BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON, CA 94566-0009 1-888-723-3929 www.betterlivingbrandsLLC.com

OUR PROMISE

QUALITY & SATISFACTION

100% GUARANTEED

OR YOUR MONEY BACK

PEEL CORNER FOR DRUG FACTS

### Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- dose as follows or as directed by a doctor
- adults and children 12 years of age and older: 20 mL every 4 hours
- children under 12 years of age: do not use

### Other information

- each 20 mL contains: sodium 20 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

### **Drug Facts**

### Active ingredients Purposes (in each 20 mL)

Dextromethorphan HBr 20 mg....... Cough suppressant Guaifenesin 400 mg.....Expectorant

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

### **Drug Facts** (continued)

### Inactive ingredients

citric acid, disodium EDTA, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

PEEL CORNER FOR MORE DRUG FACTS ▲

SIGNATURE CARE Maximum Strength DM Relief

### MUCUS RELIEF DM MAXIMUM STRENGTH

dextromethorphan hbr, quaifenesin liquid

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-505

Route of Administration OF

ORAL

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL		

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
EDETATE CALCIUM DISODIUM (UNII: 25IH6R4SGF)			
PROPYL GALLATE (UNII: 8D4SNN7V92)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

I	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:21130- 505-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2016		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341	06/30/2016			

### **Labeler -** Safeway, Inc. (009137209)

Revised: 5/2023 Safeway, Inc.