

GLYCERIN- glycerin suppository
DSC Laboratories Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DSC Labs Adult Glycerin Suppositories

Active ingredient (in each suppository)

Glycerin 2.1g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative formore than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions-single daily dosage

adult and children 6 years and over - 1 suppository, or as directed by a doctor

children 2 to under 6 years - use Child Suppositories

Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Questions or comments?

1-800-492-5988

Label

DSC Labs Compare to Fleet® Glycerin Suppositories*

Glycerin Suppositories
LAXATIVE

For fast, gentle relief of occasional constipation

50 Adult Suppositories

Tamper Evident: Do not use if printed inner seal is damaged or missing.

Drug Facts	Active ingredient (in each suppository) Glycerin 2.1g.....Laxative	Purpose Laxative				
Uses	<ul style="list-style-type: none"> for relief of occasional constipation this product generally produces bowel movement in 1/4 to 1 hour 					
Warnings	<p>For rectal use only May cause rectal discomfort or a burning sensation.</p> <p>Ask a doctor before using any laxative if you have</p> <ul style="list-style-type: none"> abdominal pain, nausea or vomiting a sudden change in bowel habits lasting more than 2 weeks already used a laxative for more than 1 week <p>Stop use and consult a doctor if you have</p> <ul style="list-style-type: none"> rectal bleeding no bowel movement after using product <p>These symptoms may indicate a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>					
Directions	<p>Single daily dosage</p> <table border="1"> <tr> <td>adults and children 6 years and over</td> <td>1 suppository, or as directed by a doctor</td> </tr> <tr> <td>children 2 to under 6 years</td> <td>use Child Suppositories</td> </tr> </table> <p>Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.</p>		adults and children 6 years and over	1 suppository, or as directed by a doctor	children 2 to under 6 years	use Child Suppositories
adults and children 6 years and over	1 suppository, or as directed by a doctor					
children 2 to under 6 years	use Child Suppositories					
Other information	<ul style="list-style-type: none"> Store container tightly closed. Keep away from excessive heat. 					
Inactive ingredients	<p>purified water, sodium hydroxide, stearic acid</p>					

Manufactured by: DSC Laboratories
1979 Latimer Dr., Muskegon, MI 49442
1-800-492-5988
72050

*This product is not manufactured or distributed by C.B. Fleet Co., Inc. owner of the registered trademark Fleet®

7 84056 72050 0

NO VARNISH AREA

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Adult Glycerin Suppositories, 50 count

Manufactured by

DSC Laboratories Inc.

1979 Latimer Dr.

Muskegon, MI 49442 USA

DSC Labs_50ct

GLYCERIN			
glycerin suppository			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52316-725
Route of Administration	RECTAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2.1 g
Inactive Ingredients			
	Ingredient Name		Strength

SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52316-725-50	50 in 1 JAR; Type 0: Not a Combination Product	04/17/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/17/2020	

Labeler - DSC Laboratories Inc. (097807374)

Registrant - DSC Laboratories Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(52316-725)

Revised: 4/2020

DSC Laboratories Inc.