

DURCALCIPHOS- durcalciphos injection, solution
VetTek

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

DurCalciPhos

Contains:

Calcium borogluconate, dextrose,
magnesium borogluconate, calcium hypo-
phosphite and base.
Total calcium chemically equivalent
to calcium borogluconate 26.0%
Dextrose 15.0%
Magnesium borogluconate 6.0%
Total phosphorus in amounts chemically
equivalent to elemental phosphorus ... 0.5%

Parenteral Solution

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

TAKE TIME OBSERVE LABEL DIRECTIONS

Caution:

Large doses administered
intravenously may have toxic action on
heart if the blood level of calcium is raised
excessively. Doses should be carefully
regulated according to severity of
hypocalcemia and injected slowly so that
administration may be stopped if toxic
action becomes evident.

Indications:

For intravenous use in milk
fever, and in calcium, phosphorus,
magnesium and glucose deficiency in
animals.

Note:

Intravenous administration is always
preferable. If used subcutaneously,
always distribute dose in several places
and massage to facilitate absorption.

CAUTION:

Federal law restricts this drug to use
by or on the order of a licensed veterinarian.

Dosage:

Cattle, 500 mL. For milk fever prophylaxis, give 200-500 mL at time of calving. Horses, 250-500 mL; Sheep 50-125 mL. Repeat in 2 to 6 hours if needed. **This product contains no preservative. Unused portion remaining in bottle must be discarded.**

Store between 15 degrees C - 30 degrees C (59 degrees F - 86 degrees F).

Manufactured For

VetTek

Blue Springs, MO 64014

I.V. Therapy

NET CONTENTS: 500 mL

Rev. 09-14 18-811

RMS# 92-312

Printed in the U.S.A.

Mfd. in U.S.A.

Manufactured by

Nova-Tech, Inc.

Grand Island, NE 68801

Lot No.

Exp. Date

Parenteral Solution

Indications: For intravenous use in milk fever, and in calcium, phosphorus, magnesium and glucose deficiency in animals.

Note: Intravenous administration is always preferable. If used subcutaneously, always distribute dose in several places and massage to facilitate absorption.

Dosage: Cattle, 500 mL. For milk fever prophylaxis, give 200-500 mL at time of calving. Horses, 250-500 mL; Sheep 50-125 mL. Repeat in 2 to 6 hours if needed. **This product contains no preservative. Unused portion remaining in bottle must be discarded.**

Caution: Large doses administered intravenously may have toxic action on heart if the blood level of calcium is raised excessively. Doses should be carefully regulated according to severity of hypocalcemia and injected slowly so that administration may be stopped if toxic action becomes evident.

TAKE TIME



OBSERVE LABEL
DIRECTIONS

Manufactured For

VET TEK

Blue Springs, MO 64014

NDC 60270-861-17

DurCalciPhos

I.V. Therapy

CAUTION: Federal law restricts this drug to use
by or on the order of a licensed veterinarian.

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 500 mL



VET TEK™

Contains: Calcium borogluconate, dextrose, magnesium borogluconate, calcium hypophosphite and base.
Total calcium chemically equivalent
to calcium borogluconate 26.0%
Dextrose 15.0%
Magnesium borogluconate 6.0%
Total phosphorus in amounts chemically
equivalent to elemental phosphorus ... 0.5%

Store between 15°C–30°C (59°F–86°F).

Rev. 09-14
RMS# 92-312

18-811

Printed in U.S.A.

Mfd. in U.S.A.

Manufactured by
Nova-Tech, Inc.
Grand Island, NE 68801

Lot No.

Exp. Date



DURCALCIPHOS

durcalciphos injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:60270-861
Route of Administration	INTRAVENOUS, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Calcium Borogluconate (UNII: 6915G2PQI0) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	26 g in 100 mL
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	15 g in 100 mL
Magnesium Gluconate (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	Magnesium Gluconate	6 g in 100 mL
Phosphorus (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	Phosphorus	0.5 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60270-861-17	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/01/2015	

Labeler - VetTek (056387798)

Registrant - VetTek (056387798)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Ruibang Laboratories		544807456	api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Jost Chemical Co.		147882294	api manufacture