

**SINUS PE PRESSURE PLUS PAIN MAXIMUM STRENGTH- acetaminophen,
phenylephrine hcl tablet
CVS Pharmacy**

CVS 44-502

Active ingredients (in each caplet)

Acetaminophen 325 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - minor aches and pains
 - nasal congestion
 - headache
 - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription

drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- diabetes
- liver disease
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

♥CVS™

NDC 59779-802-08

actual size

Non-Drowsy

SINUS PE PRESSURE & PAIN

ACETAMINOPHEN, Pain Reliever, Fever Reducer
Phenylephrine HCl, Nasal Decongestant | Maximum Strength†

Compare to Sudafed PE® Sinus Pressure + Pain active ingredients*

**24
CAPLETS**

Relieves: Sinus pain & headache,
Sinus pressure, Nasal & sinus congestion
†Under OTC monograph.

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

50844 ORG082050208

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Sudafed PE® Sinus Pressure + Pain.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2025 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

#343398
 PPO 80%
 UPC# 050428136577
 X XXXXXXX XXXXXX X

50844 086982050208
 TAMPER EVIDENT: DO NOT USE IF
 PACKAGE IS OPENED OR IF BLISTER
 UNIT IS TORN, BROKEN OR SHOWS ANY
 SIGNS OF TAMPERING

Drug Facts (continued)
Other Information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR
 ■ BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Drug Facts (continued)
Inactive Ingredients
 corn starch, croscarmellose sodium, crospovidone, silicon dioxide, stearic acid, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments? 1-800-426-9391

Drug Facts (continued)
Directions
 ■ do not use more than directed
 ■ adults and children 12 years and over
 ■ take 2 caplets every 4 hours
 ■ do not take more than 10 caplets in 24 hours
 ■ children under 12 years: ask a doctor

Warnings
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 ■ if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Do not use
 ■ if you are not sure whether a drug contains acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Other Information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR
 ■ BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Drug Facts (continued)
Other Information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR
 ■ BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION
Active ingredients (in each caplet)
 Acetaminophen 325 mg Pain reliever/fever reducer
 Phenylephrine HCl 5 mg Nasal decongestant

Uses
 ■ temporarily relieves these symptoms associated with fever or other upper respiratory allergies, and the common cold
 ■ minor aches and pains ■ nasal congestion ■ headache
 ■ sinus congestion and pressure
 ■ promotes sinus drainage ■ temporarily reduces fever

Warnings
 ■ if you take more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
 ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash
 ■ if a skin reaction occurs, stop use and seek medical help right away.
 ■ Do not use if you are not sure whether a drug contains acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Directions
 ■ do not use more than directed
 ■ adults and children 12 years and over
 ■ take 2 caplets every 4 hours
 ■ do not take more than 10 caplets in 24 hours
 ■ children under 12 years: ask a doctor

Other Information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR
 ■ BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2025 CVS/pharmacy
 CVS.com® 1-800-SHOP-CVS
 V-19849

No Print/No Varnish
 Lot & EXP



SINUS PE PRESSURE & PAIN

24 CAPLETS



actual size

SINUS PE PRESSURE & PAIN

Acetaminophen, Pain Reliever, Fever Reducer
 Phenylephrine HCl, Nasal Decongestant | Maximum Strength[†]

Compare to Sudafed PE® Sinus Pressure + Pain active ingredients*

24
 CAPLETS

Relieves: Sinus pain & headache,
 Sinus pressure, Nasal & sinus congestion
[†]Under OTC monograph.

CVS 44-502

B-0231-502-08-J
 086982050208

NDC 59779-802-08

SINUS PE PRESSURE PLUS PAIN MAXIMUM STRENGTH

acetaminophen, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-802
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-802-08	2 in 1 CARTON	06/23/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/23/2005	

Labeler - CVS Pharmacy (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(59779-802) , pack(59779-802)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(59779-802)

Revised: 8/2025

CVS Pharmacy