

VICHY LABORATOIRES CAPITAL SOLEIL UV AGE DAILY SUNSCREEN BROAD SPECTRUM SPF 60- titanium dioxide lotion
Cosmetique Active Production

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 7%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

● **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun
- store at 68 - 77° F (20 - 25°C)

Inactive ingredients

water, glycerin, c15-19 alkane, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, acetyl hexapeptide-8, ascorbyl glucoside, butylene glycol, capryloyl salicylic acid, caprylyl glycol, cetearyl alcohol, citric acid, glyceryl stearate, helianthus annuus (sunflower) seed wax, hydroxyacetophenone, hydroxypropyl starch phosphate, jojoba esters, polyglycerin-3, sclerotium gum, sodium benzoate, sodium hyaluronate, sodium hydroxide, sodium starch octenylsuccinate, sodium stearyl glutamate, trisodium ethylenediamine disuccinate

Questions or comments?

Call toll free 1-877-378-4249

Monday - Friday (9 a.m. to 5 p.m. EST)

WHY USE A UVA AND UVB PROTECTION

Exposure to the sun can lead to UV-induced skin damage. UVB rays may cause burning while UVA rays may cause an alteration of the skin structure that leads to the look of wrinkles, loss of firmness and the appearance of age spots.

To help protect against both UVB and UVA rays, it is important to use a sunscreen that provides broad spectrum UVA+UVB protection.

Scientific research shows that applying antioxidants to the skin helps protect from harmful free radicals that can also lead to signs of photo aging.

**CAPITAL SOLEIL
UV-AGE DAILY SUNSCREEN**

Enriched with Hyaluronic acid, Peptides, and Vitamin Cg.

FRESHLOCK Technology: creates an ultralight weight & fresh film that optimizes formula dispersion combined with dermatological ingredients to the skin: Vitamin Cg & Hyaluronic Acid.

UV-Age Daily face sunscreen is a Broad Spectrum SPF 60 that helps to protect the skin from pollution, and helps to fight the visible signs of early aging like fine lines, dullness and loss of plumpness.

When used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.



**CAPITAL SOLEIL
UV-AGE DAILY
SUNSCREEN**

**FACE
60**

UVA + BROAD
UVB SPECTRUM
SPF 60

**PHOTO PROTECTIVE
WATER FLUID**

Helps visibly correct early aging signs. Improves the look of fine lines, radiance & plumpness.

Hyaluronic Acid. Peptides. Vitamin Cg. Suitable for all phototypes.



50 ml - 1.69 FL.OZ.



3 337875 906142

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 7%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Drug Facts (continued)

Inactive Ingredients

water, glycerin, C15-19 alkane, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, acetyl hexapeptide-8, ascorbyl glucoside, butylene glycol, capryloyl salicylic acid, caprylyl glycol, cetearyl alcohol, citric acid, glyceryl stearate, helianthus annuus seed cera / sunflower seed wax, hydroxyacetophenone, hydroxypropyl starch phosphata, jojoba esters, polyglycerin-3, sclerotium gum, sodium benzoate, sodium hyaluronate, sodium hydroxide, sodium starch octenylsuccinate, sodium stearoyl glutamate, tri sodium ethylenediamine disuccinate

Questions or comments?

1-877-378-4248
Monday - Friday 9 a.m. - 5 p.m. EST

Formula 2071651 3

FL V70046312/1



USA DISPOSAL ADVISORY:

Vichy encourages recycling this carton, cap, bottle, and pump to foster sustainable practices.

Distribution reserved to agreed VICHY suppliers.
L'Oréal USA S/D Inc., New York, NY 10001
VICHY CA/CAF 03 Vichy France
TSA 75000 93584 ST OZEN CEDEX FR
Made in France www.vichyusa.com



WHY USE A UVA AND UVB PROTECTION

Exposure to the sun can lead to UV-induced skin damage. UVB rays may cause burning while UVA rays may cause an alteration of the skin structure that leads to the look of wrinkles, loss of firmness and the appearance of age spots.

To help protect against both UVB and UVA rays, it is important to use a sunscreen that provides broad spectrum UVA+UVB protection.

Scientific research shows that applying antioxidants to the skin helps protect from harmful free radicals that can also lead to signs of photo aging.

**CAPITAL SOLEIL
UV-AGE DAILY SUNSCREEN**

Enriched with Hyaluronic acid, Peptides, and Vitamin Cg.
FRESHLOCK Technology: creates an ultralight weight & fresh film that optimizes formula dispersion combined with dermatological ingredients to the skin: Vitamin Cg & Hyaluronic Acid.

UV-Age Daily face sunscreen is a Broad Spectrum SPF 60 that helps to protect the skin from pollution, and helps to fight the visible signs of early aging like fine lines, dullness and loss of plumpness.

When used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.



**CAPITAL SOLEIL
UV-AGE DAILY
SUNSCREEN**

**FACE
60**

UVA + BROAD
UVB SPECTRUM
SPF 60

**PHOTO PROTECTIVE
WATER FLUID**

Helps visibly correct early aging signs. Improves the look of fine lines, radiance & plumpness.

Hyaluronic Acid. Peptides. Vitamin Cg. Suitable for all phototypes.



50 ml - 1.69 FL.OZ.



3 337875 906142

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 7%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Drug Facts (continued)

Inactive Ingredients

water, glycerin, C15-19 alkane, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, acetyl hexapeptide-8, ascorbyl glucoside, butylene glycol, capryloyl salicylic acid, caprylyl glycol, cetearyl alcohol, citric acid, glyceryl stearate, helianthus annuus seed cera / sunflower seed wax, hydroxyacetophenone, hydroxypropyl starch phosphata, jojoba esters, polyglycerin-3, sclerotium gum, sodium benzoate, sodium hyaluronate, sodium hydroxide, sodium starch octenylsuccinate, sodium stearoyl glutamate, tri sodium ethylenediamine disuccinate

Questions or comments?

1-877-378-4248

Monday - Friday (9 a.m. - 5 p.m. EST)

Formula 2071651 3

FL V70046312/1



USA DISPOSAL ADVISORY:

Vichy encourages recycling this carton, cap, bottle, and pump to foster sustainable practices.

Distribution reserved to agreed VICHY suppliers.
L'Oréal USA S/D Inc., New York, NY 10001
VICHY CA/CAF 03 Vichy France
TSA 75000 93584 ST OZEN CEDEX FR
Made in France www.vichyusa.com



WHY USE A UVA AND UVB PROTECTION

Exposure to the sun can lead to UV-induced skin damage. UVB rays may cause burning while UVA rays may cause an alteration of the skin structure that leads to the look of wrinkles, loss of firmness and the appearance of age spots. To help protect against both UVB and UVA rays, it is important to use a sunscreen that provides broad spectrum UVA-UVB protection. Scientific research shows that applying antioxidants to the skin helps protect from harmful free radicals that can also lead to signs of photo aging.

CAPITAL SOLEIL UV-AGE DAILY SUNSCREEN

Enriched with Hyaluronic acid, Peptides, and Vitamin Cg. FRESHLOCK Technology: creates an ultralight weight & fresh film that optimizes formula dispersion combined with dermatological ingredients to the skin: Vitamin Cg & Hyaluronic Acid. UV-Age Daily face sunscreen is a Broad Spectrum SPF 60 that helps to protect the skin from pollution, and helps to fight the visible signs of early aging like fine lines, dullness and loss of plumpness. When used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.



CAPITAL SOLEIL UV-AGE DAILY SUNSCREEN

FACE 60
UVA + BROAD SPECTRUM UVB SPF 60

PHOTO PROTECTIVE WATER FLUID

Helps visibly correct early aging signs. Improves the look of fine lines, radiance & plumpness. Hyaluronic Acid. Peptides. Vitamin Cg. Suitable for all phototypes.



50 ml - 1.69 FLOZ.



Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 7%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Drug Facts (continued)

Inactive Ingredients

water, glycerin, C15-19 alkane, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, acetyl hexapeptide-8, ascorbyl glucoside, butylene glycol, capryloyl salicylic acid, caprylyl glycol, cetearyl alcohol, citric acid, glyceryl stearate, helianthus annuus seed cera / sunflower seed wax, hydroxyacetophenone, hydroxypropyl starch phosphate, jojoba esters, polyglycerin-3, sclerotium gum, sodium benzoate, sodium hyaluronate, sodium hydroxide, sodium starch octenylsuccinate, sodium stearoyl glutamate, triiodium ethylenediamine disuccinate

Questions or comments?

1-877-378-4248
Monday - Friday (9 a.m. - 5 p.m. EST)

Formula 2071651 3

FL V70046312/1



USA DISPOSAL ADVISORY:

Vichy encourages recycling this carton, cap, bottle, and pump to foster sustainable practices.

Distribution reserved to agreed VICHY suppliers. L'Oréal USA S/D Inc., New York, NY 10001
VICHY CA/CAF 03 Vichy France
TSA 75000 93584 ST OUEEN CEDEX FR
Made in France www.vichyusa.com

VICHY LABORATOIRES CAPITAL SOLEIL UV AGE DAILY SUNSCREEN BROAD SPECTRUM SPF 60

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69625-995
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	homosalate	70 mg in 1 mL
octisalate (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	octisalate	50 mg in 1 mL
octocrylene (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	octocrylene	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

C15-19 ALKANE (UNII: C187N1IM01)
PROPANEDIOL (UNII: 5965N8W85T)
TOCOPHEROL (UNII: R0ZB2556P8)
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
CAPRYLOYL SALICYLIC ACID (UNII: 5F7PJF6AA4)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)
BETASIZOFIRAN (UNII: 2X51AD1X3T)
SODIUM BENZOATE (UNII: OJ245FE5EU)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69625-995-01	1 in 1 CARTON	07/01/2024	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69625-995-02	1 in 1 CARTON	07/01/2024	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

Labeler - Cosmetique Active Production (282658798)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(69625-995) , pack(69625-995)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Interspray

364829903

pack(69625-995)

Revised: 7/2024

Cosmetique Active Production