HEMIRUS HAND CLINIC GEL- alcohol gel Woosin Cosmetics Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hand Sanitizer

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Alcohol 65% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydrogen peroxide, purified water USP

Package Label - Principal Display Panel

PANTONE 330C



PANTONE 330C

KFDA Approved



Hand Clinic Gel 65%



неmirus

Hemirus Hand Clinic Gel

Drug Facts

Active Ingredient[s]. .Purpose Alcohol 65% v/v.. ..Antiseptic

Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available

For external use only. Flammable. Keep away from heat or flame Do not use

♦ in children less than 2 months of age

on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- ♦ Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- ♦ Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients WATER, PHENOXYETHANOL, TROLAMINE, CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED), METHYLPARABEN, ORANGE, ISOPROPYL MYRISTATE, FRAGRANCE, D&C ORANGE NO. 4, PROPYLENE GLYCOL, 1,2-HEXANEDI-OL, CITRAL, BETA.-CITRONELLOL, (R)-, LIMONENE, (+)-, LINALOOL, (+/-)-

Manufactured by Woosin Cosmetics Co., Ltd. 33, Sudo-ro, 125beon-gil, Bucheon-si, Gyeonggi-do,



Made in Korea

HEMIRUS HAND CLINIC GEL

alcohol gel

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:74351-2008 |
|--------------|----------------|--------------------|----------------|
| | | | |

TOPICAL **Route of Administration**

Active Ingredient/Active Moiety

| Ingredient Name | | Basis of Strength | Strength |
|-----------------|--|-------------------|-----------------|
| | ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 65 mL in 100 mL |

| Inactive Ingredients | | | | |
|--|----------|--|--|--|
| Ingredient Name | Strength | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| TROLAMINE (UNII: 9O3K93S3TK) | | | | |
| ORANGE (UNII: 5EVU04N5QU) | | | | |
| ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS) | | | | |
| CITRAL (UNII: T7EU0O9VPP) | | | | |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) | | | | |

| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
|--|--|
| LIMO NENE, (+)- (UNII: GFD7C86Q1W) | |
| 1,2-HEXANEDIO L (UNII: TR0 46 Y3K1G) | |
| .BETACITRONELLOL, (R)- (UNII: P010UT964K) | |
| D&C ORANGE NO. 4 (UNII: Q1LIY3BO0U) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| METHYLPARABEN (UNII: A218 C7HI9 T) | |
| CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E) | |

| Product Characteristics | | | | |
|-------------------------|--------------|--|--|--|
| Color | Score | | | |
| Shape | Size | | | |
| Flavor | Imprint Code | | | |
| Contains | | | | |

| ı | Packaging | | | | |
|---|-----------|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | NDC:74351- 2008-1 | 500 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product | 02/03/2020 | |
| | | NDC:74351- 2008-2 | 100 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product | 02/03/2020 | |

Hemirus Hand Clinic Gel

Drug Facts

Active Ingredient[s].....

Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- ◆Store between 15-30C (59-86F)
- ◆Avoid freezing and excessive heat above 40C (104F)

Inactive Ingredients WATER, PHENOXYETHANOL, TROLAMINE, CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED), METHYLPARABEN, ORANGE, ISOPROPYL MYRISTATE, FRAGRANCE, D&C ORANGE NO. 4, PROPYLENE GLYCOL, 1,2-HEXANEDIOL, CITRAL BETA.-CITRONELLOL, (R)-, LIMONENE, (+)-, LINALOOL, (+/-)-

Manufactured by Woosin Cosmetics Co., Ltd. 33, Sudo-ro, 125beon-gil, Bucheon-si, Gyeonggi-do, Korea 14491

Made in Korea



Marketing Information

| OTC monograph not final | part333A | 02/03/2020 | |
|-------------------------|----------|------------|--|
| | | | |

Labeler - Woosin Cosmetics Co., Ltd. (688227829)

Registrant - Woosin Cosmetics Co., Ltd. (688227829)

| Establishment | | | | |
|----------------------------|---------|-----------|-------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Woosin Cosmetics Co., Ltd. | | 688227829 | manufacture(74351-2008) | |

Revised: 5/2020 Woosin Cosmetics Co., Ltd.