

**CHILDRENS MUCUS RELIEF COUGH- dextromethorphan hbr, guaifensin liquid  
AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredients (in each 5 mL)**

Dextromethorphan HBr 5 mg

Guaifenesin 100 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

**Warnings**

**Do not use**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if the child has**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
children 6 to 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

### Other information

- **each 5 mL contains:** sodium 2 mg
- store between 20-25°C (68-77°). Do not refrigerate.

### Inactive ingredients

anhydrous citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### Principal Display Panel

Compare to Children's Mucinex® Cough active ingredients\*

ALCOHOL FREE

### Children's Mucus Relief

#### Cough

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

- controls cough

- relieves chest congestion
- thins & loosens mucus

Cherry Flavor

For Ages 4 to 11 Years

FL OZ (mL)

Dosing Cup Included

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Cough.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

Distributed by AmerisourceBergen

1 West First Avenue

Conshohocken, PA 19428

[www.mygnp.com](http://www.mygnp.com)

**Package Label**

**Drug Facts (continued)**  
**Inactive ingredients** citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum  
**Questions or comments?**  
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Cough.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

**PARENTS:**  
 Learn More About Pediatric Dose  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



Distributed by:  
 AmerisourceBergen  
 1 West First Avenue  
 Conshohocken, PA 19428  
 Questions or Concerns?  
 Visit us at [www.mygnp.com](http://www.mygnp.com)

NDC 24385-985-26 Compare to Children's Mucinex® Cough active ingredients\*



**ALCOHOL FREE**

# Children's Mucus Relief

**Cough**

Cough Suppressant (Dextromethorphan HBr)  
 Expectorant (Guaifenesin)

- Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

Cherry Flavor  
 For Ages 4 to 11 Years

4 fl oz (118 mL)

NDC 24385-985-26 Compare to Children's Mucinex® Cough active ingredients\*



**ALCOHOL FREE**

# Children's Mucus Relief

**Cough**

Cough Suppressant (Dextromethorphan HBr)  
 Expectorant (Guaifenesin)

- Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

Cherry Flavor  
 For Ages 4 to 11 Years

4 fl oz (118 mL)

**Drug Facts**

**Active ingredients (in each 5 mL)**  
 Dextromethorphan HBr 5 mg.....Cough suppressant  
 Guaifenesin 100 mg.....Expectorant

**Purposes**

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.  
 In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter ■ shake well before using

Age	Dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

**Other information**

- each 5 mL contains: sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.



PLD-F243C FC004123

Lot No.:  
 Exp. Date:

**GOOD NEIGHBOR PHARMACY Children's Mucus Relief Cough**

**CHILDRENS MUCUS RELIEF COUGH**

dextromethorphan hbr, guaifensin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24385-985
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-985-26	1 in 1 BOX	02/29/2012	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/29/2012	

**Labeler** - AmerisourceBergen Drug Corporation (Good Neighbor Pharmacy) 24385 (007914906)