ACID REDUCER- famotidine tablet, film coated Publix Super Markets Inc

Publix Super Markets, Inc. Acid Reducer Drug Facts

Active ingredient (in each tablet)

Famotidine 10 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15
 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 68°-77°F (20°-25°C)
- · protect from moisture

Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

Principal Display Panel

FAMOTIDINE TABLETS, 10 mg

acid reducer

ORIGINAL STRENGTH

ACTUAL SIZE

• Just one tablet prevents and relieves heartburn due to acid indigestion

30 TABLETS

Compare to Pepcid® AC Original Strength active ingredient

SEE NEW WARNINGS

Publix

PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK 1-888-267-3037 publix_com

3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811 DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.

падетатк Рерсід

*This product is not manufactured or distributed by the owner of the registered Just one tablet prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages



- atom ach pain ki dne yd isease
 - nausea orvomiting
 - nuexplain ed w eight loss
- frequent whe ezing, particul allywith heartburn misq teach cheet pain
 - or ligh thead edne sa
- sweating; pain spreading to arms, neck or shoulders, chest pain or shoulder pain with shortness of breath;
- hear thum wifile lighthe eaded ne as, aweating, or dizziness more se nous condition.
- had heartburn over 3 mon ths. This may be a sign of a Ask adoctor before use if you have
 - ar souberacid reducers ■
- signs of a serious condition. See your do ctor. with blood, orbloody orblack stools. The se may be if you have trouble or pains wallowing to od, vomiting Do notuse

or other acid reducers

OPEN OTHER END

14165 63 C3

A lengy alent: Don ot use if you are allergic to farmotidin e sprinns W

- certain food and beverages and sour stomach brought on by eating or drinking ■ pre ven ts hear tburn as socia te dwith acid indigestion sont stomach
- ns no ise egi bni bios nti w bet sioos sanudtrasel ieves heart bur an a səsn

Famo fidine 10 mg......Acid re ducer Active ingredient (in each tablet) Purpose

Drug Facts

microcrys talline cellul os e, poly dextros e, polyethy lene gly col, pre gela tini zed starch, talc, titan ium di oxide, tri acetin in n oxid e re d, inon oxide y ello w, m agn ea um stea rate, n active ing red lents camauba wax, hyp romelose,

■ ke epth e carbon. It contains im portant information. ■ store at 6.8°-7.7° F (2.0°-2.5° C) ■ protectfrom moisture ■read the directions and warning sbefore use

Other information

- ∎child ren und er1.2 years:a ak:a doctor
- do not u se mor e than 2 tablets in 24 hours esting bod or drinking beverages that cause heartburn or water at a my time from 15 to 60 min ute s before
- a to prevent symptoms smallow I tablet with a glass of water. Donot chew.
- torellevesymptoms swallow 1 tablet with a glass ■adults and children 12 years and over:

Directions

(SSZ1-SZ-008-1)./(EMB

their redical help or con tact a Poison Control Cen ter right Keep out of reach of children. In case of overdoae,

If pregnant or breast-feeding, ask a health professional

■you need to take this product for more than 1 4d ays ■your he artbum continues or worsens Stopuseand aska doctoriř

with certain prescription drugs. takin g a prescription ding. Acid reducers may interact Ask a doctor or pharma cist before use if you are

Drug Facts (continued)

CONVENIENT RECLOSING TAB

Tips for Managing Hearthurn • Do not lie flat or bend over after eating • Do not wear tight-fitting chothing around the stomach • Do not eat before bedtime • Raise the head of your bed • Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables • Eat slowly and avoid big meals • If overweight, lose weight • Quit smoking

FAMOTIDINE TABLETS, 10 mg acidreducer

ORIGINAL STRENGTH



NDC 56062-141-65

FAMOTIDINE TABLETS, 10 mg acid**reducer**

ORIGINAL STRENGTH



ACTUAL SIZE

 Just one tablet prevents and relieves heartburn due to acid indigestion

TARIFTS





SEE NEW WARNINGS

ACID REDUCER

famotidine tablet, film coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:56062-141

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|----------|
| FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8) | FAMOTIDINE | 10 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
| | |

CARNAUBA WAX (UNII: R12CBM0EIZ)

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYDEXTROSE (UNII: VH2XOU12IE)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIACETIN (UNII: XHX3C3X673)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX43802MRT)

Product Characteristics

| Color | PINK | Score | no score | |
|----------|-------|--------------|----------|--|
| Shape | ROUND | Size | 8mm | |
| Flavor | | Imprint Code | L141 | |
| Contains | | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---------------------|-------------------------|-----------------------|
| 1 | NDC:56062-141- 65 | 30 in 1 CARTON | 11/23/2009 | |

| 1 | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |
|-----------------------|--|-------------------------|-----------------------|--|
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| ANDA | ANDA075400 | 11/23/2009 | | |
| | | | | |

Labeler - Publix Super Markets Inc (006922009)

Revised: 3/2022 Publix Super Markets Inc