

## RHUS ACONITUM- rhus aconitum pellet

Uriel Pharmacy Inc.

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

### Rhus Aconitum

Directions: FOR ORAL USE ONLY.

Dissolve pellets under the tongue 3-4 times daily. Ages 12 and older: 10 pellets. Ages 2-11: 5 pellets. Under age 2: Consult a doctor.

Active Ingredients: Gelsemium (Yellow jasmine) 3X, Aconitum (Monkshood) 4X, Gnaphalium (Edelweiss) 4X, Mandragora (Mandrake) 4X, Rhus tox. (Sumac) 4X, Atropa belladonna (Nightshade) 6X, Granite (Primitive rock containing quartz, feldspar, mica) 10X

Inactive Ingredient: Sucrose

Prepared using rhythmical processes.

Use: Temporary relief of sore muscles.

KEEP OUT OF REACH OF CHILDREN.

Warnings: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated. Contains sugar. Diabetics and persons intolerant of sucrose (sugar): Consult a doctor before use. Do not use if allergic to any ingredient. Consult a doctor before use for serious conditions or if conditions worsen or persist. If pregnant or nursing, consult a doctor before use. Do not use if safety seal is broken or missing.

Questions? Call 866.642.2858

Uriel, East Troy, WI 53120

shopuriel.com Lot:

Directions: For Oral Use Only.  
Dissolve pellets under the tongue 3-4 times daily. Ages 12 and older: 10 pellets. Ages 2-11: 5 pellets. Under age 2: Consult a doctor.  
Active Ingredients: Gelsemium (Yellow jasmine) 3X, Aconitum (Monkshood) 4X, Gnaphalium (Edelweiss) 4X, Mandragora (Mandrake) 4X, Rhus tox. (Sumac) 4X, Atropa belladonna (Nightshade) 6X, Granite (Primitive rock containing quartz, feldspar, mica) 10X  
Inactive Ingredient: Sucrose  
Prepared using rhythmical processes.  
Use: Temporary relief of sore muscles.  
Keep out of reach of children.



KEEP OUT OF REACH OF CHILDREN.  
Warnings: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated. Contains sugar. Diabetics and persons intolerant of sucrose (sugar): Consult a doctor before use. Do not use if allergic to any ingredient. Consult a doctor before use for serious conditions or if conditions worsen or persist. If pregnant or nursing, consult a doctor before use. Do not use if safety seal is broken or missing.  
Questions? Call 866.642.2858  
Uriel, East Troy, WI 53120  
shopuriel.com Lot:

## RHUS ACONITUM

rhus aconitum pellet

### Product Information

#### Product Type

HUMAN OTC DRUG

#### Item Code (Source)

NDC:48951-8142

|                         |      |
|-------------------------|------|
| Route of Administration | ORAL |
|-------------------------|------|

## Active Ingredient/Active Moiety

| Ingredient Name                                                                                                 | Basis of Strength                | Strength  |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|-----------|
| <b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)           | GELSEMIUM SEMPERVIRENS ROOT      | 3 [hp_X]  |
| <b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)                               | ACONITUM NAPELLUS                | 4 [hp_X]  |
| <b>PSEUDOGNAPHALIUM LUTEOALBUM LEAF</b> (UNII: BG120Z6M57) (PSEUDOGNAPHALIUM LUTEOALBUM LEAF - UNII:BG120Z6M57) | PSEUDOGNAPHALIUM LUTEOALBUM LEAF | 4 [hp_X]  |
| <b>MANDRAGORA OFFICINARUM ROOT</b> (UNII: I2XCB174VB) (MANDRAGORA OFFICINARUM ROOT - UNII:I2XCB174VB)           | MANDRAGORA OFFICINARUM ROOT      | 4 [hp_X]  |
| <b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)         | TOXICODENDRON PUBESCENS LEAF     | 4 [hp_X]  |
| <b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)                               | ATROPA BELLADONNA                | 6 [hp_X]  |
| <b>PENOXSULAM</b> (UNII: 784ELC1SCZ) (PENOXSULAM - UNII:784ELC1SCZ)                                             | PENOXSULAM                       | 10 [hp_X] |

## Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| <b>SUCROSE</b> (UNII: C151H8M554) |          |

## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 3mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |          |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description                                        | Marketing Start Date | Marketing End Date |
|---|------------------|------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:48951-8142-2 | 1350 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/01/2009           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|------------------------------------------|----------------------|--------------------|
| unapproved homeopathic |                                          | 09/01/2009           |                    |

**Labeler** - Uriel Pharmacy Inc. (043471163)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|------|---------|--------|---------------------|
|------|---------|--------|---------------------|

|                     |  |           |                         |
|---------------------|--|-----------|-------------------------|
| Uriel Pharmacy Inc. |  | 043471163 | manufacture(48951-8142) |
|---------------------|--|-----------|-------------------------|

Revised: 6/2025

Uriel Pharmacy Inc.