

**TOLNAFTATE- antifungal powder spray aerosol, spray**  
**HY-VEE, INC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**HyVee Antifungal Tolnaftate (Athlete's Foot) Powder Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, cracking and chafing associated with jock itch

***Warnings***

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**☐When using this product**

- do not get into eyes or mouth
- use only as directed

**☐Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot, ringworm and 2 weeks for jock itch

**☐Do not use**

on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot, ringworm and for jock itch use daily for 2 weeks
- if conditions persist, consult a doctor
- to prevent athlete's foot, apply daily once or twice daily (morning and/or night)
- this product is not effective on the scalps or nails
- in case of clogging, clear nozzle under running water

***Other information***

store between 20° and 30°C (68°F and 86°)

***Inactive ingredient***

BHT, isobutane (propellant), PPG-12-buteth-16, SD alcohol 40-B (14%w/w), talc

***Questions?***

Call 1-888-423-0139

**Principal Display Panel**

**HyVee Health**

**Athlete's Foot**

**Antifungal Powder Spray**

**Tolnaftate 1%**

- Cures & Prevents Most Athlete's Foot
- Relieves Itching & Burning

**NET WT 4.6 OZ (130 g)**

**HyVee**  
health

\*COMPARE TO  
the Active  
Ingredient of  
Tinactin®

# Athlete's Foot Antifungal Powder Spray

Tolnaftate 1%

**Powder**

- Cures & Prevents Most Athlete's Foot
- Relieves Itching & Burning



NET WT  
4.6 OZ  
(130 g)

## Drug Facts

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses** ■ cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris) ■ can prevent recurrence of most athlete's foot ■ relieves symptoms of athlete's foot, including itching, burning, cracking and chafing associated with jock itch

### Warnings

For external use only.

**Flammable:** Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product** ■ avoid contact with the eyes or mouth ■ use only as directed

**Stop use and ask a doctor if** ■ no improvement within 4 weeks for athlete's foot, ringworm and 2 weeks for jock itch ■ irritation occurs

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ wash affected area and dry thoroughly ■ shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor ■ supervise children in the use of this product ■ for athlete's foot, pay special attention to spaces between toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily ■ use daily for 4 weeks for athlete's foot, ringworm and for jock itch use daily for 2 weeks ■ if condition persists, consult a doctor ■ to prevent athlete's foot, apply once or twice daily (morning and/or night) ■ this product is not effective on scalp or nails ■ in case of clogging, clear nozzle under running water

**Other information** store between 20° and 30° C (68° and 86° F)

**Inactive ingredients** BHT, isobutane (propellant), PPG-12-buteth-16, SD Alcohol 40-B (14% w/w), talc

**Questions? Call 1-800-289-8343**

\* This product is not manufactured or distributed by the Bayer Corporation, owner of the registered trademark Tinactin®.

DISTRIBUTED BY HY-VEE, INC., WEST DES MOINES, IA 50266

MADE IN THE U.S.A.

SATISFACTION GUARANTEED  
CALL 1-800-289-8343 www.hy-vee.com

0  
75450122169  
5

**FOR  
POSITION  
ONLY**

50-060HY

## TOLNAFTATE

antifungal powder spray aerosol, spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-135
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.3 g in 130 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	
TALC (UNII: 7SEV7J4R1U)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-135-46	130 g in 1 CAN; Type 0: Not a Combination Product	12/22/2017	10/10/2020

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	12/22/2017	10/10/2020

**Labeler** - HY-VEE, INC (006925671)

Revised: 12/2019

HY-VEE, INC