

**SLEEP AID NIGHTTIME- diphenhydramine hcl capsule  
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Diphenhydramine HCl 50 mg

**Purpose**

Nighttime sleep-aid

**Uses**

For relief of occasional sleeplessness.

**Warnings**

**Do not use**

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

avoid alcoholic drinks

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

**Other information**

- store between 15-30°C (59-86°F)

**Inactive ingredients**

edible white ink, FD&C blue #1, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water, sorbitan\*, sorbitol

\*contains one or more of these ingredients

**Questions or comments?**

Call toll free 1-866-4-REXALL

**Principal Display Panel**

MAXIMUM STRENGTH

Nighttime

**Sleep-Aid**

Diphenhydramine HCl, 50 mg

Softgels

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

MANUFACTURED FOR DOLGENCORP, LLC

100 MISSION RIDGE GOODLETTSVILLE, TN 37072 USA

## Product Label



**MAXIMUM STRENGTH**

# Nighttime Sleep Aid



Diphenhydramine HCl 50 mg

Actual Size



**16**  
Softgels

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Lot No.:  
Exp. Date:

Visit us at: [Rexall.com](http://Rexall.com)  
or call 1-866-4-REXALL

MANUFACTURED FOR DOLGENCORP, LLC  
100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 USA  
Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.

PLD-C270  
FC005403

**KEEP OUTER CARTON FOR COMPLETE  
WARNINGS AND PRODUCT INFORMATION.**



<b>Purpose</b>	Diphenhydramine HCl 50 mg.....Nighttime sleep-aid
<b>Use</b>	For relief of occasional sleeplessness.
<b>Warnings</b>	<ul style="list-style-type: none"> <li>Do not use           <ul style="list-style-type: none"> <li>in children under 12 years of age</li> <li>with any other product containing diphenhydramine, even one used on skin</li> </ul> </li> <li>Ask a doctor before use if you have           <ul style="list-style-type: none"> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>glaucoma</li> <li>trouble urinating due to an enlarged prostate gland</li> </ul> </li> <li>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</li> </ul>
<b>When using this product,</b>	avoid alcoholic drinks.
<b>Stop use and ask a doctor if</b>	sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
<b>If pregnant or breast-feeding,</b>	ask a health professional before use.
<b>Keep out of reach of children.</b>	In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
<b>Directions</b>	<ul style="list-style-type: none"> <li>adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor</li> </ul>
<b>Other information</b>	store between 15-30°C (59-86°F)
<b>Inactive ingredients</b>	edible white ink, FD&C blue #1, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol
<b>Questions or comments?</b>	Call toll free 1-866-4-REXALL

## REXALL Nighttime Sleep Aid

### SLEEP AID NIGHTTIME

diphenhydramine hcl capsule

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-736
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O921CV9RU)	

#### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	P50;A99;D50;AP018
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-736-16	16 in 1 CARTON	12/31/2018	12/27/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

#### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part338	12/31/2018	12/27/2024

**Labeler** - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 9/2022

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)