

SHEXIANG ZHUANGGUGAO- methyl salicylate and camphor (synthetic) and menthol plaster
International Nature Nutraceuticals

Shexiang Zhuanggugao
Pain Relieving Plaster

Drug Facts

Active Ingredients, quantities and it's purpose :

Methyl Salicylate
Camphor
Methnol

Uses:

For the temporary relief of minor aches
and pains of muscles and joints due to :
Simple backache. Arthritis. Strains.
Bruises. Sprains.

Warnings:

When using this product. Avoid contact with the
eyes. Do not apply to wounds or damges skin.
Do not bandage tightly.

Warnings:

Ask a doctor or pharmacist before use if you are
allergic to salicylates or aspirin.

Warnings:

Stop use and ask a doctor if condition worsens,
or if symptoms persist for more than 7 days or
clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health
professional before use.

Inactive Ingredients:

If you have any questions about this product, please use the following telephone numbers to contact us:
011-86-714-6582928

Keep out of reach of children

In case swallowed, get medical help or contact a Poison Control Center right away.

Warnings:

For External Use Only.

Directions:

adults and children 12 years of age and older
apply one or two plasters to affected area
once a day, remove after 8 hours.

children 2 to 12 years of age and adults with
compromised health, use only under the
guidance of a doctor.

children under 2 years of age, do not use.

Uses:

For the temporary relief of minor aches
and pains of muscles and joints due to :
Simple backache. Arthritis. Strains.
Bruises. Sprains.

Inactive Ingredients:

kaempferia Galanga Root. Ginger. Angelica dahurica
root. Atractylodes lancea root. Angelica sinensis root.
Anise. Ephedra Sinica Stem. Natural latex rubber.
Lanolin. Petrolatum . Aconitum Kusnezoffii Root .
Aconitum Carmichaelii Root. Artificial moschus .
Borneol. Chondroitin sulfate (porcine), Chondroitin
sulfate (chicken) . Zinc oxide

Storage:

store at 15 C to 30 C (59 F to 86 F)

keep away from heat

**Shexiang Zhuangguo
Pain Relieving Plaster**



<p>Drug Facts 成份說明</p> <p>Active Ingredients, quantities and it's purpose: 有效成份, 數量及用途: Methyl Salicylate 12% 水楊酸甲酯..... External Analgesic Camphor 3.9% 樟腦..... External Analgesic Menthol 2.6% 薄荷醇..... External Analgesic</p> <p>Uses: 作用: For the temporary relief of minor aches and pains of muscles and joints due to: Simple backache, Arthritis, Strains. Brulees, Sprains, 用於暫時舒緩因下列症狀引起的肌肉和骨痛, 風濕關節炎, 扭傷。</p> <p>Warnings: 警告: For External Use Only. 只供外用。</p> <p>Ask a doctor or pharmacist before use if you are allergic to salicylates or aspirin. 如果你會對水楊酸或阿司匹林過敏, 在使用前請諮詢醫生或藥劑師。</p> <p>When using this product, Avoid contact with the eyes. Do not apply to wounds or damage skin. Do not bandage lightly. 在使用本產品時, 避免接觸眼睛, 不要用於傷口或損傷皮膚上, 不要包紮過緊。</p> <p>Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. 如果出現以下症狀請停止使用並向醫生, 藥物變化, 或者症狀持續超過7天, 或症狀消失後九天後復發, 如果懷孕或哺乳, 請在服用前諮詢醫生或藥劑師。</p> <p>Keep out of reach of children. In case swallowed, get medical help or contact a Poison Control Center right away. 請將本品遠離兒童, 吞下本品不能嚼碎或吞下。如果不慎吞下, 請尋求醫療幫助或聯繫毒物控制中心。</p> <p>Drug Facts (cont.) 成份說明(續) →</p>	<p>Drug Facts (cont.) 成份說明(續)</p> <p>Directions: 服用說明: adults and children 12 years of age and older 成人及12歲以上兒童 apply one or two plasters to affected area once a day, remove after 8 hours. 每天貼一至兩貼於患處, 8小時之後取下。 children 2 to 12 years of age and adults with compromised health, use only under the guidance of a doctor. 2至12歲兒童及有健康問題的成人應在醫師指導下使用。 children under 2 years of age, do not use. 2歲以下兒童不可使用</p> <p>Storage: 貯藏: store at 15°C to 30°C (59° F to 86° F) keep away from heat 保存在15°C to 30°C (59° F to 86° F)之間, 遠離熱源。</p> <p>Inactive Ingredients: 輔助成份: Kaempferia Galanga Root, Ginger, Angelica dahurica root, Arctostylos lancea root, Angelica sinensis root, Anise, Ephedra Sinica Stem, Natural latex rubber, Lanolin, Petrolatum, Aconitum Kusnezoffii Root, Aconitum Carmichaelii Root, Artificial moschus, Borneol, Chondroitin sulfate (porcine), Chondroitin sulfate (chicken), Zinc oxide 山奈, 射干(生薑), 白芷, 薑黃, 靈芝, 八角茴香, 蘇合, 天然乳膠, 羊毛脂, 凡士林, 麝香, 樟腦, 川芎, 人工麝香, 冰片, 羧基聚軟骨素, 羧基聚軟骨素, 氯化鋅。</p> <p>本藥劑本產品含有任何用藥, 服用以下電話號碼向我們查詢 If you have any questions about this product, please use the following telephone numbers contact us: 011-88-714-8982828</p>
--	---

◆ 全美總代理: 國際中藥保健總匯
Exclusive U.S. Distributor:
International Nature Nutraceuticals, Inc.
New York, NY, USA
www.innherb.com
Manufacturer By:
Huangshi Hygienic Material Medicine Co., Ltd.
Hubei, China



Lot No.:
Exp.:

NDC 51367-034-02


OTC
For external use only
只供外用
神效膏

麝香壯骨膏


**Shexiang Zhuangguo
Pain Relieving Plaster**

7cmX10cm. 2pcs X 5packets/box

尺寸: 175mm*127mm*15mm



<p>Drug Facts 成份說明</p> <p>Active Ingredients, quantities and it's purpose: 有效成份, 數量及用途: Methyl Salicylate 12% 水楊酸甲酯..... External Analgesic Camphor 3.9% 樟腦..... External Analgesic Menthol 2.6% 薄荷醇..... External Analgesic</p> <p>Uses: 作用: For the temporary relief of minor aches</p>	<p>Drug Facts (cont.) 成份說明(續)</p> <p>Directions: 服用說明: adults and children 12 years of age and older 成人及12歲以上兒童 apply one or two plasters to affected area once a day, remove after 8 hours. 每天貼一至兩貼於患處, 8小時之後取下。 children 2 to 12 years of age and adults with</p>
--	---



麝香壯骨膏

Shexiang Zhuanggugao Pain Relieving Plaster

7cm×10cm 2pcs/packet

and pains of muscles and joints due to:
Simple backache, Arthritis, Strains,
Bruises, Sprains. 用於暫時舒緩因下列症狀
引致的肌肉和骨痛, 風濕關節炎, 扭傷。

Warnings 警告:
For External Use Only. 只供外用。

Ask a doctor or pharmacist before use if you are
allergic to salicylates or aspirin. 如果你會對水
楊酸類阿司匹林過敏, 在使用前請諮詢醫生或藥
劑師。

When using this product. Avoid contact with the
eyes. Do not apply to wounds or damaged skin.
Do not bandage tightly. 當使用本藥時, 避免接
觸眼睛, 不要用於傷口或損傷皮膚上, 不要包紮過
緊。

Stop use and ask a doctor if condition worsens,
or if symptoms persist for more than 7 days or
clear up and occur again within a few days. 如果
出現以下症狀請停止使用並諮詢醫生, 倘若症狀
改善後症狀持續超過7天, 或症狀消失後几天內
復發, 如果懷孕或哺乳, 請在服用前諮詢醫生或
藥劑師。

Keep out of reach of children.
In case swallowed, get medical help or contact
a Poison Control Center right away. 請將本藥品
存放在兒童不能接觸的地方, 如果不慎吞食, 請尋
求醫療幫助或聯繫藥物控制中心。

Drug Facts (cont.) 成份說明(續) →

compromised health, use only under the
guidance of a doctor.
2至12歲兒童及有健康問題的成人應在醫師指導
下使用。
children under 2 years of age, do not use.
2歲以下兒童不可使用。

Storage : 貯藏:
store at 15°C to 30°C (59°F to 86°F)
keep away from heat
存放在15°C到30°C (59°F到86°F)
之間, 遠離高溫。

Inactive Ingredients: 輔助成份:
kaempferia Galanga Root, Ginger, Angelica dahurica
root, Atractylodes lancea root, Angelica sinensis root,
Anise, Ephedra Sinica Stem, Natural latex rubber,
Lanolin, Petrolatum, Aconitum Kusnezoffii Root,
Aconitum Carmichaelii Root, Artificial moschus,
Borneol, Chondroitin sulfate (porcine), Chondroitin
sulfate (chicken), Zinc oxide
山藥、射干(生藥)、白芷、薑黃、靈芝、八角茴香、蘇
合、天然乳膠、羊毛脂、凡士林、麝香、川椒、人工
鴉片、冰片、樟腦醇軟膏、繭油醇軟膏、氧化鋅。

如果對本藥品有任何問題, 請用以下電話號碼向我們查詢
If you have any questions about this product, please
use the following telephone numbers contact us:
011-86-714-6582926



全美總代理: 國際中藥保健總匯
Exclusive U.S. Distributor:
International Nature Nutraceuticals, Inc.
New York, NY USA
www.innherb.com
Manufacturer By:
Huangshi Hygienic Material Medicine Co., Ltd.
Hubei, China



Lot No.:
Exp.:

尺寸: 110mm*163mm



Drug Facts 成份說明

Active Ingredients, quantities and it's purpose:
有效成份, 數量及用途:
Methyl Salicylate 12% 水楊酸甲酯..... External Analgesic
Camphor 3.8% 樟腦..... External Analgesic
Menthol 2.6% 薄荷醇..... External Analgesic

Uses: 作用:
For the temporary relief of minor aches
and pains of muscles and joints due to:
Simple backache, Arthritis, Strains,
Bruises, Sprains. 用於暫時舒緩因下列症狀
引致的肌肉和骨痛, 風濕關節炎, 扭傷。

Warnings 警告:
For External Use Only. 只供外用。

Ask a doctor or pharmacist before use if you are
allergic to salicylates or aspirin. 如果你會對水
楊酸類阿司匹林過敏, 在使用前請諮詢醫生或藥
劑師。

When using this product. Avoid contact with the
eyes. Do not apply to wounds or damaged skin.
Do not bandage tightly. 當使用本藥時, 避免接
觸眼睛, 不要用於傷口或損傷皮膚上, 不要包紮過
緊。

Stop use and ask a doctor if condition worsens,
or if symptoms persist for more than 7 days or
clear up and occur again within a few days. 如果
出現以下症狀請停止使用並諮詢醫生, 倘若症狀
改善後症狀持續超過7天, 或症狀消失後几天內
復發, 如果懷孕或哺乳, 請在服用前諮詢醫生或
藥劑師。

Keep out of reach of children.
In case swallowed, get medical help or contact
a Poison Control Center right away. 請將本藥品
存放在兒童不能接觸的地方, 如果不慎吞食, 請尋
求醫療幫助或聯繫藥物控制中心。

Drug Facts (cont.) 成份說明(續) →

Drug Facts (cont.) 成份說明(續)

Directions: 服用說明:
adults and children 12 years of age and older
成人及12歲以上兒童
apply one or two plasters to affected area
once a day, remove after 8 hours.
每天貼一至兩貼於患處, 8小時之後取下,
children 2 to 12 years of age and adults with
compromised health, use only under the
guidance of a doctor.
2至12歲兒童及有健康問題的成人應在醫師指導
下使用。
children under 2 years of age, do not use.
2歲以下兒童不可使用。

Storage : 貯藏:
store at 15°C to 30°C (59°F to 86°F)
keep away from heat
存放在15°C到30°C (59°F到86°F)
之間, 遠離高溫。

Inactive Ingredients: 輔助成份:
kaempferia Galanga Root, Ginger, Angelica dahurica
root, Atractylodes lancea root, Angelica sinensis root,
Anise, Ephedra Sinica Stem, Natural latex rubber,
Lanolin, Petrolatum, Aconitum Kusnezoffii Root,
Aconitum Carmichaelii Root, Artificial moschus,
Borneol, Chondroitin sulfate (porcine), Chondroitin
sulfate (chicken), Zinc oxide
山藥、射干(生藥)、白芷、薑黃、靈芝、八角茴香、蘇
合、天然乳膠、羊毛脂、凡士林、麝香、川椒、人工
鴉片、冰片、樟腦醇軟膏、繭油醇軟膏、氧化鋅。

如果對本藥品有任何問題, 請用以下電話號碼向我們查詢
If you have any questions about this product, please
use the following telephone numbers contact us:
011-86-714-6582926



全美總代理: 國際中藥保健總匯
Exclusive U.S. Distributor:
International Nature Nutraceuticals, Inc.
New York, NY USA
www.innherb.com
Manufacturer By:
Huangshi Hygienic Material Medicine Co., Ltd.
Hubei, China



Lot No.:
Exp.:

NDC 51367-034-02


OTC For external use only 只供外用 神效膏

麝香壯骨膏

Shexiang Zhuanggugao Pain Relieving Plaster

7cmX10cm. 2pcs X 5packets/box

尺寸: 175mm*127mm*15mm



尺寸: 175mm*127mm*15mm

NDC 51367-034-02

**Shexiang Zhuanggu Gao
Pain Relieving Plaster**

7cm x 10cm 2pcs/packet

Drug Facts 成份說明	Drug Facts (cont.) 成份說明(續)
<p>Active Ingredients, quantities and it's purpose 有效成份, 數量及用途: Methyl Salicylate 12% 水楊酸甲酯..... External Analgesic Camphor 3.8% 樟腦..... External Analgesic Menthol 2.6% 薄荷腦..... External Analgesic</p> <p>Uses: 作用: For the temporary relief of minor aches and pains of muscles and joints due to: Simple backache, Arthritis, Strains, Bruises, Sprains. 用於暫時舒緩因下列症狀引起的肌肉和骨痛, 風濕關節炎, 扭傷。</p> <p>Warnings: 警告: For External Use Only. 只供外用。</p> <p>Ask a doctor or pharmacist before use if you are allergic to salicylates or aspirin. 如果您曾對水楊酸或阿司匹靈過敏, 在服用前請先諮詢醫生或藥劑師。</p> <p>When using this product, Avoid contact with the eyes. Do not apply to wounds or damaged skin. Do not bandage tightly. 當使用本產品時, 避免接觸眼睛黏膜, 不要用於傷口或損傷皮膚上, 不要包紮過緊。</p> <p>Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. 如果出現以下症狀請停止使用或詢問醫生, 情況變化或者症狀持續超過7天, 或症狀消失後几天內復發, 請先諮詢醫生。 If pregnant or breast-feeding, ask a health professional before use. 如果您已懷孕或正在服用母乳, 請在使用前諮詢您的醫生或藥劑師。</p> <p>Keep out of reach of children. In case swallowed, get medical help or contact a Poison Control Center right away. 請將本產品貯存在兒童不能接觸的地方, 如果吞食, 請尋求醫務幫助或聯繫藥物諮詢中心。</p> <p style="text-align: right;">Drug Facts (cont.) 成份說明(續) →</p>	<p>Directions: 使用說明: adults and children 12 years of age and older 成人及12歲以上兒童 apply one or two plasters to affected area once a day, remove after 8 hours. 每天貼一至兩貼於患處, 8小時之後取下, children 2 to 12 years of age and adults with compromised health, use only under the guidance of a doctor. 2至12歲兒童及有健康問題的成人應在醫師指導下使用, children under 2 years of age, do not use. 2歲以下兒童不可使用</p> <p>Storage: 存放: store at 15°C to 30°C (59° F to 86° F) keep away from heat 保存於15°C至30°C (59° F至86° F)之間, 遠離高溫。</p> <p>Inactive Ingredients: 輔助成份: Isaemferia Galanga Root, Ginger, Angelica dahurica root, Atactylodes lancea root, Angelica sinensis root, Anise, Ephedra Sinica Stem, Natural latex rubber, Lanolin, Petroleum, Aconitum Kusnezoffi Root, Aconitum Carmichaelii Root, Artificial moschus, Borneol, Chondroitin sulfate (porcine), Chondroitin sulfate (chicken), Zinc oxide (山嵐、射干(生藥)、白芷、延胡、靈脂、八角茴香、蘇合、天竺黃、羊毛脂、九土林、麝香、川椒、人工麝香、20%、樟腦(合成藥、藥用級)薄荷、氯化鈣。</p> <p>如果對本產品有任何問題, 請用以下電話號碼與我們聯繫 If you have any questions about this product, please use the following telephone numbers contact us: 011-86-714-6582828</p>

全英總代理: 國際中藥保健集團
Exclusive U.S. Distributor:
International Nature Nutraceuticals, Inc.
New York, NY USA
www.innherb.com
Manufacturer By:
Huangshi Hygienic Material Medicine Co., Ltd.
Hubei, China

Lot No.:
Exp.:

尺寸: 110mm*163mm

SHEXIANG ZHUANGGUGAO

methyl salicylate and camphor (synthetic) and menthol plaster

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51367-034
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Camphor (Synthetic) (UNII: 5TJD82A1ET) (Camphor (Synthetic) - UNII:5TJD82A1ET)	Camphor (Synthetic)	21.78 mg
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	29 mg
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	18.67 mg

Inactive Ingredients

Ingredient Name	Strength
KAEMPFERIA GALANGA ROOT (UNII: 7B7U9D12AI)	
GINGER (UNII: C5529G5JPQ)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
ATRACTYLODES LANCEA ROOT (UNII: CAZ6282J2O)	
ANGELICA SINENSIS ROOT (UNII: B66F4574UG)	
ANISE (UNII: 21C2F5E8RE)	
EPHEDRA SINICA STEM (UNII: 55L3XLO37E)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
LANOLIN (UNII: 7EV65EAW6H)	
PETROLATUM (UNII: 4T6H12BN9U)	
ROSIN (UNII: 88S87KL877)	
ACONITUM KUSNEZOFFII ROOT (UNII: 3L29I4K8KX)	
ACONITUM CARMICHAELII ROOT (UNII: XJ28061U1S)	
MOSCHUS MOSCHIFERUS WHOLE (UNII: W5Y0EFG88O)	
BORNEOL (UNII: M89NIB437X)	
CHONDROITIN SULFATE (PORCINE) (UNII: V5E8ELO4W9)	
CHONDROITIN SULFATE (CHICKEN) (UNII: 7VZ9466BAB)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51367-034-10	1 in 1 BOX	01/01/2021	
1		10 in 1 PACKET; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:51367-034-02	5 in 1 BOX	01/01/2021	
2		2 in 1 PACKET; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part348	01/01/2021	

Labeler - International Nature Nutraceuticals (006106879)

Establishment

Name	Address	ID/FEI	Business Operations
Huangshi Hygienic Material Medicine Co. Ltd		527157596	MANUFACTURE(51367-034)

Revised: 12/2024

International Nature Nutraceuticals