

**PNV PRENATAL VITAMIN- .alpha.-tocopherol acetate, dl-, cholecalciferol, cyanocobalamin, ferrous fumarate, folic acid, niacinamide, sodium ascorbate, ascorbic acid, pyridoxine hydrochloride, riboflavin, and thiamine mononitrate tablet, chewable**  
**Sancilio & Company Inc**

-----  
**PNV Prenatal Health™ - Prenatal Vitamins**

*PNV* Chewable Tablets are formulated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period, for both the lactating and non-lactating mothers, and is useful for improving nutritional status prior to conception.

**Each fruit-flavored PNV Chewable tablet contains:**

---

**VITAMINS:**

Vitamin C (as sodium ascorbate and ascorbic acid)	120 mg
Vitamin D3 (as cholecalciferol)	400 IU
Vitamin E (as dl-alpha tocopheryl acetate)	11 IU
Vitamin B1 (as thiamin mononitrate)	2 mg
Vitamin B2 (as riboflavin)	3 mg
Vitamin B3 (as niacinamide)	20 mg
Vitamin B6 (as pyridoxine HCL)	10 mg
Vitamin Folic Acid	1 mg
Vitamin B12 (as cyanocobalamin)	12 mcg

**MINERAL:**

Iron (as ferrous fumarate)	29 mg
----------------------------	-------

---

**OTHER INGREDIENTS**

Microcrystalline cellulose, xylitol, magnesium stearate, talc, natural fruit flavor, malic acid, sucralose, citric acid, and mixed tocopherols.

**DIRECTIONS**

One tablet daily with a meal, or as directed by a physician. Tablets should be chewed or crushed before swallowing.

**CAUTION**

Folic acid may partially correct the hematological damage due to vitamin B12 deficiency of pernicious anemia, while the associated neurological damage progresses.

**WARNING**

Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**ADVERSE REACTIONS**

In some cases, allergic hypersensitivity has been reported following administration of folic acid. Mild gastrointestinal disturbances may occur with products containing ferrous fumarate (iron), but usually

subside with continuation of therapy.

## **HOW SUPPLIED**

**PNV Prenatal Health™** - Prenatal Vitamins are light brown to brown-speckled, fruit-flavored, round tablets debossed "SCI" on one side.

**STORE AT CONTROLLED ROOM TEMPERATURE 15°-30°C (59°-86°F).**

**PROTECT FROM EXCESS HEAT AND MOISTURE. Dispense in a tight, light-resistant container with child-resistant closure.**

This medical food product is formulated to be administered orally, under the supervision of a physician and is intended for the management of a dietary deficiency of folic acid and iron for which a distinctive nutritional requirement, based on recognized scientific principles, has been established by medical evaluation. The numeric identifier on this product's labeling is an assigned product code for use with pharmacy-level, health insurance and state level reimbursement programs and is not intended to denote registration or approval from the FDA.

**KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.**

**DO NOT USE IF INNER SAFETY SEAL IS BROKEN OR MISSING.**

Manufactured by: **Sancilio & Company, Inc.**,  
Riviera Beach, FL 33404  
(800) SCI-8711

© 2011 Sancilio & Company, Inc.

REV: 12/06/11

## **PRINCIPAL DISPLAY PANEL - 90 Tablets Bottle Label**

**44946-1041-5**

PNV Prenatal Health  
**PNV**  
Prenatal Vitamins

**FOLIC ACID + IRON**  
**MULTIVITAMIN**  
**Chewable**  
**Tablets**

Dispense under a  
physician's order<sup>†</sup>

**Dietary Supplement**

***Sugar Free***

**SCI**  
**Sancilio & Company, Inc**  
*Developing Good Science into Great Medicine*

**90**  
**TABLETS**

**PNV Prenatal Health™ - Prenatal Vitamins**

PNV chewable tablets are formulated to provide vitamin and mineral supplementation throughout pregnancy and during the postnatal period, for both lactating and non-lactating mothers, and is useful for improving nutritional status prior to conception. ‡  
**DIRECTIONS:** One tablet daily with a meal, or as directed by a physician. Tablets should be chewed or crushed before swallowing.

**TAMPER EVIDENT FEATURE:** Do not use if inner-seal beneath cap is missing or broken.

**WARNING:** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**CAUTION:** Folic Acid may mask the symptoms of hematological damage due to Vitamin B12 deficiency of pernicious anemia while the associated neurological damage progresses.

**Other Information: You may report serious side effects to 1-800-SCI-8711. Store at controlled room temperature 15°-30°C (59°-86°F). Protect from excess heat and moisture. Dispense in a tight, light-resistant container with child-resistant closure.**

**IF OVERDOSAGE IS SUSPECTED, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY 1-800-222-1222.**

The numeric identifier on this product's labeling is an assigned product code for use with pharmacy-level, health-insurance and state level reimbursement programs and is not intended to denote registration with the FDA.

\*The manufacturer of this product requires that it be dispensed only under the order of a physician or licensed medical practitioner.

†THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.



44946-1041-5

**FOLIC ACID + IRON  
MULTIVITAMIN  
Chewable  
Tablets**

Dispense under a  
physician's order†

**Dietary Supplement**

**Sugar Free**



**Sancilio & Company, Inc**  
Developing Good Science into Great Medicine

**90  
TABLETS**

**Supplement Facts**

Serving Size: 1 Tablet  
Servings Per Container: 90

	Amount per serving	% Daily Value
Vitamin C (as sodium ascorbate and ascorbic acid)	120 mg	200%
Vitamin D3 (as cholecalciferol)	400 IU	100%
Vitamin E (as dl-alpha tocopheryl acetate)	11 IU	37%
Vitamin B1 (as thiamin mononitrate)	2 mg	118%
Vitamin B2 (as riboflavin)	3 mg	150%
Niacin (as niacinamide)	20 mg	100%
Vitamin B6 (as pyridoxine HCL)	10 mg	400%
Folic Acid	1.0 mg	125%
Vitamin B12 (as cyanocobalamin)	12 mcg	150%
Iron (as ferrous fumarate)	29mg	161%

**OTHER INGREDIENTS:** Microcrystalline cellulose, xylitol, magnesium stearate, talc, natural fruit flavor, malic acid, sucralose, citric acid and mixed tocopherols.

Manufactured by:  
**Sancilio & Company, Inc.**  
3874 Fiscal Court  
Riviera Beach, FL 33404  
(800)SCI-8711



Made in the USA

LOT/EXP

REV 03/31/15



**NON VARNISH**

**PNV PRENATAL VITAMIN**

.alpha.-tocopherol acetate, dl-, cholecalciferol, cyanocobalamin, ferrous fumarate, folic acid, niacinamide, sodium ascorbate, ascorbic acid, pyridoxine hydrochloride, riboflavin, and thiamine mononitrate tablet, chewable

**Product Information**

**Product Type**

DIETARY SUPPLEMENT

**Item Code (Source)**

NHRIC:44946-1041

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
.Alpha.-Tocopherol Acetate, DL- (UNII: WR1WPI7EW8) (.Alpha.-Tocopherol, DL- - UNII:7QWA1RIO01)	.Alpha.-Tocopherol, DL-	11 [iU]
Cholecalciferol (UNII: 1C6V77QF41) (Cholecalciferol - UNII:1C6V77QF41)	Cholecalciferol	400 [iU]
Cyanocobalamin (UNII: P6YC3EG204) (Cyanocobalamin - UNII:P6YC3EG204)	Cyanocobalamin	12 ug
Ferrous fumarate (UNII: R5L488RY0Q) (Ferrous cation - UNII:GW89581OWR)	Ferrous cation	29 mg
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	1 mg
Niacinamide (UNII: 25X51I8RD4) (Niacinamide - UNII:25X51I8RD4)	Niacinamide	20 mg
Sodium Ascorbate (UNII: S033EH8359) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	60 mg
Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	60 mg
Pyridoxine Hydrochloride (UNII: 68Y4CF58BV) (Pyridoxine - UNII:KV2JZ1B16Z)	Pyridoxine	10 mg
Riboflavin (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Riboflavin	3 mg
Thiamine Mononitrate (UNII: 8K0I04919X) (Thiamine Ion - UNII:4ABT0J945J)	Thiamine	2 mg

### Inactive Ingredients

Ingredient Name	Strength
Xylitol (UNII: VCQ006KQ1E)	
Microcrystalline Cellulose (UNII: OP1R32D61U)	
Malic Acid (UNII: 817L1N4CKP)	
Talc (UNII: 7SEV7J4R1U)	
Magnesium stearate (UNII: 70097M6B0)	
Sucralose (UNII: 96K6UQ3ZD4)	
Anhydrous Citric Acid (UNII: XF417D3PSL)	
Tocopherol (UNII: R0ZB2556P8)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:44946-1041-5	90 in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		12/20/2011	

### Supplement Facts

Serving Size : Serving per Container :

Amount Per Serving	% Daily Value
color	
scoring	1

shape	
size (solid drugs)	16 mm
imprint	
flavor	

**Labeler** - Sancilio & Company Inc (176681257)

Revised: 12/2017

Sancilio & Company Inc