

LICE-NIL LICE AND EGGS ELIMINATOR- neem oil, tea tree oil oil
Sujanil Chemo Industries

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Lice-Nil Lice and Eggs Eliminator Oil

Drug Facts

Active ingredients

Azadirachta Indica Oil 5x
Tea Tree Oil 3x

Purpose

Lice Treatment

Uses

treats head lice/nits, pubic lice (crab), and body lice

Warnings

For external use only

Do not use

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

Ask a doctor before use if you are:

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

When using this product

- keep eyes tightly closed and protect eyes with a wash cloth or towel.
- if product gets into eyes, flush with water right away.
- scalp itching or redness may occur.

Stop use and ask a doctor if

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Important:** Read warnings before use
- **for adults and children 2 years and older:**

Inspect

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

Treat

- apply thoroughly to dry hair or other affected area. For head lice, first apply on hair behind ears and back of neck, then continue to apply to the remainder of hair.
- leave product on hair for a minimum of 10 minutes.
- wash area thoroughly with warm water and shampoo or soap.
- for head lice, towel dry hair and comb out tangles.

Remove lice and their eggs (nits)

- using a fine-tooth comb or special lice/nit comb, remove any remaining nits by hand (using a throw-away glove).
- for head lice, part hair into sections and inspect one section at a time, starting at the top of head. Longer hair may take 1-2 hours.
- lift a 1- to 2- inch wide strand of hair. Place comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing.
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that may have been missed.
- we recommend a second treatment after 7 to 10 days to kill any newly hatched lice.
- if infestation continues, see a doctor for other treatments.
- **children under 2 years: consult with a doctor or physician**

Other Information

- shake well before use
- store in cool and dry place
- keep carton for important product information
- see package insert for additional information.

Inactive ingredients

coconut and sesame oils

Questions or comments?

855-KIL-LICE - 855-545-5423

www.licenil.com or e-mail: sales@sujanil.com

'Lice-Nil' Lice & Eggs Eliminator Oil will kill lice completely without leaving a chemical residue. The amount of lice treatment oil needed will vary depending on hair length.

See below for guidelines:

Usage Guidelines

<i>Hair Length</i>	<i>Approximate Amount for 1 Adult/Child:</i>
Short (ear length or shorter)	First Application : 1 oz - 2 oz
	Second Application : 1 oz - 2 oz
	Total : 2 oz - 4 oz
Medium (shoulder length)	First Application : 2 oz - 3 oz
	Second Application : 2 oz - 3 oz
	Total : 4 oz - 6 oz
Long (past shoulder length)	First Application : 3 oz - 4 oz
	Second Application : 3 oz - 4 oz
	Total : 6 oz - 8 oz

The 'Licel-Nil' comb is proven 100% effective as demonstrated in laboratory studies performed by trained testers, individual results may vary.

'Licel-Nil' Lice & Eggs Eliminator Oil

Lice Treatment

- **Nothing Proven More Safe & Effective**
- **Leaves No Chemical Residue Behind**
- **One-Step, Easy-To-Use, Oil Based Application**

Licel-Nil 1-2-3 LICE ELIMINATION SYSTEM

Step 1 Head Lice

- Head lice lay small white eggs (nits) on hair shaft close to the scalp
- Nits are most easily found on the back of the neck or behind the ears
- Disinfect hats, hair ribbons, clothing, scarves, coats, towels and bed linens by machine washing in hot water (above 54°C (130°F)), then dry using the hottest dryer cycle for at least 20 minutes
- Items that cannot be washed (pillows, stuffed toys, etc.) should be dry-cleaned or sealed in a plastic bag for 4 weeks. After 4 weeks, remove them from the plastic bag outdoors and shake rigorously before using again
- Items that cannot be washed, dry-cleaned, or stored may be sprayed with a product designed for purpose
- Soak all combs and brushes in hot water (above 54°C (130°F)) for at least 10 minutes
- Vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people.

Step 2 Pubic (Crab) Lice

- Pubic Lice may be transmitted by sexual contact.
- Sexual partners should be treated simultaneously to avoid reinfestation.
- Pubic Lice usually cause intense itching and lay small white eggs (nits) on the hair shaft near the skin surface.
- Pubic Lice may be present on the groin, thighs, trunk, underarms and occasionally on the beard and mustache.
- Disinfect underwear by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes.

Step 3 Body Lice

- Body Lice and their eggs (nits) are generally found in the seams of clothing particularly in the waistline and armpit area.
- Body Lice feed on skin then return to clothing to lay their eggs.

- Disinfect clothing by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes.
- Do not seal clothing in plastic bag because nits can remain dormant for up to 30 days.

Principal Display Panel

NDC No.: 76441-904-97

Sujanil's

Lice-Nil

Lice and Eggs Eliminator Oil

Proven and tested for more than 4 Decades

Comb with Magnifier Included

Manufactured By:

Sujanil Chemo Industries

425/27, T.M.V Colony,

Pune - 411 037 (INDIA)




Lice-Nil[®]

LICE AND EGGS ELIMINATOR OIL

NDC No.: 76441-904-97

**20 Minute Application
Kills Lice & Eggs Completely!**

**100% NATURAL
ACTIVES**
NO HARMFUL CHEMICALS



**Proven & Tested
For More Than
4 Decades**

**Comb
with Magnifier
included**

NET WT: 4 FL OZ (118 ml)

A PRODUCT OF INDIA

Drug Facts

Active Ingredients	Purpose
Azadirachta Indica Oil 5X	Lice Treatment
Tea Tree Oil 3X	Lice Treatment

Uses: Treats head lice/nits, pubic lice (crab) and body lice

Warnings

For external use only

Do not use:

- Near eyes
- Inside nose, mouth or vagina
- On lice in eyebrows or eyelashes. See a doctor if lice are present in these areas

Ask a doctor before use if you are:

- Allergic to ragweed. May cause breathing difficulty or an asthmatic attack

When using this product:

- Keep eyes lightly closed and protect eyes with a wash cloth or towel
- If product gets in eyes, flush with water right away
- Scalp itching or redness may occur

Stop use and ask a doctor if:

- Breathing difficulty occurs
- Eye irritation occurs
- Skin or scalp irritation continues or infection occurs

Keep out of reach of children. If swallowed, get medical help or contact a poison Control Center right away

Directions

• **Important:** Read warnings before use
• For Adults and Children 2 years and older

Inspect

- Check each household member with a magnifying glass in bright light for lice/nits (eggs)
- Look for tiny nits near scalp, beginning at back of neck and behind ears
- Examine small sections of hair at a time
- Unlike dandruff which moves when touched, nits stick to the hair
- If either lice or nits are found, treat with this product

Treat

- Apply thoroughly to dry hair or other affected area. For head lice, first apply on hair behind ears and back of neck, then continue to apply to the remainder of hair
- Leave product on hair for a minimum of 10 minutes
- Wash area thoroughly with warm water and shampoo or soap

• For head lice, towel dry hair and comb out tangles

Remove lice and their eggs (nits)

- Using a fine-tooth comb or special lice/nit comb, remove any remaining nits by hand (using a throw-away glove)

Drug Facts (continued)

- For head lice, part hair into sections and inspect one section at a time, starting at the top of the head. Longer hair may take 1-2 hours.
- Lift a 1-2-inch wide strand of hair. Place comb with a firm, even motion away from scalp.
- Pin back each strand of hair after combing
- Clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back
- After combing, thoroughly recheck for lice/nits. Repeat combing if necessary
- Check daily for any lice/nits that may have been missed
- We recommend a second treatment after 7-10 days to kill any newly hatched lice
- If infestation continues, see a doctor for other treatments
- **Children under 2 years:** Consult with a doctor or physician

Other information

- Shake well before use
- Store in cool and dry place
- Keep carton for important product information
- See package insert for additional information

Inactive ingredients:

Coconut and Sesame Oil

Questions or comments?

855-KIL-LICE - 855-545-5423
www.licenil.com or e-mail: sales@sujanil.com

'Lice-Nil' Lice & Eggs Eliminator Oil will kill lice completely without leaving a chemical residue. The amount of lice treatment oil needed will vary depending on hair length. See below for guidelines:

Hair Length	Approximate Amount for 1 Adult/Child:
Short (ear length or shorter)	First Application : 1 oz - 2 oz Second Application : 1 oz - 2 oz Total : 2 oz - 4 oz
Medium (shoulder length)	First Application : 2 oz - 3 oz Second Application : 2 oz - 3 oz Total : 4 oz - 6 oz
Long (past shoulder length)	First Application : 3 oz - 4 oz Second Application : 3 oz - 4 oz Total : 6 oz - 8 oz

The 'Lice-Nil' comb is proven 100% effective as demonstrated in laboratory studies performed by trained testers, individual results may vary.

'Lice-Nil' Lice & Eggs Eliminator Oil Lice Treatment

- Nothing Proven More Safe & Effective
- Leaves No Chemical Residue behind
- One-Step, Easy-To-Use, Oil Based Application

Lice-Nil 1-2-3 LICE ELIMINATION SYSTEM

Step 1 Head Lice

- Head lice lay small, white egg (nits) on the hair shaft near the scalp. • Nits are most easily found on the back of the neck or behind the ears.
- Disinfect hats, hair ribbons, clothing, scarves, coats, towels and bed linens by machine washing in hot water (above 54°C (130°F)), then dry using the hottest dryer cycle for at least 20 minutes. • Items that cannot be washed (pillows, stuffed toys, etc) should be dry-cleaned or sealed in a plastic bag for 4 weeks. After 4 weeks, remove them from the plastic bag outdoors and shake rigorously before using again. • Items that cannot be washed, dry-cleaned or stored may be sprayed with a product designed for purpose. • Soak all combs and brushes in hot water (above 54°C (130°F)) for at least 10 minutes
- Vacuum all carpets, mattresses, upholstered furniture and car seats that may have been used by affected people.

Step 2 Pubic (Crab) Lice

- Pubic lice may be transmitted by sexual contact
- Sexual partners should be treated simultaneously to avoid reinfection
- Pubic lice usually cause intense itching and lay small white eggs (nits) on the hair shaft, near the skin surface
- Pubic lice may be present on the groin, thighs, trunk, underarms and occasionally on the beard or mustache
- Disinfect underwear by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes

Step 3 Body Lice

- Body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit area
- Body lice feed on skin then return to clothing to lay their eggs
- Disinfect clothing by machine washing in hot water (above 54°C (130°F)), then use hottest dryer cycle for at least 20 minutes
- Do not seal clothing in plastic bag because nits can remain dormant for up to 30 days

Manufactured By:

sujanil chemo industries

425/27, T.M.V. Colony, Pune 411 037 (INDIA)

Imported by:

Global Tradelinks

4337, Autoroway, Palm Harbour,

FL 34665, USA

Tel.: 1-727-359-1173, Fax: 1-413-866-3881,

E-mail: jpy@sujanil.com

Batch No. :

Mfg. Date :

Expiry Date :



LICE-NIL LICE AND EGGS ELIMINATOR

neem oil, tea tree oil oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76441-904
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AZADIRACHTA INDICA SEED OIL (UNII: 4DKJ9B3K2T) (AZADIRACHTA INDICA SEED OIL - UNII:4DKJ9B3K2T)	AZADIRACHTA INDICA SEED OIL	5 [hp_X] in 100 mL
TEA TREE OIL (UNII: VIF565UC2G) (TEA TREE OIL - UNII:VIF565UC2G)	TEA TREE OIL	3 [hp_X] in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SESAME OIL (UNII: QX10HYY4QV)	
COCONUT OIL (UNII: Q9L0O73W7L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76441-904-97	1 in 1 BOX		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/31/2015	

Labeler - Sujanil Chemo Industries (650280816)**Establishment**

Name	Address	ID/FEI	Business Operations
Sujanil Chemo Industries		915896189	manufacture(76441-904)

Revised: 8/2015

Sujanil Chemo Industries