

OXYGEN- oxygen gas

In Home Medical & Respiratory Services, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

**OXYGEN,
COMPRESSED USP
UN 1072**

DANGER:
COMPRESSED, OXIDIZING GAS.
MAY CAUSE OR INTENSIFY FIRE;
OXIDIZER. CONTAINS GAS UNDER
PRESSURE; MAY EXPLODE IF HEATED.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required.
NO SMOKING. NO VAPING. KEEP AWAY FROM OPEN FLAME.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Obtain, read and follow all instructions and the Material Safety Data Sheet (SDS) before use. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Cylinder must be re-certified every 5 years from the manufacture date.

Keep and store away from heat, sparks, open flame, clothing and other combustible materials. Keep cylinder, valves, fittings and all connecting equipment free from grease and oil. Store and use in a cool, well ventilated place. Do not drop. Secure cylinder during storage and use. Keep away from children. Use only with equipment cleaned and rated for oxygen service and of compatible materials of construction for cylinder pressure. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Cylinder temperature should not exceed 125°F (52°C). Aluminum cylinders subject to fire or temperatures in excess of 350°F (176°C) must be withdrawn from service and condemned by trained personnel.

DO NOT REMOVE THIS LABEL CAS NO: 7782-44-7

Size & Contents	M6	C / M9	D	E	H	Other
	170 Liters	248 Liters	415 Liters	682 Liters	6910 Liters	____ Liters
	<input type="checkbox"/>					

IN-HOME MEDICAL & RESPIRATORY SERVICES
36 TERRY DRIVE TREVOSE, PA 19053
215-396-0844

R

OXYGEN, COMPRESSED USP

UN 1072

DANGER:

COMPRESSED, OXIDIZING GAS.

MAY CAUSE OR INTENSIFY FIRE;

OXIDIZER, CONTAINS GAS UNDER
PRESSURE; MAY EXPLODE IF HEATED.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Required.

NO SMOKING. NO VAPING. KEEP AWAY FROM OPEN FLAME.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Obtain, read and follow all instructions and the Material Safety Data Sheet (SDS) before use. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. Cylinder must be re-certified every 5 years from the manufacture date.

Keep and store away from heat, sparks, open flame, clothing and other combustible materials. Keep cylinder, valves, fittings and all connecting equipment free from grease and oil. Store and use in a cool, well ventilated place. Do not drop. Secure cylinder during storage and use. Keep away from children. Use only with equipment cleaned and rated for oxygen service and of compatible materials of construction for cylinder pressure. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Cylinder temperature should not exceed 125°F (52°C). Aluminum cylinders subject to fire or temperatures in excess of 350°F (176°C) must be withdrawn from service and condemned by trained personnel.

DO NOT REMOVE THIS LABEL

CAS NO: 7782-44-7

Contents:

M6 — 170 Liters

C / M9 — 248 Liters

D — 415 Liters

E — 682 Liters

H — 6910 Liters

Other ____ Liters

IN-HOME MEDICAL & RESPIRATORY SERVICES

36 TERRY DRIVE TREVOSE, PA 19053

215-396-0844

~~LOT~~
~~EXPIRATION DATE~~

Representative Labeling
pursuant to 21 CFR 207.3 (10)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:76831-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76831-001-01	165 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2010	
2	NDC:76831-001-04	425 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2010	
3	NDC:76831-001-05	680 L in 1 CYLINDER; Type 0: Not a Combination Product	08/30/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		08/30/2010	

Labeler - In Home Medical & Respiratory Services, Inc (147326003)

Establishment

Name	Address	ID/FEI	Business Operations
In Home Medical & Respiratory Services, Inc		147326003	manufacture(76831-001)

Revised: 1/2026

In Home Medical & Respiratory Services, Inc