

**TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment**  
**FRED'S, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Triple Antibiotic  
Plus Pain Relief**

***Drug Facts***

<b><i>Active ingredients (in each gram)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc USP 500 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 10,000 units	First aid antibiotic
Pramoxine HCl USP 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 2 years of age and older:
  - clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

**Questions?**

Call **1-866-923-4914**

**DISTRIBUTED BY: fred's, Inc.**  
**4300 NEW GETWELL RD,**  
**MEMPHIS, TN 38118**

**PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

TRIPLE ANTIBIOTIC  
OINTMENT  
+ PAIN RELIEF

MAXIMUM STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B  
Sulfate USP • Pramoxine Hydrochloride USP  
FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes,  
and Burns Plus Maximum Strength Pain Relief.

NET WT 0.5 oz (14.2 g)



NDC 55315-192-34



**MAXIMUM STRENGTH**

Compare to the Active Ingredients in Neosporin® + Pain Relief\*

# TRIPLE ANTIBIOTIC OINTMENT + PAIN RELIEF

**Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP • Pramoxine Hydrochloride USP**

*FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT*

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns Plus Maximum Strength Pain Relief.

**NET WT 0.5 oz (14.2 g)**



**MAXIMUM STRENGTH**

# TRIPLE ANTIBIOTIC OINTMENT + PAIN RELIEF

**Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP • Pramoxine Hydrochloride USP**

*FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT*

# TRIPLE ANTIBIOTIC OINTMENT + PAIN RELIEF

**MAXIMUM STRENGTH**

**Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP • Pramoxine Hydrochloride USP**

*FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT*

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns Plus Maximum Strength Pain Relief.

**NET WT 0.5 oz (14.2 g)**

**100% satisfaction guaranteed**

Questions or comments:  
**1-855-331-FRED (3733)**



www.fredsinc.com  
MEMPHIS, TN 38118  
4300 NEW GETWELL RD,  
DISTRIBUTED BY: fred's, Inc.  
Made in Canada

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief.

Questions? Call 1-866-923-4914

- you need to use longer than 1 week
- condition persists or gets worse

**Drug Facts**

**Active ingredients (in each gram) Purpose**

Bactracin zinc USP 500 units.....First aid antibiotic

Neomycin sulfate USP 3.5 mg.....First aid antibiotic

Polymyxin B sulfate USP 10,000 units.....First aid antibiotic

Pramoxine HCl USP 10 mg.....External analgesic

**Uses** first aid to help prevent infection and for the temporary relief of pain or discomfort in minor cuts • scrapes • burns

**Warnings**  
For external use only.  
**Do not use** • if you are allergic to any of the ingredients  
• in the eyes • over large areas of the body

**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if**

---

**Drug Facts (continued)**

• symptoms persist for more than 1 week, or clear up and occur again within a few days

• rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• adults and children 2 years of age and older:  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
• children under 2 years of age: ask a doctor

**Other information**

• store at 20° to 25°C (68° to 77°F)  
• see carton or tube crimp for lot number and expiration date

**Inactive ingredient** white petrolatum

**TRIPLE ANTIBIOTIC OINTMENT + PAIN RELIEF**

Bactracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP • Pramoxine Hydrochloride USP

**MAXIMUM STRENGTH**

FIRST AID ANTIBIOTIC / PAIN RELIEF OINTMENT

freeD Pharmacy


**TRIPLE ANTIBIOTIC OINTMENT + PAIN RELIEF**

**MAXIMUM STRENGTH**

T27

LPK-8939-1  
0119-1  
19

**ONLY EXPIRES FLAP S**



## TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55315-192
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [USP'U] in 1 g
<b>Neomycin Sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin Sulfate	3.5 mg in 1 g
<b>Polymyxin B Sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [USP'U] in 1 g
<b>Pramoxine Hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine Hydrochloride	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>petrolatum</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-192-34	1 in 1 CARTON	01/14/2019	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2012	

**Labeler** - FRED'S, INC. (005866116)