NITETIME COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled PuraCap Pharmaceutical LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nitetime Cold & Flu

Drug Facts

Active ingredients (in each Softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 15 mg

Doxylamine succinate 6.25 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Antihistamine

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Sore throat warning

If sore throat is severe, lasts more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives & tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed see **Overdose warning**
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

• when using other Nighttime or Daytime products, carefully read each label to ensure correct dosing

Other information

• store at room temperature 15°-30°C (59°-86°F)

Inactive ingredients

D&C yellow #10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special, and white edible ink

Questions or comments?

Call toll free: 1-855-215-8180

PRINCIPAL DISPLAY PANEL

Nitetime Cold & Flu 16 SOFTGELS

NDC 51013-184-14

*Compare to the active ingredients in VICKS[®] NyQuil[®] Cold & Flu



NITETIME COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

Product Information			
Product T ype	HUMAN OTC DRUG	Item Code (Source)	NDC:51013-184
Route of Administration	ORAL		

Active Ingredient/Active Moiety						
Ingredient Name			Basis of Strength		Strength	
ACETAMINOPHEN (UNII: 36209 ITL9D) (ACETAMINOPHEN - UNII:36209 ITL9D)			ACETAMINOPHEN		325 mg	
DEXTRO METHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTRO METHORPHAN - UNII:7355X3ROTS)			DEXTRO METHO RPHAN HYDRO B RO MIDE		15 mg	
DO XYLAMINE SUCCI	NATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UI	NII:95QB77JKPL)	DOXYLAMINE SUCCINATE		6.25 mg	
Inactive Ingredie						
	Ingredient Name			St	Strength	
D&C YELLOW NO. 10) (UNII: 35SW5USQ3G)					
FD&C BLUE NO.1 (UN						
GELATIN (UNII: 2G860						
GLYCERIN (UNII: PDC)						
	YCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)					
POVIDONE (UNII: FZ98	,					
PROPYLENE GLYCO						
WATER (UNII: 059QF0						
SORBITOL (UNII: 506	T60A25R)					
Product Characte	eristics					
Color	green (clear)	Score no		no score	10 score	
Shape	capsule (oblong)	Size		20 mm	20mm	
Flavor		Imprint Code		PC10		
Contains						
Packaging						
# Item Code	Package Description Ma		keting Start Date	Marketing End Date		
1 NDC:51013-184-14 2	C:51013-184-14 2 in 1 CARTON 07/1		3/2016			
1 8	in 1 BLISTER PACK; Type 0: Not a Combination	on Product				
Marketing Information						
Marketing Category	rketing Category Application Number or Monograph Citation Max		keting Start Date	Marketing End Date		
OTC monograph final	part341	07/18	2016			

Labeler - PuraCap Pharmaceutical LLC (962106329)

Establishment							
Name	Address	ID/FEI	Business Operations				
Humanwell Puracap Pharmaceuticals (Wuhan) Co., Ltd		421293287	manufacture(51013-184), analysis(51013-184)				

Revised: 12/2019