

DECCOX M- decoquinatate powder
Zoetis Inc.

Deccox-M

☐ **None**

Deccox®-M

Decoquinatate

Medicated Powder for Whole Milk

To be added to whole milk for the prevention of
coccidiosis in ruminating and non-ruminating
calves, including veal calves caused by
Eimeria bovis and *E. zuernii*.

Feed for at least 28 days during periods of
coccidiosis exposure or when experience
indicates that coccidiosis is likely to be a hazard.

Active ingredient(s)

Decoquinatate.....(3632 mg/lb) 0.8%

Inactive ingredients

Lactose.....87%
Other (corn meal, soybean oil, lecithin and silicon dioxide).....12.2%

Directions

Dosage:

Feed at the rate of 22.7 mg per 100 lb (0.5 mg per kg) body weight daily for at least 28 days.

Mixing Directions - Individual Animal

Prepare fresh daily as shown below.

½ teaspoon per 60 lb body weight

1 teaspoon per 120 lb body weight

1 ½ teaspoons per 180 lb body weight

One level measuring teaspoon contains 28 mg of decoquinatate.

Important:

Completely stir daily dose of decoquinatate powder into whole milk.

Feed entire portion immediately.

Mixing Directions - Continuous Agitation

Mix Deccox-M into the total amount of whole milk (0.5 to 1.5 gallon per calf daily) needed for

the number of calves to be fed, using level measuring cups, teaspoons (tsp) or tablespoons (TBS). Prepare fresh daily and feed each calf an equal portion of the total amount of medicated whole milk prepared as shown below.

If Average Calf Weight (lbs) is:	Amount* of Deccox-M for				
	5 Calves	10 Calves	20 Calves	40 Calves	80 Calves
75	1 TBS	2 TBS	¼ cup	½ cup	1 cup
100	4 tsp	8 tsp	⅓ cup	⅔ cup	1⅓ cups
150	2 TBS	¼ cup	½ cup	1 cup	2 cups
200	8 tsp	⅓ cup	⅔ cup	1⅓ cups	2⅔ cups

Mixing Table

***This is a measurement of volume not weight (do not convert to ounces).**

Important:

Stir or agitate continuously.

Feed immediately in containers for individual animals only.

Do not use in bulk feeding containers (i.e., Calf-Bars).

Failure to properly mix and feed this product may result in underdosing or overdosing of some animals due to settling out of the drug.

Other information

Restricted Drug (California) - Use only as directed. Not for human use.

NADA 141-060, Approved by FDA.

Storage

Store below 25°C (77°F), excursions permitted to 37°C (99°F).

Distributed by:

Zoetis Inc.

Kalamazoo, MI 49007

Net wt 50 LB (22.68 kg)


Principal Display Panel

Deccox®-M

Decoquinatate

Medicated Powder for Whole Milk

Distributed by:
Zoetis Inc.
Kalamazoo, MI 49007



DECCOX M
decoquinatate powder

Product Information				
Product Type	OTC TYPE A MEDICATED ARTICLE ANIMAL DRUG	Item Code (Source)	NDC:54771-1510	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	DECOQUINATE (UNII: 534I52PVWH) (DECOQUINATE - UNII:534I52PVWH)	DECOQUINATE	3632 mg in 0.45 kg	
Inactive Ingredients				
	Ingredient Name	Strength		
	LACTOSE (UNII: J2B2A4N98G)			
	SOYBEAN OIL (UNII: 241ATL177A)			
	LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
Product Characteristics				
Color	WHITE (White to Tan)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54771-1510-0	22.68 kg in 1 BAG		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NADA	NADA141060	01/01/2009		

Labeler - Zoetis Inc. (828851555)

Establishment

Name	Address	ID/FEI	Business Operations
Hikal Limited		918602129	API MANUFACTURE

Establishment

Name	Address	ID/FEI	Business Operations
Zoetis LLC		099219842	MANUFACTURE

