

SANTA FE SPIRITS HAND SANITIZER- santa fe spirits hand sanitizer liquid
Santa Fe Distillery, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.


 This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.


The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

|  | <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredient(s)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Alcohol 80% v/v.....</td> <td>Antiseptic</td> </tr> <tr> <td colspan="2">Use(s)</td> </tr> <tr> <td colspan="2">Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.</td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">For external use only. Flammable. Keep away from heat or flame</td> </tr> <tr> <td colspan="2">Do not use</td> </tr> <tr> <td colspan="2">• on children less than 2 months of age • on open skin wound</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.</td> </tr> <tr> <td colspan="2">When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2">• Place enough product on hands to cover all surfaces. Rub hands together until dry.</td> </tr> <tr> <td colspan="2">• Supervise children under 6 years of age when using this product to avoid swallowing.</td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2">• Store between 15-30C (59-86F)</td> </tr> <tr> <td colspan="2">• Avoid freezing and excessive heat above 40C (104F)</td> </tr> <tr> <td colspan="2">Inactive ingredients glycerin, hydrogen peroxide, purified water USP</td> </tr> </tbody> </table> | Active Ingredient(s) | Purpose | Alcohol 80% v/v..... | Antiseptic | Use(s) | | Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | | Warnings | | For external use only. Flammable. Keep away from heat or flame | | Do not use | | • on children less than 2 months of age • on open skin wound | | Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | | When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | | Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | | Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | | Directions | | • Place enough product on hands to cover all surfaces. Rub hands together until dry. | | • Supervise children under 6 years of age when using this product to avoid swallowing. | | Other information | | • Store between 15-30C (59-86F) | | • Avoid freezing and excessive heat above 40C (104F) | | Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |
|---|--|----------------------|---------|----------------------|------------|---------------|--|---|--|-----------------|--|---|--|-------------------|--|--|--|---|--|---|--|---|--|---|--|-------------------|--|--|--|--|--|--------------------------|--|---------------------------------|--|--|--|---|--|
| | Active Ingredient(s) | Purpose | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Alcohol 80% v/v..... | Antiseptic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Use(s) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Warnings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | For external use only. Flammable. Keep away from heat or flame | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Do not use | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | • on children less than 2 months of age • on open skin wound | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Place enough product on hands to cover all surfaces. Rub hands together until dry. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Supervise children under 6 years of age when using this product to avoid swallowing. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other information | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Store between 15-30C (59-86F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • Avoid freezing and excessive heat above 40C (104F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Alcohol 80% v/v. Purpose: Antiseptic

Purpose



Hand Sanitizer Non-sterile Solution

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

Drug Facts

| Active Ingredient(s) | Purpose |
|---|------------|
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |

8 52312 00336 7



Antiseptic, Hand Sanitizer

Use



Hand Sanitizer Non-sterile Solution

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

Drug Facts

| Active Ingredient(s) | Purpose |
|---|------------|
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |

8 52312 00336 7



Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.


Warnings



**Hand Sanitizer
Non-sterile Solution**

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|---|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |



For external use only. Flammable. Keep away from heat or flame

Do not use



**Hand Sanitizer
Non-sterile Solution**

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|---|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |



- in children less than 2 months of age
- on open skin wounds

When Using



**Hand Sanitizer
Non-sterile Solution**

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|---|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |



When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.



**Hand Sanitizer
Non-sterile Solution**

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|---|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |



Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children



Hand Santizer Non-sterile Solution

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|--|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) | |
| Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings | |
| For external use only. Flammable. Keep away from heat or flame | |
| Do not use | |
| • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information | |
| • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |

8
52312
00336
7



Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions




Hand Santizer Non-sterile Solution

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|--|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) | |
| Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings | |
| For external use only. Flammable. Keep away from heat or flame | |
| Do not use | |
| • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information | |
| • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |

8
52312
00336
7



- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.


Other information



**Hand Sanitizer
Non-sterile Solution**

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|---|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |



- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)


Inactive ingredients



**Hand Sanitizer
Non-sterile Solution**

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

| Drug Facts | |
|---|----------------|
| Active Ingredient(s) | Purpose |
| Alcohol 80% v/v..... | Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |



Inactive ingredients
glycerin, hydrogen peroxide, purified water USP

Package Label - Principal Display Panel



Hand Sanitizer Non-sterile Solution

ALCOHOL ANTISEPTIC 80% TOPICAL SOLUTION
4 FL. OZ (118.29 ML)

Drug Facts

| | |
|---|------------------------------|
| Active Ingredient(s) Alcohol 80% v/v..... | Purpose Antiseptic |
| Use(s) Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | |
| Warnings For external use only. Flammable. Keep away from heat or flame | |
| Do not use • on children less than 2 months of age • on open skin wound | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | |
| Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | |
| Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F) | |
| Inactive ingredients glycerin, hydrogen peroxide, purified water USP | |

8
52312
00336
7



000 mL NDC: 00000-000-00

SANTA FE SPIRITS HAND SANITIZER

santa fe spirits hand sanitizer liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:770 19-1000 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|--------------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 141.6 mL in 177 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|-------------------|
| HYDROGEN PEROXIDE (UNII: BBX060AN9V) | 0.23 mL in 177 mL |
| GLYCEROL FORMAL (UNII: 3L7GR2604E) | 2.57 mL in 177 mL |
| WATER (UNII: 059QF0KO0R) | 32.6 mL in 177 mL |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-------------------|---|----------------------|--------------------|
| 1 | NDC:770 19-1000-1 | 118.29 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/29/2020 | |
| 2 | NDC:770 19-1000-2 | 946.35 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/29/2020 | |
| 3 | NDC:770 19-1000-3 | 1892.7 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/29/2020 | |

| | | | |
|---|------------------|--|------------|
| 4 | NDC:77019-1000-4 | 3785.41 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/29/2020 |
|---|------------------|--|------------|

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333A | 04/29/2020 | |

Labeler - Santa Fe Distillery, LLC (080111837)

Registrant - Santa Fe Distillery, LLC (080111837)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|-----------------------------|
| Santa Fe Distillery, LLC | | 080111837 | api manufacture(77019-1000) |

Revised: 4/2020

Santa Fe Distillery, LLC