

PLEO MUC- mucor racemosus tablet
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo® Muc
TABLETS 5X

Homeopathic Analgesic Medicine

The original SANUM™ brand remedies

20 TABLETS

Indications

For temporary relief of pain of bruises, sprains, swelling of joints and muscles.

INGREDIENTS

1 tablet contains 250 mg Mucor racemosus 5X in a base of lactose, potato starch, magnesium stearate.

DOSAGE

1–3 x daily 1 tablet.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before taking this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if imprinted inner blister pack is broken.

Lot #:

Exp.:

Made in Germany

Manufactured by:
SANUM-Kehlbeck GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road, Ferndale, WA 98248

Rev. 06/2009

PRINCIPAL DISPLAY PANEL - 20 Tablets Carton

**Pleo® Muc
TABLETS 5X**

**Homeopathic
Analgesic Medicine**

The original
SANUM™
brand remedies

Indications: For temporary relief of
pain of bruises, sprains, swelling of
joints and muscles.

ORIGINAL ENDERLEIN

20 TABLETS



1803-1

Pleo[®] Muc TABLETS 5X

Homeopathic Analgesic Medicine

The original
SANUM[™]
brand remedies

Indications: For temporary relief of
pain of bruises, sprains, swelling of
joints and muscles.



20 TABLETS

Rev. 09/2009

INGREDIENTS: 1 tablet contains
250 mg Mucor racemosus 5X in a
base of lactose, potato starch,
magnesium stearate.

DOSAGE: 1-3 x daily 1 tablet.

WARNING: If symptoms persist more
than a few days, contact a licensed
practitioner. As with any drug, if you are
pregnant or nursing a baby, seek the
advice of a health care professional
before taking this product. **Keep this
and all medications out of the reach
of children.** In case of accidental
overdose, seek professional assi-
stance or contact a Poison Control
Center immediately. Protect from
light and heat.

Tamper Evident: Do not use this
product if imprinted inner blister pack
is broken.

Lot #:

Exp.:

Made in Germany

Manufactured by:
SANUM-Kehlbeck GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road, Ferndale, WA 98248

1803-1

400TA5XFS20US906

PLEO MUC

mucor racemosus tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:60681-1803

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
mucor racemosus (UNII: 17RH99LQ7G) (mucor racemosus - UNII:17RH99LQ7G)	mucor racemosus	5 [HP_X]

Inactive Ingredients

Ingredient Name	Strength
lactose (UNII: J2B2A4N98G)	
Starch, Potato (UNII: 8I089SAH3T)	
Magnesium Stearate (UNII: 70097M6I30)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-1803-1	1 in 1 CARTON		
1		20 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		03/19/1996	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)