

AMOXI-TABS- amoxicillin tablet, film coated
Zoetis Inc.

amoxi♦tabs®
(amoxicillin tablets), USP

Veterinary Tablets

For use in dogs and cats

CAUTION

Federal law restricts this drug to use by or on the order of a licensed veterinarian

DESCRIPTION

Amoxi-Tabs (amoxicillin tablets) is a semisynthetic antibiotic with a broad spectrum of activity. It provides bactericidal activity against a wide range of common gram-positive and gram-negative pathogens. Chemically, it is D(-)-a-amino-p-hydroxybenzyl penicillin trihydrate.

CLINICAL PHARMACOLOGY

Amoxi-Tabs is stable in the presence of gastric acid and may be given without regard to meals. It is rapidly absorbed after oral administration. It diffuses readily into most body tissues and fluids with the exception of brain and spinal fluid, except when meninges are inflamed. Most of the amoxicillin is excreted unchanged in the urine.

Amoxicillin is similar to ampicillin in its bactericidal action against susceptible organisms. It acts through the inhibition of biosynthesis of cell wall mucopeptide. *In vitro* and/or *in vivo* studies have demonstrated the susceptibility of most strains of the following gram-positive and gram-negative bacteria: a- and b-haemolytic streptococci, nonpenicillinase-producing staphylococci, *Streptococcus faecalis*, *Escherichia coli*, and *Proteus mirabilis*. Because it does not resist destruction by penicillinase, it is not effective against penicillinase-producing bacteria, particularly resistant staphylococci. All strains of *Pseudomonas* and most strains of *Klebsiella* and *Enterobacter* are resistant

INDICATIONS AND USAGE

Dogs:Amoxi-Tabs are indicated in the treatment of susceptible strains of the organisms causing the following infections:

Respiratory tract infections (tonsillitis, tracheobronchitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Genitourinary tract infections (cystitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Gastrointestinal tract infections (bacterial gastroenteritis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Bacterial dermatitis due to *Staphylococcus aureus*, *Streptococcus* spp., and *Proteus mirabilis*.

Soft tissue infections (abscesses, lacerations, and wounds) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Cats: Amoxi-Tabs are indicated in the treatment of susceptible strains of the organisms causing the following infections:

Upper respiratory tract infections due to *Staphylococcus aureus*, *Streptococcus* spp., and *E. coli*.

Genitourinary tract infections (cystitis) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Proteus mirabilis*.

Gastrointestinal tract infections due to *E. coli*.

Skin and soft tissue infections (abscesses, lacerations, and wounds) due to *Staphylococcus aureus*, *Streptococcus* spp., *E. coli*, and *Pasteurella multocida*.

As with all antibiotics, appropriate *in vitro* culturing and susceptibility testing of samples taken before treatment should be conducted.

CONTRAINDICATIONS

The use of this drug is contraindicated in animals with a history of an allergic reaction to penicillin.

WARNING

For use in dogs and cats only

ADVERSE REACTIONS

Amoxicillin is a semisynthetic penicillin and has the potential for producing allergic reactions. If an allergic reaction occurs, administer epinephrine and/or steroids

DOSAGE AND ADMINISTRATION

Dogs: The recommended dosage is 5 mg/lb of body weight twice a day.

Cats: The recommended dosage is 50 mg (5–10 mg/lb) once a day.

Dosage should be continued for 5–7 days or 48 hours after all symptoms have subsided. If no improvement is seen in 5 days, review diagnosis and change therapy.

Do Not Store at Temperatures Above 25°C (77°F)

Keep Bottle Tightly Closed.

HOW SUPPLIED

Amoxi-Tabs are supplied in 5 strengths: 50 mg, 100 mg, 150 mg, and 200 mg in bottles of 500 tablets; 400 mg in bottles of 250 tablets.

Approved by FDA under NADA # 055-078

Approved by FDA under NADA # 055-081

zoetis

Distributed by:
Zoetis Inc.
Kalamazoo, MI 49007

P1523357
Revised: January 2020

PRINCIPAL DISPLAY PANEL - 50 mg Tablet Bottle Label



PRINCIPAL DISPLAY PANEL - 100 mg Tablet Bottle Label

Recommended Dosage:

Dogs: 5 mg/lb of body weight twice a day.

Cats: 50 mg (5–10 mg/lb) once a day.

Dosage should be continued for 5–7 days or 48 hours after all symptoms have subsided.

Warning: For use in dogs and cats only.

Do Not Store at Temperatures Above 25°C (77°F)

Keep Bottle Tightly Closed.

Read Insert for Complete Directions

amoxi tabs[®]

(amoxicillin tablets), USP

Veterinary Tablets

For use in dogs and cats

Each film-coated tablet contains amoxicillin trihydrate equivalent to 100 mg of amoxicillin USP

Caution: Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

100 mg 

500 tablets

Approved by FDA under NADA #055-081

P1425205

Product of Spain

Distributed by:

Zoetis Inc.

Kalamazoo, MI 49007

Code: TS/DRUGS/57/2003

Lot

Exp



zoetis

AMOXI-TABS

amoxicillin tablet, film coated

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|----------------|
| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:54771-6042 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------|----------|
| AMOXICILLIN (UNII: 804826J2HU) (AMOXICILLIN ANHYDROUS - UNII:9EM05410Q9) | AMOXICILLIN ANHYDROUS | 50 mg |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | yellow | Score | no score |
| Shape | ROUND | Size | 6mm |
| Flavor | | Imprint Code | BMP193 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
|---|-----------|---------------------|----------------------|--------------------|

1 NDC:54771-6042-2 500 in 1 BOTTLE

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NADA | NADA055081 | 06/02/1978 | |

AMOXI-TABS

amoxicillin tablet, film coated

Product Information

| | | | |
|-------------------------|--------------------------|--------------------|----------------|
| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:54771-6043 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-----------------------|----------|
| AMOXICILLIN (UNII: 804826J2HU) (AMOXICILLIN ANHYDROUS - UNII:9EM05410Q9) | AMOXICILLIN ANHYDROUS | 100 mg |

Product Characteristics

| | | | |
|----------|-------|--------------|----------|
| Color | blue | Score | no score |
| Shape | ROUND | Size | 9mm |
| Flavor | | Imprint Code | BMP202 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:54771-6043-3 | 500 in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NADA | NADA055081 | 06/02/1978 | |

Labeler - Zoetis Inc. (828851555)