

**CYSTEX MAX UTI PAIN RELIEF- phenazopyridine hydrochloride tablet**  
**Clarion Brands, LLC**

-----  
**Drug Facts**

**Active ingredient**

Phenazopyridine hydrochloride 99.5 mg

**Purpose**

Urinary tract analgesic

**Use** fast relief from urinary pain, burning, urgency and frequency associated with urinary tract infections. Treatment should not exceed 2 days without consulting a doctor; see Directions.

**Warnings**

- Do not exceed recommended dosage
- Long-term administration of phenazopyridine hydrochloride has induced neoplasia in rats (large intestine) and mice (liver). Although no association between phenazopyridine hydrochloride and human neoplasia has been reported, adequate epidemiological studies along these lines have not been conducted.

**Do not use**

if you have Glucose-6-Phosphare Dehydrogenase (G6PD) deficiency unless approved by your doctor

**Ask a doctor before use if you have**

- kidney disease
- allergies to foods, preservatives or dyes
- had a hypersensitive reaction to phenazopyridine hydrochloride

**When using this product**

- do not exceed recommended dosage
- stomach upset may occur, taking this product with or after meals may reduce stomach upset
- your urine will become reddish-orange in color. This is not harmful, but care should be taken to avoid staining clothing or other items.
- do not use for more than 2 days (12 tablets) without consulting a doctor

**Stop use and ask a doctor if**

- your symptoms last for more than 2 days

- you suspect you are having an adverse reaction to the medication

**If pregnant or breast-feeding**, ask a health professional before use. **A pregnancy test and consultation with a healthcare professional if pregnancy is confirmed is recommended prior to use**

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

**Adults and children 12 years of age and older:** take 2 tablets 3 times a day with a full glass of water or after meals as needed

- **children under 12 years:**
- ask a doctor

### ***Other information***

- **WARNING:** This product contains Phenazopyridine Hydrochloride, known to the state of California to cause cancer.
- this product can interfere with laboratory tests including urine, glucose (sugar), and ketones tests
- this product may stain soft contact lenses and other items if handled after touching tablets
- store at room temperature 59°F-86°F (15°C-30°C) in a dry place and protect from light

**Tamper evident:** Product is sealed within blisters. Do not use if any part of the blister is torn, open or damaged.

### ***Inactive ingredients***

corn starch, croscarmellose sodium, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, silicon dioxide, sodium starch glycolate, talc, triacetin

### ***Questions***

call **1-844-297-8394**

## **PRINCIPAL DISPLAY PANEL**

### **MAX STRENGTH**

**Cystex<sup>®</sup>**  
**Urinary Health**

Phenazopyridine Hydrochloride 99.5 mg

## **MAX UTI PAIN RELIEF**

### **FAST-ACTING UTI PAIN RELIEF**

Strongest UTI Pain Relief Available  
for Fast-Acting Relief of Pain & Burning\*

✓ Relief of **Pain, Burning, & Urgency**

✓ **Targets Pain** at the Source of the UTI

### **STARTS**

### **WORKING**

IN AS LITTLE AS

15 MINUTES

Cystex is not intended to replace a doctor's care.

### **24 Tablets**

TAMPER EVIDENT: TABLETS SEALED IN BLISTER. DO NOT USE IF BLISTER IS OPENED OR DAMAGED.

1000284

### **REV XX/XX REESECODE**

For more information on  
Cystex Max Strength UTI Pain  
Relief or other products, please  
visit [www.cystex.com](http://www.cystex.com) or call  
844-297-8394

Distributed by: Cystex LLC  
811 Broad Street, Suite 600  
Chattanooga, TN 37402 ©2024

\*without a prescription



## CYSTEX MAX UTI PAIN RELIEF

phenazopyridine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69693-514
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Phenazopyridine Hydrochloride</b> (UNII: 0EWG668W17) (Phenazopyridine - UNII:K2J09EMJ52)	Phenazopyridine Hydrochloride	99.5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>Starch, Corn</b> (UNII: O8232NY3SJ)	

<b>Croscarmellose Sodium</b> (UNII: M28OL1HH48)
<b>Hypromellose, Unspecified</b> (UNII: 3NXW29V3WO)
<b>Lactose, Unspecified Form</b> (UNII: J2B2A4N98G)
<b>Magnesium Stearate</b> (UNII: 70097M6I30)
<b>Microcrystalline Cellulose</b> (UNII: OP1R32D61U)
<b>Polyethylene Glycol, Unspecified</b> (UNII: 3WJQ0SDW1A)
<b>Povidone, Unspecified</b> (UNII: FZ989GH94E)
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)
<b>Sodium Starch Glycolate Type A</b> (UNII: H8AV0SQX4D)
<b>Talc</b> (UNII: 7SEV7J4R1U)
<b>Triacetin</b> (UNII: XHX3C3X673)

### Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	CYSTEX
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69693-514-24	1 in 1 CARTON	08/02/2024	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/02/2024	

**Labeler** - Clarion Brands, LLC (079742703)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(69693-514)

Revised: 12/2023

Clarion Brands, LLC