

**SPORT SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene,  
oxybenzone aerosol, spray  
THE KROGER COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**KROGER SPORT SPF 50 SUNSCREEN CONTINUOUS SPRAY**

***Active ingredients***

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%, Oxybenzone 5.0%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold can 4 to 6 inches away from skin to apply
- do not spray directly into face. Spray into hand then apply to face.
- do not apply in windy conditions
- use in a well-ventillated area

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

***Inactive ingredients***

alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

***Questions or comments?***

1-800-632-6900

KROGER SPORT SPF 50 SUNSCREEN CONTINUOUS SPRAY

5.5 OZ (156g)

30142-885-37

compare to COPPERTONE®  
SPORT® \*see back panel



# SPORT SUNSCREEN

**BROAD SPECTRUM SPF 50**

UVA/UVB protection  
continuous spray  
water/sweat resistant (80 minutes)  
hypoallergenic  
formulated for active lifestyles

50

NET WT 5.5 OZ (156 g)

**Kroger Sport Spray SPF 50 provides quick and easy coverage with broad-spectrum protection. Its clear, specially formulated spray goes on at any angle. Water-resistant formula provides protection in and out of the water for up to 80 minutes.**

#### Drug Facts

Active Ingredients	Purpose
Azobenzonol 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Dibutylbutylmethoxybenzoyl 4.0%	
Oxybenzone 5.0%	

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it

• do not puncture or incise. Contains under pressure. • do not store at temperature above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• spray liberally and spread evenly by hand 15 minutes before sun exposure

- hold can 4 to 6 inches away from skin to apply
- do not spray directly into face. Spray into hand then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: ask a doctor

• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

#### Other Information

• protect this product from excessive heat and direct sun

• may stain or damage some fabrics, materials or surfaces

#### Inactive Ingredients

alcohol denat. (74.2% v/v), acrylates/copolyacrylamide copolymer, stearyltrimethylsilane, glycerin, diethylhexyl sebacate, tocopherol, Vitamin E, fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

#### Questions or comments?

1-800-632-6900

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

\*COPPERTONE® AND COPPERTONE SPORT® ARE REGISTERED TRADEMARKS OF MSD CONSUMER CARE, INC., MEMPHIS, TN 38151. MSD CONSUMER CARE, INC. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

QUALITY GUARANTEE

800-632-6900

www.kroger.com



PLEASE RECYCLE DOT-SP 14786 M5655



compare to COPPERTONE®  
SPORT® \*see back panel



# SPORT SUNSCREEN

**BROAD SPECTRUM SPF 50**

UVA/UVB protection  
continuous spray  
water/sweat resistant (80 minutes)  
hypoallergenic  
formulated for active lifestyles

50

NET WT 9.1 OZ (258 g)

**Kroger Sport Spray SPF 50 provides quick and easy coverage with broad-spectrum protection. Its clear, specially formulated spray goes on at any angle. Water-resistant formula provides protection in and out of the water for up to 80 minutes.**

Drug Facts	Purpose
<b>Active ingredients</b> Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0% Oxybenzone 5.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only <b>FLAMMABLE:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) <b>Do not use</b> • on damaged or broken skin	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold can 4 to 6 inches away from skin to apply • do not spray directly into face. Spray into hand then apply to face. • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride	
<b>Questions or comments?</b> 1-800-632-6900	

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

\*COPPERTONE® AND COPPERTONE SPORT® ARE REGISTERED TRADEMARKS OF MSD CONSUMER CARE, INC., MEMPHIS, TN 38151. MSD CONSUMER CARE, INC. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

QUALITY GUARANTEE  
800-632-6900  
www.kroger.com



compare to COPPERTONE® SPORT®  
\*see back panel



# SPORT SUNSCREEN

BROAD SPECTRUM SPF 50

**2-PACK**

UVA/UVB protection  
continuous spray  
water/sweat resistant (80 minutes)  
hypoallergenic  
formulated for active lifestyles

**50**

2 - NET WT 5.5 OZ (156 g) TOTAL - NET WT 11 OZ (312 g)

Kroger Sport Clear Spray SPF 50 provides quick and easy coverage with broad-spectrum protection. Its clear, specially formulated spray goes on at any angle. Water-resistant formula provides protection in and out of the water for up to 80 minutes.

Drug Facts	Purpose
<b>Active Ingredients</b> Avobenzone 3.0% Homosalate 13.0% Octisalate 6.0% Octocrylene 4.0% Copolymer 5.0%	Sunscreen
<b>Warnings</b> For external use only. <b>FLAMMABLE</b> • do not use near heat, flame or while smoking • keep away from children above 1200 ft. <b>Do not use</b> • on damaged or broken skin <b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not rub into or massage. Contains water proofing. • do not use at temperature above 100°F. <b>Stop use and ask a doctor if</b> • rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • spray liberally and spread evenly by hand 15 minutes before sun exposure • rub on for 30 seconds away from skin to apply • do not spray directly into face. Spray into hand then apply to face. • do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age, ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces <b>Inactive ingredients</b> alcohol denat., 75.2% w/w, acrylates/acrylamide copolymer, stearyltrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, bisphenol A, fragrance, red 3, titanium dioxide (iron oxides, iron hydroxide, iron silicates)	
<b>Questions or comments?</b> 1-800-255-8900	

100% SIZE  
12-digit UPC-A  
(non-suppressed)  
For Position Only  
0 141260 38340 3

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

\*COPPERTONE® AND COPPERTONE SPORT® ARE REGISTERED TRADEMARKS OF MSD CONSUMER CARE, INC., MEMPHIS, TN 38157. MSD CONSUMER CARE, INC. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

QUALITY GUARANTEE  
800-632-6900 • www.kroger.com



## SPORT SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30 142-885
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	50 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TOCOPHEROL (UNII: R0ZB2556P8)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	

ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-885-63	2 in 1 PACKAGE	11/07/20 18	
1	NDC:30 142-885-37	156 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:30 142-885-48	258 g in 1 CAN; Type 0: Not a Combination Product	03/06/20 18	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/24/20 18	

**Labeler** - THE KROGER COMPANY (006999528)

**Registrant** - THE FRUIT OF THE EARTH, INC. (079559467)

### Establishment

Name	Address	ID/FEI	Business Operations
Fruit Of The Earth Research Laboratories, Inc.		008193513	manufacture(30 142-885)

Revised: 5/2020

THE KROGER COMPANY