

**MUCUS RELIEF D SINUS CONGESTION- guaifenesin, pseudoephedrine  
hcl tablet, film coated  
CHAIN DRUG MARKETING ASSOCIATION INC**

-----  
**Quality Choice 44-547**

***Active ingredients (in each immediate-release tablet)***

Guaifenesin 400 mg  
Pseudoephedrine HCl 40 mg

***Purpose***

Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves sinus congestion and pressure
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- promotes nasal and/or sinus drainage
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough accompanied by too much phlegm (mucus)
- heart disease
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland
- high blood pressure
- diabetes
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or are accompanied by fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over: take 1 tablet every 4 hours, with a full glass of water, while symptoms persist. Do not exceed 6 tablets in 24 hours.
- children under 12 years: do not use

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number

**Inactive ingredients**

hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, silicon dioxide, sodium starch glycolate, stearic acid

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**QC®  
QUALITY  
CHOICE**

NDC 63868-801-27

**Mucus Relief D**

Sinus Congestion

Guaifenesin 400 mg

Pseudoephedrine HCl 40 mg

Expectorant

Nasal Decongestant

Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus

Immediate Release

Actual Size

27 Tablets

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

50844    ORG041954772

**SATISFACTION**

**100 %**

**QC  
GUARANTEED**

Distributed by C.D.M.A., Inc. ©  
43157 W 9 Mile Rd  
Novi, MI 48375  
www.qualitychoice.com  
Questions: 800-935-2362



**Mucus Relief D**  
Sinus Congestion



**Mucus Relief D**  
Sinus Congestion

Guaifenesin 400 mg  
Pseudoephedrine HCl 40 mg

Expectorant  
Nasal Decongestant

Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus

Immediate Release

27 Tablets



**Mucus Relief D**  
Sinus Congestion

Guaifenesin 400 mg  
Pseudoephedrine HCl 40 mg

Expectorant  
Nasal Decongestant

Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus

Immediate Release

27 Tablets

NDC 63868-801-27



**Mucus Relief D**  
Sinus Congestion

Guaifenesin 400 mg  
Pseudoephedrine HCl 40 mg

Expectorant  
Nasal Decongestant

Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus

Immediate Release

27 Tablets



Distributed by C.D.M.A., Inc. ©  
43157 W 9 Mile Rd  
Novi, MI 48375  
www.qualitychoice.com  
Questions: 800-935-2362

50844    ORG041954772

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

No Print / No Varnish  
Lot no. & Exp. date

B-0220-547-72-R  
ORG041954772

**Drug Facts**

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredients (in each immediate-release tablet)**

Active ingredients	Purpose
Guaifenesin 400 mg	Expectorant
Pseudoephedrine HCl 40 mg	Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- promotes nasal and/or sinus drainage
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough accompanied by too much phlegm (mucus)
- heart disease
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland
- high blood pressure
- diabetes
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- symptoms do not improve within 7 days or are accompanied by fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over: take 1 tablet every 4 hours, with a full glass of water, while symptoms persist. Do not exceed 6 tablets in 24 hours.
- children under 12 years: do not use

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number

**Inactive ingredients** hypromellose, magnesium stearate, methylcellulose, microcrystalline cellulose, polyethylene glycol, povidone, silicon dioxide, sodium starch glycolate, stearic acid

**Questions or comments?** 1-800-426-9391

## Quality Choice 44-547

### MUCUS RELIEF D SINUS CONGESTION

guaifenesin, pseudoephedrine hcl tablet, film coated

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-801
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	40 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

#### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	44;547
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-801-27	3 in 1 CARTON	04/23/2020	
1		9 in 1 BLISTER PACK; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/23/2020	

**Labeler** - CHAIN DRUG MARKETING ASSOCIATION INC (011920774)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(63868-801)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(63868-801)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63868-801)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	pack(63868-801)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63868-801)

Revised: 3/2024

CHAIN DRUG MARKETING ASSOCIATION INC