

NITROUS OXIDE- nitrous oxide gas
Machine & Welding Supply Company dba Arc3 Gases South

nitrous oxide

NITROUS OXIDE USP UN1070 NON-FLAMMABLE GAS 2 OXIDIZER 5.1

Rx only. WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not put in eyes on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2 DO NOT REMOVE THIS LABEL.

ARC3 GASES 1636 Hwy 301 South Dunn, NC 28334 844-534-8021




NITROUS OXIDE, REFRIGERATED LIQUID USP UN2201 ARC3 GASES NON-FLAMMABLE GAS 2 OXIDIZER 5.1 1636 Hwy 301 South . Dunn, NC 28334 844-534-8021

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

NET CONTENTS Part # LBS C.F. Liters LQ NO-USP-L1 404 3519 99,654

WARNING: RX Only Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be

taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not put in eyes on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention CAS: 10024-97-2 DO NOT REMOVE THIS LABEL.



NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:49575-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	990 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49575-003-01	2978 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
2	NDC:49575-003-02	1745 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
3	NDC:49575-003-03	5167 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
4	NDC:49575-003-04	16047 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
5	NDC:49575-003-08	101270 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
6	NDC:49575-003-06	1070 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
7	NDC:49575-003-09	107923 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
8	NDC:49575-003-10	248 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
9	NDC:49575-003-11	8267 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
10	NDC:49575-003-12	8267 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
11	NDC:49575-003-13	28.4 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
12	NDC:49575-003-14	60.3 L in 1 CYLINDER; Type 0: Not a Combination Product	06/15/1990	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA		NDA205704	06/15/1990	

Labeler - Machine & Welding Supply Company dba Arc3 Gases South (065300535)

Establishment				
Name		Address	ID/FEI	Business Operations
Machine & Welding Supply Company dba Arc3 Gases South			065300535	manufacture(49575-003)

Revised: 12/2024

Machine & Welding Supply Company dba Arc3 Gases South