#### HAND SANITIZER- alcohol liquid Exo Supply Company LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

### Active Ingredient(s)

Alcohol 80% v/v. Purpose: Antiseptic

### Purpose

Antiseptic, Hand Sanitizer

### Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

## Warnings

For external use only. Flammable. Keep away from heat or flame

### Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

away.

#### Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### **Inactive ingredients**

glycerin, hydrogen peroxide, purified water USP

## Package Label - Principal Display Panel



# **⊖X**<sup>™</sup><sub>PURE</sub> HAND SANITIZER



### 000 mL NDC: 00000-000-00

HAND SANITIZER alcohol liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76960-001
Route of Administration	TOPICAL		

	Ingredien	nt Name			Basis	of Strength	Stre	ngth
LCOHOL (UNII: 3K9	•		958V90M)		ALCOHO	Ū	80 mL in 1	-
nactive Ingredie	nts							
	Ingre	dient Name					trength	
GLYCERIN (UNII: PDC6A3C0OX)					1.45 mL in 100 mL			
HYDROGEN PEROXI		.N9V)				0.125 mL in 10	0 mL	
WATER (UNII: 059QF0	JKOUK)							
Product Characte	eristics							
Color			Score					
Shape			Size					
Flavor	Imprint Code							
Contains								
Packaging								
# Item Code	Pa	ickage Desc						
		0	-		03/30/2020			End D
		0	-		03/30/2020	_		End D
		0	-	e> Drug F	03/30/2020		NITIZER	End D
		0	-	Drug F Active Ingre	03/30/2020		NITIZER Purpose:	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	C) Drug F Active Ingre Ethanol 80%. Uses: • For h	03/30/2020	HAND SA	NITIZER Purpose: Antiseptic	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80% Uses: • For H • Recommence Warnings:	03/30/2020 () () Market of the second seco	HAND SA	NITIZER Purpose: Antiseptic	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend Warnings: • For externa • For externa • Do not use	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame.	NITIZER Purpose: Antiseptic	End D
NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommence Warnings: • Flammable, • For externa • Do not use • Stop use ar • persist for m	0 3/30/20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame.	NITIZER Purpose: Antiseptic with water. velop and	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommence Warnings: • Flammable, • For externa • Do not use • Stop use ar persist for m • Keep out of the Poison C	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. coccurs, flush thouroughl redness and irritation dev n if swallowed, get medic away.	NITIZER Purpose: Antiseptic Antiseptic Antiseptic Antiseptic Antiseptic	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For th • Recommend Warnings: • Flammable, • For externa • Do nor use • Stop use ar persist for m • Keep out of the Poison C Directions:	0 3/30/20 20	HAND SA HAND SA eccrease bacteria von skin se. fire or flame. coccurs, flush thourough! redness and irritation dev n if swallowed, get medic away.	NITIZER Purpose: Antiseptic Antiseptic Antiseptic Antiseptic Antiseptic	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For • Recommence Warnings: • Flammable, • For externa • Do not use • Stop use ar persist for m • Keep out of the Poison C Directions: without wipi • Do not use o Other Inform	0 3/30 /20 20	HAND SA HAND SA eccrease bacteria von skin se. fire or flame. coccurs, flush thourough! redness and irritation dev n if swallowed, get medic away.	NITIZER Purpose: Antiseptic Antis	End D
NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend • Don tuse • Stop use ar persist for m • Keep out of the Poison C Directions: without wipin • Do not use of Other Inform • May discolor	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. i occurs, flush thouroughly redness and irritation devi in if swallowed, get medic away. roughly with product and in room temperature 20°- 25° Glycerin, Hydrogen Pero	NITIZER Purpose: Antiseptic y with water. yelop and al help or contact allow to dry C (66-77°F) xide	End D
NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend • Don tuse • Stop use ar persist for m • Keep out of the Poison C Directions: without wipin • Do not use of Other Inform • May discolor	0 3/30 /20 20	HAND SA ecrease bacteria von skin se. fire or flame. toccurs, flush thouroughl redness and irritation dev n if swallowed, get medic away. roughly with product and a , room temperature 20°-25°	NITIZER Purpose: Antiseptic y with water. yelop and al help or contact allow to dry C (66-77°F) xide	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend • Don tuse • Stop use ar persist for m • Keep out of the Poison C Directions: without wipin • Do not use of Other Inform • May discolor	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. i occurs, flush thouroughly redness and irritation devi in if swallowed, get medic away. roughly with product and in room temperature 20°- 25° Glycerin, Hydrogen Pero	NITIZER Purpose: Antiseptic y with water. yelop and al help or contact allow to dry C (66-77°F) xide	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend • Don tuse • Stop use ar persist for m • Keep out of the Poison C Directions: without wipin • Do not use of Other Inform • May discolor	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. i occurs, flush thouroughly redness and irritation devi i away. roughly with product and i , room temperature 20°- 25° Glycerin,Hydrogen Pero ter) , Tocopherol ( Vitami	NITIZER Purpose: Antiseptic y with water. yelop and al help or contact allow to dry C (66-77°F) xide	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend • Don tuse • Stop use ar persist for m • Keep out of the Poison C Directions: without wipin • Do not use of Other Inform • May discolor	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. i occurs, flush thouroughly redness and irritation devi i away. roughly with product and i , room temperature 20°- 25° Glycerin,Hydrogen Pero ter) , Tocopherol ( Vitami	NITIZER Purpose: Antiseptic y with water. yelop and al help or contact allow to dry C (66-77°F) xide	End D
1 NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: • For H • Recommend • Don tuse • Stop use ar persist for m • Keep out of the Poison C Directions: without wipin • Do not use of Other Inform • May discolor	0 3/30 /20 20	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. i occurs, flush thouroughly redness and irritation devi in if swallowed, get medic away. roughly with product and in room temperature 20°- 25° Glycerin, Hydrogen Pero	NITIZER Purpose: Antiseptic y with water. yelop and al help or contact allow to dry C (66-77°F) xide	End D
NDC:76960-001-00	473 mL in 1 BOTTL	LE; Type 0: No	t a Combinatio	Drug F Active Ingre Ethanol 80%. Uses: + For H + Recommend Warnings: • Flammable, • For extense • Stop use ar persist for m • Keep out of the Poison C Directions: without wipi • Do not use o Other Inforn • May discolor Inactive Ing Lavandula An	0 3/30 /20 20 0 3/30 /20 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	HAND SA HAND SA ecrease bacteria von skin se. fire or flame. i occurs, flush thouroughly redness and irritation devi i away. roughly with product and i , room temperature 20°- 25° Glycerin,Hydrogen Pero ter) , Tocopherol ( Vitami	NITIZER Purpose: Antiseptic Antiseptic Antiseptic Antiseptic Context Antiseptic Context Antiseptic Context Antiseptic Context Antiseptic Antise	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333A	03/30/2020			

## Labeler - Exo Supply Company LLC (080349390)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Griffin Chemical Company LLC		602426046	manufacture(76960-001)		

Revised: 5/2020

Exo Supply Company LLC