

HAND SANITIZER- ethyl alcohol liquid

Bendistillery Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Ethyl Alcohol (73.30%, v/v) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.50% v/v).
- c. Hydroxypropyl cellulose (1.10% v/v).
- d. Lauryl Lactate (0.33% v/v).
- e. Myristyl Lactate (0.33% v/v).
- f. Cetyl Lactate (0.34% v/v).
- g. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Ethyl Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydroxypropyl cellulose, lauryl lactate, myristyl lactate, cetyl lactate, purified water USP

Package Label - Principal Display Panel

3785.41

Drug Facts	
Active ingredients	Purpose
Ethyl alcohol 70% w/v	Antiseptic
Uses	
- Hand sanitizer to help reduce bacteria on the skin that could cause disease. For use when soap and water are not available.	
Warnings	
For external use only. Flammable. Keep away from heat or flame.	
Do not use	
- in children less than 2 months of age	
- on open skin wounds	
When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	
Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.	
Directions	
- Place enough product on hands to cover all surfaces. Rub hands together until dry.	
- Supervise children under 6 years of age when using this product to avoid swallowing.	
Other information	
- Store between 15-30C (59-86F)	
- Avoid freezing and excessive heat above 40C (104F)	
Inactive ingredients: Glycerin, propylene glycol, carbomer, 2-amino methyl-L-propanol solution, water USP	

ml NDC: 75160-004-01

ethyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75160-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	73.3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL LACTATE (UNII: A7EVH2RK4O)	0.34 mL in 100 mL
LAURYL LACTATE (UNII: G5SU0BFK7O)	0.33 mL in 100 mL
GLYCERIN (UNII: PDC6A3C0OX)	1.5 mL in 100 mL
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	1.1 mL in 100 mL
WATER (UNII: 059QF0K00R)	
MYRISTYL LACTATE (UNII: 1D822OC34X)	0.33 mL in 100 mL

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75160-004-02	3785.41 mL in 1 JUG; Type 0: Not a Combination Product	05/05/2020	



Distributed by:
Lifted Liquids
43360 N US Hwy 41
Unit H Zion, IL 60099
Questions?

Visit:
www.liftedmade.com
Made in the USA




**ALCOHOL ANTISEPTIC
HAND SANITIZER GEL
TOPICAL SOLUTION**

70% Alcohol
Non-sterile
Solution



99.99%
EFFECTIVE AGAINST
COMMON GERMS

1 Gallon (3785.41mL)



EXPIRES 04/2024 | Lot 0015

Bug Facts

Active ingredients	Purpose
Ethyl alcohol 70% w/v	Antiseptic

Uses

- Hand sanitizer to help reduce bacteria on the skin that could cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and see a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other Information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients: Glycerin, propylene glycol, carbomer, 2-amino methyl-L, propanol solution, water USP

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	05/04/2020	

Labeler - Bendistillery Inc (017937462)

Establishment

Name	Address	ID/FEI	Business Operations
Bendistillery Inc		017937462	manufacture(75160-004)

Revised: 5/2020

Bendistillery Inc