

**MICONAHEX PLUS TRIZ- chlorhexidine gluconate and miconazole
nitrate shampoo
Dechra Veterinary Products**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

MiconHex + Triz® Shampoo

For support of healthy skin for animals with conditions responsive to miconazole and/or chlorhexidine. Ceramides aid in moisturizing, repairing, and restoring dry, damaged skin.

Active Ingredients: 2% Chlorhexidine Gluconate, USP; 2% Miconazole Nitrate, USP

Also Contains: Decyl Polyglucoside, Water, Laureth 12, Cetrimonium Chloride, PEG-120 Methyl Glucose Dioleate, Fragrance, Sodium Hydroxide, Ceramide Complex (Ceramide 3, Ceramide 6 II, Ceramide I, Phytosphingosine, Cholesterol, Sodium Lauroyl Lactylate, Carbomer, Xanthan Gum), TrizEDTA® (Disodium EDTA; Tromethamine, USP), Oatmeal Extract, Aloe Vera Gel, PEG 150 Distearate

Directions for Use: SHAKE WELL BEFORE EACH USE. Use in a ventilated area and prevent the animal from licking and ingesting the product during application or throughout the recommended contact time, as it may lead to gastrointestinal or respiratory tract irritation. Apply to wet coat, rub onto skin and haircoat to create a rich lather. Allow shampoo to remain on skin and coat for 5-10 minutes. Rinse well. Use up to 4 times per week or as directed by your veterinarian. All changes (positive or negative) in the condition of the skin and haircoat should be reported to your veterinarian to determine continued bathing frequency with this shampoo.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets.

Human Warning: Wash hands after use. Rare but serious allergic reactions have been reported with exposure to chlorhexidine gluconate.

Store at room temperature.

Available through licensed veterinarians.

Not for human use.

Manufactured for: Dechra Veterinary Products
7015 College Blvd., Overland Park, KS 66211
866.933.2472
www.dechra-us.com

MHTW REV10/22

PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

SHAKE WELL BEFORE USING

MiconHex+Triz[®]

Shampoo

2% Chlorhexidine Gluconate, USP

2% Miconazole Nitrate, USP

Formulated for dogs, cats and horses

Antimicrobial, antifungal, antibiofilm,
moisturizing

16 fl. oz. (473 mL)

Dechra

SHAKE WELL BEFORE USING SHAKE WELL BEFORE USING SHAKE WELL BEFORE USING

MiconHex+Triz[®]
Shampoo
2% Chlorhexidine Gluconate, USP
2% Miconazole Nitrate, USP
Formulated for dogs, cats and horses
Antimicrobial, antifungal, antibiofilm,
moisturizing



16 fl. oz. (473 mL)

For support of healthy skin for animals with conditions responsive to miconazole and/or chlorhexidine. Ceramides aid in moisturizing, repairing, and restoring dry, damaged skin.
Active Ingredients: 2% Chlorhexidine Gluconate, USP; 2% Miconazole Nitrate, USP
Also Contains: Water, Decyl Glucoside, Laureth 12, PEG-120 Methyl Glucose Dioleate, Cetrimonium Chloride, Fragrance, Sodium Hydroxide, Ceramide Complex (Ceramide 3, Ceramide 6 II, Ceramide I, Phytosphingosine, Cholesterol, Sodium Lauroyl Lactylate, Carbomer, Xanthan Gum, Phenoxyethanol, Ethylhexylglycerin), TrizEDTA[®] (Disodium EDTA; Tromethamine, USP), Avena Sativa (Oat) Meal Extract, Aloe Barbadensis Leaf Juice, Citric Acid, PEG 150 Distearate
Directions for Use: SHAKE WELL BEFORE EACH USE. Use in a ventilated area and prevent the animal from licking and ingesting the product during application or throughout the recommended contact time, as it may lead to gastrointestinal or respiratory tract irritation. Apply to wet coat, rub onto skin and haircoat to create a rich lather. Allow shampoo to remain on skin and coat for 5-10 minutes. Rinse well. Use up to 4 times per week or as directed by your veterinarian. All changes (positive or negative) in the condition of the skin and haircoat should be reported to your veterinarian to determine continued bathing frequency with this shampoo.
Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets.
Human Warning: Wash hands after use. Rare but serious allergic reactions have been reported with exposure to chlorhexidine gluconate. Store at room temperature.
Available through licensed veterinarians.
Not for human use.
Manufactured for:
Dechra Veterinary Products
7015 College Blvd.
Overland Park, KS 66211
(866) 933-2472
www.dechra-us.com
16MHTW REV02/25-C



MICONAHEX PLUS TRIZ

chlorhexidine gluconate and miconazole nitrate shampoo

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17033-173
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	20 mg in 1 mL
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17033-173-08	236 mL in 1 BOTTLE		
2	NDC:17033-173-16	473 mL in 1 BOTTLE		
3	NDC:17033-173-01	3785 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		02/08/2021	

Labeler - Dechra Veterinary Products (362142734)

Revised: 6/2025

Dechra Veterinary Products