ERYFOTONA AGELESS- zinc oxide lotion ISDIN Corp.

Eryfotona® Ageless

Drug Facts

Active ingredient

Zinc Oxide 10.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warning

- For external use only.
- **Do not use** on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask doctor if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- During sun exposure, reapply:
 - after 40 minutes of swimming or sweating.
 - immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures:** Spending time in the sun increases the risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.- 2 p.m.
 - wear long- sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: ask a doctor.

Other information

• Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Diethylhexyl Carbonate, Dibutyl Adipate, Cyclopentasiloxane, Dicaprylyl Carbonate, Alcohol Denat., Cyclohexasiloxane, Butylene Glycol, Silica, PEG-30 Dipolyhydroxystearate, Nylon-12, Glycerin, PEG-10 Dimethicone, Dimethicone, Sodium Chloride, Phenoxyethanol, Iron Oxides, Disteardimonium Hectorite, Triethoxycaprylylsilane, Panthenol, Tocopheryl Acetate, Glyceryl Stearate, Propanediol, Fragrance, Bisabolol, Disodium EDTA, Ethylhexylglycerin, PEG-8, Hydroxypropyl Cyclodextrin, Tocopherol, Lecithin, Plankton Extract, Ascorbyl Palmitate, Sodium Benzoate, Ascorbic Acid, Citric Acid, Palmitoyl Tripeptide-38, Pentapeptide-34 Trifluoroacetate.

Questions or comments?

Call (862) 242-8129 Monday – Friday (9 a.m. to 5 p.m. EST) or visit www.isdin.com

PRINCIPAL DISPLAY PANEL - 100 mL Bottle Carton

ISDIN PHOTO

Eryfotona® Ageless

Ultralight Emulsion

BROAD SPECTRUM SPF 50


Designed for Photoaging Defense

Tinted Sunscreen with DNA Repairsomes[®], Peptide Q10, Peptide Complex and Antioxidants

Water resistant (40 minutes)

100% MINERAL SUNSCREEN

3.4 FL OZ (100 mL)



ISDIN PHOTO

Eryfotona® Ageless
Ultralight Emulsion

Drug Facts

(continued)

Questions or comments?

Call (862) 242-8129 Monday – Friday (9 a.m. to 5 p.m. EST) or visit www.isdin.com

This feel-good, lightweight formula is ideal forall skin types.

Eryfotona® Ageless has been developed with 5 keyingredients:

Zinc Oxide: A 100% mineral sunscreen.

DNA Repairsomes^e: Contains Photolyase that has been shown to help repair sun damaged skin.

Peptide Q10, Peptide Complex and Antioxidants: Help address photoaging caused by sunexposure.

Dermatologist Tested.

Broad Spectrum sunscreens with a high SPF work to absorbor deflect thesun's UVA and UVB rays.

ISDINPHOTO

Eryfotona® Ageless


Ultralight Emulsion

BROAD SPECTRUM SPF 50

Designed for Photoaging Defense

Tinted Sunscreen with DNA Repairsomes®, Peptide Q10, Peptide Complex and Antioxidants





Warning

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes Rinse with water to remove
- Stop use and ask doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center rightaway

Directions

- Apply liberally 15 minutes before sun exposure.
- During sun exposure, reapply:
- During sun exposure, reapply:

 after 40 minutes of swimming or sweating.
 immediately after towel drying.
 at least every 2 hours.

 Sun Protection Measures: Spending time in the sun increases the risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF value of 15 or higher and other sun protection measures including:

 limit time in the sun, especially from 10 a.m.-2 p.m.
 wear long- sleeve shirts, pants, hats and sunglasses.

 Children under 6 months: ask a doctor.

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Inactive ingredients

Water, Diethylhexyl Carbonate, Dibutyl Adipate, Cyclopentasiloxane, Dicaprylyl Carbonate, Alcohol Denat., Cyclohexasiloxane, Butylene Glycol, Silica, PEG-30 Dipolyhydroxystearate, Nylon-12, Glycerin, PEG-10 Dimethicone, Dimethicone, Sodium Chloride, Phenoxyethanol, Iron Oxides, Disteardimonium Hectorite, Triethoxycaprylylsilane, Panthenol, Tocopheryl Acetate, Glyceryl Stearate, Propanediol, Fragrance, Bisabolol, Disodium EDTA, Ethylhexylglycerin, PEG-8, Hydroxypropyl Cyclodextrin, Tocopherol, Lecithin, Plankton Extract, Ascorbyl Palmitate, Sodium Benzoate, Ascorbic Acid, Citric Acid, Palmitoyl Tripeptide-38, Pentapeptide-34 Trifluoroacetate.



Eryfotona Ageless® 2020 Manufacturedin Spain for ISDI N Corp. Morristown NJ 07960 Phone (862) 242-8129 www.isdin.com Ref. 690015685 NDC 69494-003-01

8 "429420"156852

EXP:MM/AAAA LOT:00000



ERYFOTONA AGELESS

zinc oxide lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69494-003	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	107 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
Lecithin, Soybean (UNII: 1DI56QDM62)	
Disteardimonium Hectorite (UNII: X687XDK09L)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
Dibutyl Adipate (UNII: F4K100DXP3)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Sodium Chloride (UNII: 451W47IQ8X)	
Panthenol (UNII: W/9CM0O67Z)	
Water (UNII: 059QF0KO0R)	
Nylon-12 (UNII: 446U8J075B)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
Glycerin (UNII: PDC6A3C0OX)	
Dimethicone (UNII: 92RU3N3Y10)	
LEVOMENOL (UNII: 24WE03BX2T)	
.ALPHATocopherol Acetate (UNII: 9E8X80D2L0)	
Ethylhexylglycerin (UNII: 147D247K3P)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
Propanediol (UNII: 5965N8W85T)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
Tocopherol (UNII: R0ZB2556P8)	
Ascorbyl Palmitate (UNII: QN83US2B0N)	
Alcohol (UNII: 3K9958V90M)	
Denatonium Benzoate (UNII: 4YK5Z 54AT2)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
Diethylhexyl Carbonate (UNII: YCD5000Z6L)	

Ascorbic Acid (UNII: PQ6CK8PD0R)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Ferric Oxide Red (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Palmitoyl Lysyldioxymethionyllysine (UNII: T7A529FB8O)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
HYDROXYPROPYL BETADEX (UNII: 11960HX6EK)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69494- 003-01	1 in 1 CARTON	06/10/2019	
1		100 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:69494- 003-02	12 in 1 CARTON	06/10/2019	
2		2 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:69494- 003-04	1 in 1 CARTON	05/01/2023	
3		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:69494- 003-05	12 in 1 CARTON	12/18/2023	
4		4 mL in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:69494- 003-06	1 in 1 PACKET	12/18/2023	
5		4 mL in 1 TUBE; Type 0: Not a Combination Product		
6	NDC:69494- 003-03	1 in 1 PACKET	03/04/2024	
6		2 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/10/2019	

Labeler - ISDIN Corp. (079609155)

Establishment				
Name	Address	ID/FEI	Business Operations	

Laboratoris Feltor	464201441	MANUFACTURE(69494-003)	

Revised: 3/2024 ISDIN Corp.