

ERYFOTONA AGELESS- zinc oxide lotion
ISDIN Corp.

Eryfotona® Ageless

Drug Facts

Active ingredient

Zinc Oxide 10.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warning

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- During sun exposure, reapply:
 - after 40 minutes of swimming or sweating.
 - immediately after towel drying.
 - at least every 2 hours.
- **Sun Protection Measures:** Spending time in the sun increases the risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.- 2 p.m.
 - wear long- sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Diethylhexyl Carbonate, Dibutyl Adipate, Cyclopentasiloxane, Dicaprylyl Carbonate, Alcohol Denat., Cyclohexasiloxane, Butylene Glycol, Silica, PEG-30 Dipolyhydroxystearate, Nylon-12, Glycerin, PEG-10 Dimethicone, Dimethicone, Sodium Chloride, Phenoxyethanol, Iron Oxides, Distearidimonium Hectorite, Triethoxycaprylylsilane, Panthenol, Tocopheryl Acetate, Glyceryl Stearate, Propanediol, Fragrance, Bisabolol, Disodium EDTA, Ethylhexylglycerin, PEG-8, Hydroxypropyl Cyclodextrin, Tocopherol, Lecithin, Plankton Extract, Ascorbyl Palmitate, Sodium Benzoate, Ascorbic Acid, Citric Acid, Palmitoyl Tripeptide-38, Pentapeptide-34 Trifluoroacetate.

Questions or comments?

Call (862) 242-8129
Monday - Friday
(9 a.m. to 5 p.m. EST)
or visit www.isdin.com

PRINCIPAL DISPLAY PANEL - 100 mL Bottle Carton

ISDIN

Eryfotona[®]

Ageless

Ultralight Emulsion


BROAD SPECTRUM SPF 50

Designed for
Photoaging Defense

100% MINERAL TINTED SUNSCREEN
WITH DNA REPAIRSOMES[®]

Water resistant
(40 minutes)

3.4 FL OZ (100 mL)



Drug Facts
(continued)

Inactive ingredients

Water, Diethylhexyl Carbonate, Dibutyl Adipate, Cyclopentasiloxane, Dicaprylyl Carbonate, Alcohol Denat., Cyclohexasiloxane, Butylene Glycol, Silica, PEG-30 Dipolyhydroxystearate, Nylon-12, Glycerin, PEG-10 Dimethicone, Dimethicone, Sodium Chloride, Phenoxyethanol, Iron Oxides, Distearidimonium Hectorite, Triethoxycaprylylsilane, Panthenol, Tocopheryl Acetate, Glyceryl Stearate, Propanediol, Fragrance, Bisabolol, Disodium EDTA, Ethylhexylglycerin, PEG-8, Hydroxypropyl Cyclodextrin, Tocopherol, Lecithin, Plankton Extract, Ascorbyl Palmitate, Ascorbic Acid, Citric Acid, Palmitoyl Tripeptide-38, Pentapeptide-34

Questions or comments?

Call (862) 242-8129
Monday – Friday
(9 a.m. to 5 p.m. EST)
or visit www.isdin.com

ISDIN

**Eryfotona®
Ageless
Ultralight Emulsion**

BROAD SPECTRUM SPF 50

Designed for
Photoaging Defense

100% MINERAL TINTED SUNSCREEN
WITH DNA REPAIRSOMES®

Water resistant
(40 minutes)

3.4 FL OZ (100 mL)

This ultralight tinted formula is ideal for all skin types.

Eryfotona® Ageless has been developed to help prevent photoaging with key ingredients:

Zinc Oxide: A 100% mineral UV filter.

DNA Repairsomes®: Helps repair accumulated sun damage in the skin.

Peptide Q10: Helps fight early signs of photoaging.

Peptide Complex: Helps improve elasticity, reducing the appearance of fine lines and wrinkles.

Vitamin E: Helps address photoaging caused by sun exposure.

Dermatologist Tested.

Broad Spectrum sunscreens with a high SPF work to absorb or deflect the sun's UVA and UVB rays.

Drug Facts

Active ingredient	Purpose
Zinc Oxide 10.7%.....	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** • on damaged or broken skin
- **When using this product** • keep out of eyes. Rinse with water to remove.
- **Stop use and ask doctor if** • rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun.

1234567890

AW-81-1510-G_05

190027288

ISDIN® Eryfotona® Ageless ©2025 ISDIN, S.A.
Manufactured in Spain for ISDIN Corp. Morristown, NJ 07960
Phone (862) 242-8129 • www.isdin.com
Ref. 690052738 NDC 69494-003-01



8 429420 156852

Exp:YYYY-MM Lot:XXXX

ERYFOTONA AGELESS

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69494-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	107 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
Disteardimonium Hectorite (UNII: X687XDK09L)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
Dibutyl Adipate (UNII: F4K100DXP3)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Sodium Chloride (UNII: 451W47IQ8X)	
Panthenol (UNII: WW9CM0067Z)	
Water (UNII: 059QF0K00R)	
Nylon-12 (UNII: 446U8J075B)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
Glycerin (UNII: PDC6A3C0OX)	
Dimethicone (UNII: 92RU3N3Y1O)	
LEVOMENOL (UNII: 24WE03BX2T)	
.ALPHA.-Tocopherol Acetate (UNII: 9E8X80D2L0)	
Ethylhexylglycerin (UNII: 147D247K3P)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
Propanediol (UNII: 5965N8W85T)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
Tocopherol (UNII: R0ZB2556P8)	
Ascorbyl Palmitate (UNII: QN83US2B0N)	
Alcohol (UNII: 3K9958V90M)	
Denatonium Benzoate (UNII: 4YK5Z54AT2)	
Pentapeptide-34 (UNII: BFO8NU77YF)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
Diethylhexyl Carbonate (UNII: YCD500OZ6L)	
Ascorbic Acid (UNII: PQ6CK8PD0R)	
Ferric Oxide Red (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
PALMITOYL TRIPEPTIDE-38 (UNII: T7A529FB8O)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

HYDROXYPROPYL BETADEX (UNII: 1I96OHX6EK)

Pentapeptide-34 Trifluoroacetate (UNII: SQS1FA1FGW)

Sodium Benzoate (UNII: OJ245FE5EU)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69494-003-01	1 in 1 CARTON	06/10/2019	
1		100 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:69494-003-02	12 in 1 CARTON	06/10/2019	
2		2 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:69494-003-04	1 in 1 CARTON	05/01/2023	
3		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
4	NDC:69494-003-05	12 in 1 CARTON	12/18/2023	
4		4 mL in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:69494-003-06	1 in 1 PACKET	12/18/2023	
5		4 mL in 1 TUBE; Type 0: Not a Combination Product		
6	NDC:69494-003-03	1 in 1 PACKET	03/04/2024	
6		2 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/10/2019	

Labeler - ISDIN Corp. (079609155)

Establishment

Name	Address	ID/FEI	Business Operations
Laboratoris Feltor		464201441	MANUFACTURE(69494-003)

Revised: 2/2026

ISDIN Corp.