

MECLIZINE HCL 25 MG- meclizine hcl tablet
RedPharm Drug, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCL 25 mg

Drug Facts

Active ingredient (in each tablet)

Meclizine HCL 25 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting or dizziness due to motion sickness
- for others uses, consult your doctor

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water

adults & children 12 years and over: 1-2 tablets once daily

children under 12 years: ask a doctor

Other information

- **Phenylketonurics: each tablet contains:** phenylalanine 0.28 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

www.reliable1labs.com

NDC 69618-028-10

Meclizine HCL 25 mg

ANTIEMETIC

1000 TABLETS

THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN

*Compare to Active Ingredient in BONINE®

NDC 69618-028-10



Meclizine HCl

25 mg
ANTIEMETIC

1000 TABLETS

THIS PACKAGE FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN

*Compare to Active Ingredient in BONINE®

Drug Facts	Purpose Meclizine HCl 25 mg.....Antiemetic
Active ingredient (in each tablet)	Meclizine HCl 25 mg.....Antiemetic
Uses	prevents and treats nausea, vomiting or dizziness due to motion sickness. ■ for other uses, consult your doctor
Warnings	<p>Ask a doctor before use if you have ■ glaucoma</p> <p>■ a breathing problem such as emphysema or chronic bronchitis</p> <p>■ trouble urinating due to an enlarged prostate gland</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p>When using this product</p> <p>■ you may get drowsy ■ avoid alcoholic drinks</p> <p>■ alcohol, sedatives and tranquilizers may increase drowsiness</p> <p>■ be careful when driving a motor vehicle or operating machinery</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ take dose one hour before travel starts</p> <p>■ tablets can be chewed or swallowed whole with water</p> <p>adults & children 12 years and over: 1-2 tablets once daily</p> <p>children under 12 years: ask a doctor</p>
Other information	<p>■ Phenylethanamine: each tablet contains: phenylethanamine 0.28 mg</p> <p>■ store at room temperature 15°-30°C (59°-86°F)</p> <p>■ This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.</p>
Inactive ingredients	aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor
Questions or comments?	call 516-341-0666, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.
Distributed by: Reliable 1 Laboratories LLC, Valley Stream, NY 11580
www.reliable1labs.com



Lot No.: 3 6961802810 4
Exp. Date: Rev. 0715

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



(01)00367296179231
(21)100000000000084
(17)210430
(10)19D224X1

NDC: 67296-1792-3
MECLIZINE HCL CHEWABLES

Rx Only
25MG
30 Tablets

Lot: 19D224X1 Exp: 04/21

Usual adult dosage: See package insert
Store at controlled room temperature: 20-25 C (68-77 F)

Mfg: Reliable 1 Laboratories LLC
Valley Stream NY 11580
69618-028-01

Dist. by: Redpharm Drug Eden Prairie, MN 55344

SIN 77953



3 67296 17923 1

MECLIZINE HCL 25 MG

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67296-1792(NDC:69618-028)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44C1O) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6 1U)

RASPBERRY (UNII: 4N14V5R27W)

ASPARTAME (UNII: Z0H242BBR1)

SUCROSE (UNII: C151H8M554)

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)

Product Characteristics

Color	pink (Light Raspberry color)	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor	RASPBERRY	Imprint Code	AP;115
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67296-1792-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2020	



MECLIZINE HCL
25MG CHEW TABLET

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	11/01/2015	

Labeler - RedPharm Drug, Inc. (828374897)

Establishment

Name	Address	ID/FEI	Business Operations
EPM Packaging		079124340	repack(67296-1792) , label(67296-1792)

Revised: 1/2020

RedPharm Drug, Inc.