

RETAINÉ ULTRA PF- polyethylene glycol liquid
OCuSOFT LLC

Drug Facts

Active Ingredients

Purpose

Polyethylene Glycol 400 (0.4%).....	Lubricant
Propylene Glycol 0.3%.....	Lubricant

Uses

- relieves dryness of the eye.
- for the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to the wind and sun.
- may be used as a protectant against further irritation.

Warnings

For use in the eyes only. Retain outer carton for full product drug facts.

Do not use

- if this product changes color or becomes cloudy.
- if you are sensitive to any ingredient in this product.

When using this product

- do not touch tip of container to any surface to avoid contamination.
- remove contact lenses
- replace cap after each use.
- do not deliver more than 6 consecutive drops.

Stop use and ask a doctor if

- you feel eye pain.
- changes in vision occur.
- redness or irritation of the eye(s) gets worse, persists or lasts more than 72 hours.

Keep this in all drugs out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- instill 1 or 2 drops in the affected eye(s) as needed



1. Twist Open



2. Squeeze

Other information

- store at room temperature 15°-30°C (59°-86°F).

Inactive ingredients

Aminomethyl propanol, boric acid, Gelrite gellan gum, magnesium chloride hexahydrate, potassium chloride, water for injection, sodium chloride, sorbitol. May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

Questions and comments?

Call (800) 233-5469 M-F 8:30AM-5:00PM CST or visit ocusoft.com

Package Label

NDC 54799-470-10

OCuSOFT®

retaine ULTRA PF™

Lubricant Eye Drops

Sterile

Preservative-Free Bottle

0.33 fl oz (10 mL)

DO NOT USE IF TAMPER EVIDENT BAND IS BROKEN.

Manufactured for OCuSOFT LLC. Rosenberg, TX 77471
© 2026 OCuSOFT Inc. | www.ocusoft.com



NDC 54799-470-10

OCuSOFT®

retaine® ULTRA PF™

Lubricant Eye Drops

Fast-Acting
Hydration and
Lasting Relief

Moisture Rich
Formula for
Sensitive Eyes

Sterile
Preservative-Free Bottle
0.33 fl oz (10 mL)

Retaine® ULTRA PF™
Lubricant Eye Drops
provide fast soothing
relief and offers
the long lasting
protection you need
to get through your
day.

**DO NOT USE IF
TAMPER EVIDENT
BAND IS BROKEN
OR MISSING**

OCuSOFT®

Manufactured for OCuSOFT LLC.
Rosenberg, TX 77471 USA
© 2026 OCuSOFT Inc.
Patents: www.ocusoft.com/patents

All registered trademarks are property of OCuSOFT Inc.

Void Aqueous

OCuSOFT®
retaine®
ULTRA PF™

NDC 54799-470-10

OCuSOFT®
ULTRA PF™
Lubricant Eye Drops

Fast-Acting Hydration and Lasting Relief

Moisture Rich Formula for Sensitive Eyes

retaine®

Sterile
Preservative-Free Bottle
0.33 fl oz (10 mL)

Retaine® ULTRA PF™ Lubricant Eye Drops provide fast soothing relief and offers the long lasting protection you need to get through your day.

Drug Facts
BOTTLE IMAGE IS ACTUAL SIZE.
Active ingredients **Purpose**
Polyethylene Glycol 400 (0.4%)..... Lubricant
Propylene Glycol 0.3%..... Lubricant

Uses
• relieves dryness of the eye.
• for the temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to the wind and sun.
• may be used as a protectant against further irritation.

Warnings
For use in the eyes only. Retain outer carton for full product drug facts.
Do not use
• if this product changes color or becomes cloudy.
• if you are sensitive to any ingredient in this product.

When using this product
• do not touch tip of container to any surface to avoid contamination. • remove contact lenses • replace cap after each use.
• do not deliver more than 6 consecutive drops.

Stop use and ask a doctor if
• you feel eye pain.
• changes in vision occur.
• redness or irritation of the eye(s) gets worse, persists or lasts more than 72 hours.

Keep this and all drugs out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• instill 1 or 2 drops in the affected eye(s) as needed

1, Twist Open **2, Squeeze**

Drug Facts (continued)
Other information
• store at room temperature 15°-30°C (59°-86°F).

Inactive ingredients
Aminomethyl propanol, boric acid, Gelrite gellan gum, magnesium chloride hexahydrate, potassium chloride, water for injection, sodium chloride, sorbitol. May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

Questions and comments?
Call (800) 233-5469 M-F 8:30AM-5:00PM CST or visit ocusoft.com

DO NOT USE IF TAMPER EVIDENT BAND IS BROKEN OR MISSING

OCuSOFT®
Manufactured for OCuSOFT LLC, Rosenberg, TX 77471 USA
© 2026 OCuSOFT Inc.
www.ocusoft.com
Patents: www.ocusoft.com/patents

All registered trademarks are property of OCuSOFT Inc.

777-4-70 R01/26

MY P

Void Aqueous

Void Aqueous

Void Aqueous

INI 0126

3 54799 47010 1

RETAINÉ ULTRA PF
polyethylene glycol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54799-470
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Polyethylene Glycol 400 (UNII: B697894SGQ) (Polyethylene Glycol 400 - UNII:B697894SGQ)	Polyethylene Glycol 400	4 mg in 1 mL
Propylene Glycol (UNII: 6DC9Q167V3) (Propylene Glycol - UNII:6DC9Q167V3)	Propylene Glycol	3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Aminomethylpropanol (UNII: LU49E6626Q)	
Boric Acid (UNII: R57ZHV85D4)	
Gellan Gum (Low Acyl) (UNII: 7593U09I4D)	
Magnesium Chloride (UNII: 02F3473H9O)	
Potassium Chloride (UNII: 660YQ98I10)	
Water (UNII: 059QF0K00R)	
Sodium Chloride (UNII: 451W47IQ8X)	
Hydrochloric Acid (UNII: QTT17582CB)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Sorbitol (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54799-470-10	10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/19/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	05/19/2026	

Labeler - OCuSOFT LLC (119327367)