

**DR. RECKEWEG R1 ANGINACID COMBINATION PRODUCT- apis mellifica 4x, baryta muriatica 6x, belladonna 4x, calcarea iodata 4x, hepar sulphuris calcareum 12x, kali bichromicum 4x, lachesis mutus 12x, teucrium marum 6x, mercurius corrosivus 6x, phytolacca decandra 4x liquid**

**PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DR. RECKEWEG R1 Anginacid**

### **Active ingredients**

Apis mellifica 4X, Baryta muriatica 6X, Belladonna 4X, Calcarea iodata 4X, Hepar sulphuris calcareum 12X, Kali bichromicum 4X, Lachesis mutus 12X, Teucrium marum 6X, Mercurius corrosivus 6X, Phytolacca decandra 4X, 1 g each in 10 g.

### **Purpose**

Relieves symptoms associated with a cold

### **Uses**

For the temporary relief of symptoms associated with a cold:

- Minor aches and pains
- Fever / Inflammation
- Sore throat

### **Warnings**

#### **Do not use**

- **in case of renal insufficiency**
- if hypersensitive to chromium

#### **Ask a doctor before use**

- in thyroid conditions
- in children younger than 2 years

#### **When using this product**

- In very rare cases, skin reactions may occur after use.
- In these cases discontinue use of product.
- In rare cases, hypersalivation may occur after administration.
- In these cases discontinue use of product.

#### **Stop use and ask a doctor if**

- pain persists for more than one week (5 days in children)
- fever persists for more than 3 days
- symptoms worsen
- new symptoms occur
- redness or swelling is present
- sore throat is severe and persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting

**If pregnant or breastfeeding**, ask a health care professional before use.

**Keep out of reach of children.**

### Directions

Adults and children  $\geq$  12 years 5-10 drops; children (6-11 years) 3-5 drops; children (2-5 years) 2-3 drops, all ages take 2-3 times daily in a little water or undiluted or as recommended.

In acute cases (see age group) the same dosage up to 6 times per day.

Not recommended for children under 2 years of age except under the advice of a health care professional.

### Other information


- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.


### Inactive ingredients

Ethanol, purified water.

### Questions?

Call 1-800-361-7872 or email [questions@reckeweg.com](mailto:questions@reckeweg.com)





NDC# 53346-1301-5

Dr. Reckeweg R1 Anginacid

Homeopathic preparation for the temporary relief of symptoms associated with a cold:

- \* Minor aches and pains
- \* Fever / Inflammation
- \* Sore throat

Manufactured by:

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

1.68 fl oz

(50 ml)

### DR. RECKEWEG R1 ANGINACID COMBINATION PRODUCT

apis mellifica 4x, baryta muriatica 6x, belladonna 4x, calcarea iodata 4x, hepar sulphuris calcareum 12x, kali bichromicum 4x, lachesis mutus 12x, teucrium marum 6x, mercurius corrosivus 6x, phytolacca decandra 4x liquid

#### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:53346-1301

**Route of Administration** ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	4 [hp_X] in 50 mL
BARIUM CHLORIDE DIHYDRATE (UNII: EL5GJ3U77E) (BARIUM CATION - UNII:V645272HLN)	BARIUM CHLORIDE DIHYDRATE	6 [hp_X] in 50 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	4 [hp_X] in 50 mL
CALCIUM IODIDE (UNII: 8EK9QEE2H) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM IODIDE	4 [hp_X] in 50 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 50 mL
POTASSIUM DICHROMATE (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	4 [hp_X] in 50 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 50 mL
TEUCRIUM MARUM (UNII: 10464S0TAA) (TEUCRIUM MARUM - UNII:10464S0TAA)	TEUCRIUM MARUM	6 [hp_X] in 50 mL
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	6 [hp_X] in 50 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1301-5	50 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

**Labeler** - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)

### Establishment

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1301)