

OXYGEN- oxygen gas
Praxair Distribution, Inc.

Oxygen - Human - 001

Oxygen Shoulder Label

UN1072 OXYGEN, COMPRESSED USP WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil, grease and combustibles away. Keep away from heat, sparks and flame. Store and use with adequate ventilation to prevent oxygen accumulation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125 deg F (52 deg C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS form P-4638 and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. KEEP OUT OF REACH OF CHILDREN. WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY DO NOT REMOVE THIS LABEL PMG-6 (07/08) Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113 DISTRIBUTED BY PRAXAIR, INC., DANBURY



Oxygen Body Label

UN1072 OXYGEN, COMPRESSED USP DANGER! COMPRESSED, OXIDIZING GAS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Keep/store away from combustible materials. Keep reduction valves free from grease and oil. In case of fire: stop leak if safe to do so. Open valve slowly. Close valve after each use and when empty. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52 deg C/125 deg F. Cylinder temperature should not exceed 52 deg C/125 deg F. Store and use in a well-ventilated place. Use per Praxair MSDS form P-4638, and safety booklets P-3499, P-14-153, and P-15-

276; obtain from your local supplier. KEEP OUT OF REACH OF CHILDREN. Do not handle until all safety precautions have been read and understood. WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx ONLY. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment DO NOT REMOVE THIS LABEL Rx ONLY CAS 7782-44-7 PRODUCED BY AIR LIQUEFACTION IN CASE OF EMERGENCY: CALL 1-800-645-4633 DISTRIBUTED BY PRAXAIR, INC., DANBURY PMGB-6 (03/11) Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113

**UN1072
OXYGEN,
COMPRESSED
USP**



DANGER! COMPRESSED, OXIDIZING GAS. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Keep/store away from combustible materials. Keep reduction valves free from grease and oil. In case of fire: stop leak if safe to do so. Open valve slowly. Close valve after each use and when empty. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Cylinder temperature should not exceed 52°C/125°F. Store and use in a well-ventilated place. Use per Praxair MSDS form P-4638, and safety booklets P-3499, P-14-153, and P-15-276; obtain from your local supplier. **KEEP OUT OF REACH OF CHILDREN.** Do not handle until all safety precautions have been read and understood.

WARNING! For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DO NOT REMOVE THIS LABEL

IN CASE OF EMERGENCY: CALL 1-800-645-4633
PRODUCED BY AIR LIQUEFACTION CAS: 7782-44-7



PMGB-6 (03/11)

DISTRIBUTED BY PRAXAIR, INC.,
DANBURY, CT 06810-5113

Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.

Oxygen Refrigerated

UN1073

OXYGEN, REFRIGERATED LIQUID USP

↑**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION**↑

DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT NUMBER _____

NET CONTENTS _____

DANGER!

**MAY CAUSE OR INTENSIFY FIRE;
OXIDIZER**

**CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION
OR IMPACT.**

IN CASE OF EMERGENCY: CALL 1-800-645-4633

CAS: 7782-44-7

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in an upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx ONLY**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

PRODUCED BY AIR LIQUEFACTION

Medipure™
Medical gases

PRAXAIR

PMG-8 (8/16)

MADE IN USA

DO NOT REMOVE THIS PRODUCT LABEL

**DISTRIBUTED BY PRAXAIR DISTRIBUTION, INC.
DANBURY, CT 06810-6268**

UN1073
OXYGEN, REFRIGERATED LIQUID USP



DANGER!
 MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
 CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
 COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑
 DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT NUMBER _____
 NET CONTENTS _____

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in an upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

PRODUCED BY AIR LIQUEFACTION

Medipure
 Praxair

PMG-8 (8/16)
 MADE IN USA

DO NOT REMOVE THIS LABEL

DISTRIBUTED BY PRAXAIR DISTRIBUTION, INC.
 DANBURY, CT 06810-6268

UN1073
OXYGEN, REFRIGERATED LIQUID USP



DANGER!
 MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
 CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.
 COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑
 DO NOT CHANGE OR FORCE-FIT CONNECTIONS

LOT NUMBER _____
 NET CONTENTS _____

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in an upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

PRODUCED BY AIR LIQUEFACTION

Medipure
 Praxair

PMG-8 (8/16)
 MADE IN USA

DO NOT REMOVE THIS LABEL

DISTRIBUTED BY PRAXAIR DISTRIBUTION, INC.
 DANBURY, CT 06810-6268

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-001-01	16424 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
2	NDC:59579-001-02	14130 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
3	NDC:59579-001-03	10987 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
4	NDC:59579-001-04	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
5	NDC:59579-001-05	7985 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
6	NDC:59579-001-06	7051 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
7	NDC:59579-001-07	4361 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
8	NDC:59579-001-08	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
9	NDC:59579-001-09	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
10	NDC:59579-001-10	708 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
11	NDC:59579-001-11	595 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
12	NDC:59579-001-12	425 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
13	NDC:59579-001-13	142 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
14	NDC:59579-001-14	198 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
15	NDC:59579-001-15	7730 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
16	NDC:59579-001-16	4332 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
17	NDC:59579-001-17	2520 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
18	NDC:59579-001-18	934 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
19	NDC:59579-001-19	680 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
20	NDC:59579-001-20	142 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2007	
21	NDC:59579-001-23	74566 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
22	NDC:59579-001-24	103757 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
23	NDC:59579-001-25	114228 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
24	NDC:59579-001-26	120574 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
25	NDC:59579-001-27	127237 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
26	NDC:59579-001-28	135487 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
27	NDC:59579-001-29	142785 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
28	NDC:59579-001-30	155794 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
29	NDC:59579-001-31	162140 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
30	NDC:59579-001-32	178957 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
31	NDC:59579-001-33	291916 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	
32	NDC:59579-001-	428255 L in 1 DEWAR; Type 0: Not a Combination Product	10/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	10/01/2007	

Labeler - Praxair Distribution, Inc. (042845636)**Establishment**

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079854623	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		009210840	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		196953322	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059209218	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059209143	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		054547505	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		161317490	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059231485	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		054637900	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		059231444	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		938961455	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		033993759	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		803778844	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		059067186	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		159890391	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		879317022	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		008966082	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		054877498	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		021450408	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		824679554	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations

Praxair Distribution, Inc.		099430951	manufacture(59579-001)
----------------------------	--	-----------	------------------------

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		039755707	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		148052277	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		078474890	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		121576227	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		013321604	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		153670138	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		884877440	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		555510726	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		084408371	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		049964372	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		037432010	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		063205512	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		167418326	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		063889091	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		002246916	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		027514424	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		054646935	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		078510774	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		045252439	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		102278991	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		059231360	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		948364559	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations

Praxair Distribution, Inc.		809888688	manufacture(59579-001)
----------------------------	--	-----------	------------------------

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		009850954	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		098717010	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		146659946	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		360672935	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		001355176	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		078290325	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		826346673	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		120247002	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		118788132	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		623107070	manufacture(59579-001)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		364098731	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		623107088	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		174085381	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079418557	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079361330	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079175491	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		832625532	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		960054559	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		047022553	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Capitol Welders Supply Co. Inc.		003851466	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Linde Gas North America LLC		010596159	manufacture(59579-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc.		079091556	manufacture(59579-001)