

**VALUMEDS ALLERGY RELIEF ANTIHISTAMINE DIPHENHYDRAMINE HCL-
diphenhydramine hydrochloride tablet
Cabinet Health P.B.C.**

ValuMeds Allergy Relief Antihistamine Diphenhydramine HCl

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- itchy, watery eyes
- sneezing
- itchy nose or throat
- temporarily relieves these symptoms of the cold:
- runny nose
- sneezing

Warnings

do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask your doctor or pharmacist before use if you are

- a breathing problem such as emphysema or chronic bronchitis
- taking the blood thinning drug warfarin

Ask your doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness.
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away

Directions

- take every 4 to 6 hours or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- protect from moisture
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, d&c red 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, titanium dioxide, talc

Questions or Comments?

contact 1-908-242-6108 Mon- Fri 8:00 AM EST to 5:00 PM PST

Package Labeling:



Compare to BENADRYL®
Allergy ULTRATAB® Tablets
active ingredient†

ALLERGY RELIEF

**ANTI-HISTAMINE
DIPHENHYDRAMINE HCl 25 mg**

For the temporary relief of:

- Sneezing • Itchy Throat
- Runny Nose • Itchy, Watery Eyes

600 TABLETS

Drug Facts

Active ingredient (in each tablet) **Purpose**
Diphenhydramine HCl 25mg.....Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose ■ itchy, watery eyes
- sneezing ■ itchy nose or throat
- temporarily relieves these symptoms of the cold:
- runny nose ■ sneezing

Warnings

do not use ■ to make a child sleepy
■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
■ trouble urinating due to an enlarged prostate gland ■ glaucoma

Ask your doctor or pharmacist before use if you are ■ a breathing problem such as emphysema or chronic bronchitis ■ taking the blood thinning drug warfarin

Drug Facts (continued)

Ask your doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness. ■ avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away

Directions

- take every 4 to 6 hours or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Drug Facts (continued)

Other information

- protect from moisture
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients
colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, d&c red 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, titanium dioxide, talc

Questions or comments? contact 1-908-242-6108 Mon-Fri 8:00 AM EST to 5:00 PM PST

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Distributed By: Cabinet Health P.B.C.
Brooklyn, NY 11222 ITEM# 10001-01 Lot.

EXP.



40232160535 2

0

† This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Benadryl®.

82725-1101-2



Compare to the active ingredient in Benadryl® Allergy ULTRATAB® Tablets†

ALLERGY RELIEF

Original Prescription Strength

**Diphenhydramine HCl 25 mg
Antihistamine**

For the temporary relief of:

- ✓ Sneezing ✓ Runny Nose
- ✓ Itchy, Watery Eyes ✓ Itchy Throat

Actual Size **1200 Tablets**

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE

Drug Facts

Active ingredient (in each tablet) **Purpose**
Diphenhydramine HCl 25 mg.....Antihistamine

Use ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
■ temporarily relieves these symptoms due to the common cold:
■ runny nose ■ sneezing

Warnings

Do not use
■ to make a child sleepy
■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis
■ glaucoma
■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are
taking sedatives or tranquilizers

When using this product

- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-900-222-1222)

Directions

- take every 4 to 6 hours or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains calcium 24 mg
- store between 20°-25°C (68°-77°F)
- protect from moisture and light
- safety sealed: do not use if imprinted foil under bottle cap is opened or torn

Inactive ingredients
colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, D&C Red #27, Al lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?
call 1-908-242-6108 Mon-Fri 8:00 AM to 5:00 PM EST

† This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Benadryl®.

Distributed By:
Cabinet Health P.B.C.
Brooklyn, NY 11222
OR# 08/2025
Made in India
ITEM# 10001-04

LOT: EXP:



50069 92800 1

8

VALUMEDS ALLERGY RELIEF ANTIHISTAMINE DIPHENHYDRAMINE HCL

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82725-1101
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

DICALCIUM PHOSPHATE (UNII: L11K75P92J)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	12mm
Flavor		Imprint Code	S4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82725-1101-1	600 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2025	
2	NDC:82725-1101-2	1200 in 1 BOTTLE; Type 0: Not a Combination Product	11/10/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - Cabinet Health P.B.C. (117102391)

Revised: 12/2025

Cabinet Health P.B.C.