REVIVE- lactic acid liquid IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Revive

ACTIVE INGREDIENT

LACTIC/CAPRIC ACID	.1.0%
EMOLLIENT SYSTEM	70%

INERT INGREDIENTS

INERT INGREDIENT	ſS29%
TOTAL	100%
pH OF 3.8 AT TIME	OF MANUFACTURE

INDICATIONS AND USAGE

GENERAL RECOMMENDATIONS

- 1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
- 2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
- 3. Do not use this product for cleaning or sanitizing equipment
- 4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION A. PRE-MILKING (PRE-DIPPING)

- 1. REMOVE VISIBLE SOILS FROM THE TEATS.
- 2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
- 3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH Revive TEAT DIP or your choice if another IBA Pre-dip product..
- 4. WAIT APPROXIMATELY 30 SECONDS.
- 5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S).
- 6. ATTACH MILKING UNIT

B.POST-MILKING (POST DIPPING)

Immediately after milking dip all teats full length with REVIVE Teat Dip Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT DILUTE THIS PRODUCT

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

Revive



A HIGHLY EFFECTIVE SANITIZING TEAT DIP



CONTAINS 70% SKIN CONDITIONERS

HELPS HEAL OR PREVENT DAMAGED TEATS DUE TO SUDDEN AND/OR SEVERE TEMPERATURE CHANGES

ACTIVE INGREDIENTS:

Lactic / Capric Acid	1.00%
Emollient System	70 00%
INERT INGREDIENTS:	29.00%
TOTAL:	100.00%

pH of 3.8 at time of manufacture

GENERAL RECOMMENDATIONS

- Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
 When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
- 3. Do not use this product for cleaning or sanitizing equipment.
- 4. Wash teat dip cups after each milking.

FIRST AID PROCEDURES

EYE CONTACT: AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH EYE WITH LARGE QUANTITIES OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUE. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS. INGESTION: DRINK TWO GLASSES OF WATER AND CONSULT A PHYSICIAN.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300



RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

- 1. Remove visible soils from the teats
- 2. Observe foremilk by stripping two or three streams of milk into a strip cup.
- 3. Dip or spray the cow's teats full length with REVIVE Teat Dip or your choice of another IBA pre-dip product.

 4. Wait approximately 30 seconds.
- 5. Remove all teat dip by thoroughly drying the teats and teat orifices
- with a clean, single service paper towel(s). 6. Attach milking unit.

B. POST-MILKING (POST-DIPPING)

 Immediately after milking, dip all teats full length with undiluted REVIVE Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE ANIMALS TO W TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

A PART OF THE COMPL SANITATION PROGR

EXP. DATE:

LOT NO .:

NET CONTENTS: 55 GALLONS

IBA STOCK # 260530

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

REVIVE

lactic acid liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1024
--------------	-----------------	--------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT) CAPRIC ACID (UNII: 4G9EDB6V73) (CAPRIC ACID - UNII:4G9EDB6V73) CAPRIC ACID (UNII: 4G9EDB6V73) CAPRIC ACID - UNII:4G9EDB6V73)

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1024-4	19.64 kg in 1 PAIL		
2	NDC:29983-1024-6	58.92 kg in 1 DRUM		
3	NDC:29983-1024-8	216.04 kg in 1 DRUM		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/25/2015	

Labeler - IBA (019494160)

Registrant - IBA (019494160)

Establishment			
Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc DBA Custom Chemical Formulators		028311595	manufacture, api manufacture, pack

Revised: 12/2023 IBA