

MEIJER EARWAX REMOVAL KIT- carbamide peroxide liquid
Meijer Distribution Inc.

Earwax Removal Kit

Drug facts

Active ingredient

Carbamide peroxide 6.5%

Purpose

Earwax removal aid

Uses

for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- Ear drainage or discharge
- Ear pain
- Irritation, or rash in the ear
- Dizziness
- An injury or perforation (hole) of the ear drum
- Recently had ear surgery

When using this product

avoid contact with the eyes

Stop use and ask a doctor if

- You need to use for more than 4 days
- Excessive earwax remains after use of this product

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head titled or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?

1-800-328-5890

*This product is not manufactured or distributed by Prestige Brands Inc. owner of the registered trademark Debrox.

Dist. By Meijer Distribution, Inc. Grand Rapids, MI 49544 www.meijer.com

Meijer Washer Bulb Included Earwax Removal Kit Carbamide Peroxide 6.5% Earwax Removal Aid Safe and Effective 0.5 FL OZ (15 mL)

Product Labels

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts	
Active ingredient Carbamide peroxide 6.5%	Purpose Earwax removal aid
Uses for occasional use as an aid to soften, loosen, and remove excessive earwax	
Warnings For use in the ear only Ask a doctor before use if you have <ul style="list-style-type: none"> ■ ear drainage or discharge ■ ear pain ■ irritation, or rash in the ear ■ dizziness ■ an injury or perforation (hole) of the ear drum ■ recently had ear surgery 	
■ When using this product avoid contact with the eyes	
Stop use and ask a doctor if <ul style="list-style-type: none"> ■ you need to use for more than 4 days ■ excessive earwax remains after use of this product 	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
Directions FOR USE IN THE EAR ONLY Adults and children over 12 years of age: <ul style="list-style-type: none"> ■ Tilt head sideways and place 5 to 10 drops into ear ■ Tip of applicator should not enter ear canal ■ Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear ■ Use twice daily for up to 4 days if needed, or as directed by a doctor ■ Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe Children under 12 years: consult a doctor 	
Other information <ul style="list-style-type: none"> ■ Avoid exposing bottles to excessive heat and direct sunlight ■ Store bottle in the outer carton ■ Keep cap on bottle when not in use ■ Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound ■ Do not use if tamper-evident safety seal is broken or missing 	
Inactive ingredients <ul style="list-style-type: none"> ■ anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water 	
Questions? 1-800-328-5890	



MEIJER EARWAX REMOVAL KIT

carbamide peroxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-835
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-835-33	1 in 1 CARTON	11/27/2014	
1		15 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	11/27/2014	

Labeler - Meijer Distribution Inc. (006959555)

Establishment

Name	Address	ID/FEI	Business Operations
Bell Pharmaceuticals, Inc.		140653770	manufacture(41250-835)

Revised: 12/2023

Meijer Distribution Inc.