

**HEADACHE RELIEF TO GO- acetaminophen and caffeine powder**  
**Breakthrough Products Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**HEADACHE RELIEF TO-GO™**

Drug Facts

<b>Active ingredients (per powder)</b>	<b>Purpose</b>
Acetaminophen 650 mg	Pain reliever
Caffeine 50 mg	Pain reliever aid

**Uses**

Temporarily relieves minor aches and pains due to:

- headache
- muscular aches

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 powders in 24 hours which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if** you have liver disease

**Ask a doctor or pharmacist before use if you are taking** the blood thinning drug warfarin

**When using this product** limit the use of caffeine containing drugs, foods, or drinks, because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat.

**Stop use and ask a doctor if**

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over
- see instructions above for opening packet
- place 1 powder on the tongue and swallow with or without water
- repeat every 4-6 hours, while symptoms persist
- do not take more than 6 pouches in 24 hours
- children under 12 years: ask a doctor

### **Inactive ingredients**

acesulfame potassium, citric acid, ethylcellulose, flavor, sodium chloride, sucralose, sucrose

### **Questions?**

**1-888-99-URGENT (1-888-998-7436)** (Mon-Fri 9AM-5PM MDT)

Do not use if pouch is torn or open
--

distributed by  
UrgentRx®  
Breakthrough Products, Inc.  
Denver, CO 80202

### **PRINCIPAL DISPLAY PANEL - Pouch Label**

New  
Formula!

Now with  
Acetaminophen

FAST POWDERS™  
No Liquid Required  
Pour Directly in Mouth

SEE OPENING INSTRUCTIONS ON BACK PANEL

HEADACHE

URGENTRx

RELIEF  
TO-GO

ACETAMINOPHEN + CAFFEINE/PAIN RELIEVER + ADJUVANT

sweet orange

distributed by UrgentRx

1 powder pack

New  
Formula!  
Now with  
acetaminophen

No Liquid Required  
**FAST POWDERS™**  
Pour Directly In Mouth

◀SEE OPENING INSTRUCTIONS ON BACK PANEL▶

**HEADACHE**



**RELIEF  
TO-GO™**

ACETAMINOPHEN + CAFFEINE / PAIN RELIEVER + ADJUVANT

sweet orange

distributed by UrgentRx

1 POWDER PACK

www.urgentRx.com

Do not use if pouch  
is torn or open


Headache Relief to Go™  
Contains No Aspirin

distributed by  
**URGENT Rx®**

Breakthrough Products, Inc.  
Denver, CO 80202

**Fold Top** and Store in Purse or Wallet

US Pat. No 8,376,140



**Drug Facts**

Active ingredients (per powder)	Purpose
Acetaminophen 650 mg.....	Pain reliever
Caffeine 50 mg.....	Pain reliever aid

**Uses** temporarily relieves minor aches and pains due to • headache • muscular aches **Warnings** **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take • more than 6 powders in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product **Do not use** • if you are allergic to acetaminophen • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. **Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**When using this product** limit the use of caffeine containing drugs, foods, or drinks, because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat. **Stop use and ask a doctor if** • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children. Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. **Directions** • **do not take more than directed (see overdose warning)** • adults and children 12 years of age and older • see instructions above for opening packet • place 1 powder on the tongue and swallow with or without water • repeat every 4-6 hours, while symptoms persist • do not take more than 6 powders in 24 hours • children under 12 years of age, ask doctor **Inactive ingredients** acesulfame potassium, citric acid, ethylcellulose, flavor, sodium chloride, sucralose, sucrose

**Questions?** 1-888-99-URGENT (Mon-Fri 9AM-5PM MDT)

1) FOLD ON LINE TO EXPOSE NOTCH  
2) WHILE FOLDING, TEAR AT NOTCH  
(or use scissors)

TO OPEN

**HEADACHE RELIEF TO GO**

acetaminophen and caffeine powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51596-010
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
acetaminophen (UNII: 362O9ITL9D) (acetaminophen - UNII:362O9ITL9D)		acetaminophen	650 mg	
caffeine (UNII: 3G6A5W338E) (caffeine - UNII:3G6A5W338E)		caffeine	50 mg	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
acesulfame potassium (UNII: 23OV73Q5G9)				
citric acid monohydrate (UNII: 2968PHW8QP)				
ethylcelluloses (UNII: 7Z8S9VYZ4B)				
sodium chloride (UNII: 451W47IQ8X)				
sucralose (UNII: 96K6UQ3ZD4)				
sucrose (UNII: C151H8M554)				
<b>Product Characteristics</b>				
Color	WHITE	Score		
Shape		Size		
Flavor	ORANGE	Imprint Code		
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51596-010-01	1 in 1 POUCH		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part343	07/15/2014		

**Labeler** - Breakthrough Products Inc. (962008251)

Revised: 6/2014

Breakthrough Products Inc.