

**DAYTIME NON DROWS COLD AND FLU AND NIGHTTIME COLD AND-
acetaminophen, dextromethorphan hydrobromide, doxylamine succinate,
phenylephrine hydrochloride
Spirit Pharmaceuticals LLC**

Daytime Non Drowsy Cold and Flu and Nighttime Cold and Flu

Active ingredients (in each softgel)

COLD & FLU NON-DROWSY DAY RELIEF

Acetaminophen 325 mg
Dextromethorphan hydrobromide 10 mg
Phenylephrine hydrochloride 5 mg

COLD & FLU NIGHT RELIEF

Acetaminophen 325 mg
Dextromethorphan hydrobromide 10 mg
Doxylamine succinate 6.25 mg

Purposes

COLD & FLU NON DROWSY DAY RELIEF

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

COLD & FLU NIGHT RELIEF

Pain reliever/fever reducer
Cough suppressant
Antihistamine

Uses

temporarily relieves common cold/flu symptoms:

- fever
- headache
- minor aches and pain
- cough due to minor throat and bronchial irritation
- sore throat
- nasal congestion (Daytime only)
- runny nose and sneezing (Nighttime only)

Warnings

Liver warning This product contains acetaminophen. Severe liver damage may occur if you take: ● more than 4 doses in 24 hours, which is the maximum daily amount for this product ● with other drugs containing acetaminophen ● 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ● skin reddening ● blisters ● rash
If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- to make a child sleepy (Nighttime only)

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- liver disease
- trouble urinating due to enlarged prostate gland
- diabetes (Daytime only)
- heart disease (Daytime only)
- thyroid disease (Daytime only)
- high blood pressure (Daytime only)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema (Daytime only)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema (Nighttime only)
- glaucoma (Nighttime only)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (Nighttime only)

When using this product

- do not take more than directed
- marked drowsiness may occur (Nighttime only)
- avoid alcoholic drinks (Nighttime only)
- excitability may occur, especially in children (Nighttime only)
- be careful when driving a motor vehicle or operating machinery (Nighttime only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (Nighttime only)

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless (Daytime only)
- pain, nasal congestion, or cough gets worse or lasts more than 7 days (Daytime only)
- pain or cough gets worse or lasts more than 7 days (Nighttime only)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- when using other DAYTIME and NIGHTTIME products, carefully read each label to ensure correct dosing

Directions (Daytime only)

- take only as directed - see Overdose warning
- do not exceed 4 doses per 24 hours

adults & children 12 years & over	take 2 softgels with water every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years of age	do not use

- when using other DAYTIME and NIGHTTIME products, carefully read each label to ensure correct dosing

Directions (Nighttime only)

- take only as directed - see Overdose warning
- do not exceed 4 doses per 24 hours

adults & children 12 years & over	take 2 softgels with water every 6 hours
children 4 to under 12 years	ask a doctor
children under 4 years of age	do not use

Other information

- store at room temperature.

Inactive ingredients

DAYTIME

FD&C Red# 40, FD&C Yellow# 6, gelatin, glycerin, polyethylene glycol, lecithin, myglyol, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

NIGHTTIME

D&C Yellow# 10, FD&C Blue# 1, gelatin, glycerin, myglyol, lecithin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, polysorb, sorbitol sorbitan, titanium dioxide

Questions or comments?**1-888-333-9792**

Distributed By:
Spirit Pharmaceuticals, LLC
Ronkonkoma, NY 11779

REV 02/23

Made in India

Principal Display Panel



DAYTIME NON-DROWSY COLD & FLU

ACETAMINOPHEN -
Pain Reliever / Fever Reducer
DEXTROMETHORPHAN HBr - Cough Suppressant
PHENYLEPHRINE HCl - Nasal Decongestant

NIGHTTIME COLD & FLU

ACETAMINOPHEN -
Pain Reliever/Fever Reducer
DEXTROMETHORPHAN HBr - Cough Suppressant
DOXYLAMINE SUCCINATE - Antihistamine



™ Compare to Vicks® Dayquil®
Cold & Flu LiquiCaps®
active ingredients†

DAYTIME NON-DROWSY COLD & FLU

ACETAMINOPHEN -
Pain Reliever / Fever Reducer
DEXTROMETHORPHAN HBr - Cough Suppressant
PHENYLEPHRINE HCl - Nasal Decongestant

Compare to Vicks® NyQuil®
Cold & Flu LiquiCaps®
active ingredients†

NIGHTTIME COLD & FLU

ACETAMINOPHEN -
Pain Reliever/Fever Reducer
DEXTROMETHORPHAN HBr - Cough Suppressant
DOXYLAMINE SUCCINATE - Antihistamine

MULTI-SYMPTOM

Relieves aches, fever,
sore throat, nasal
congestion & cough



Actual Size

16 SOFTGELS
(Liquid filled capsules)

MULTI-SYMPTOM

Relieves aches, fever,
sore throat, cough,
sneezing &
runny nose



Actual Size

8 SOFTGELS
(Liquid filled capsules)

24 TOTAL SOFTGELS (Liquid filled capsules)

Drug Facts (continued)

Overdose warning Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & children 4 to under 12 years. Ask a doctor or pharmacist.

Directions (Daytime only) Take only as directed - see Overdose warning. Do not exceed 4 capsules per 24 hours. Ask a doctor if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Directions (Nighttime only) Take only as directed - see Overdose warning. Do not exceed 4 capsules per 24 hours. Ask a doctor if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Questions or comments? Call 1-888-333-9792

Drug Facts (continued)

Active ingredients for Daytime (in each liquid-filled capsule)
Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Ephedrine HCl 5 mg

Active ingredients for Nighttime (in each liquid-filled capsule)
Acetaminophen 325 mg
Dextromethorphan HBr 15 mg
Doxylamine succinate 6.25 mg

Uses Temporarily relieves common cold/flu symptoms: fever, sore throat, minor aches and pains, cough due to minor throat and bronchial irritation, nasal congestion, runny nose and sneezing.

Warnings Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take more than 4 doses in 24 hours, which is the maximum daily amount for this product. Do not take more than 2 days, if a skin reaction occurs, stop use and seek medical help right away.

Do not use If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Keep out of reach of children.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks®, DayQuil® & NyQuil® Cold & Flu LiquidCapsule.

Distributed by: Spirit Pharmaceuticals, LLC
Rensselaer, NY 11779 REV 02/23
Made in India

DAYTIME NON DROWS COLD AND FLU AND NIGHTTIME COLD AND acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-5015

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-5015-2	1 in 1 CARTON; Type 1: Convenience Kit of Co-Package	05/26/2023	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	8
Part 2	1 BLISTER PACK	8

Part 1 of 2

DAYTIME NON DROWSY COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

Item Code (Source) NDC:68210-5013

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	512;A09;AP01
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 CARTON		

1	8 in 1 BLISTER PACK; Type 0: Not a Combination Product	
---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/26/2023	

Part 2 of 2

NIGHTTIME COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride capsule, liquid filled

Product Information

Item Code (Source)	NDC:68210-5014
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	116;A07;AP02
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1 in 1 CARTON		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/26/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/26/2023	

Labeler - Spirit Pharmaceuticals LLC (179621011)

Revised: 12/2024

Spirit Pharmaceuticals LLC