

**OPEN NATURE CHILDREN SPF 50 MINERAL SUNSCREEN- zinc oxide lotion  
SAFEWAY, INC.**

-----  
**OPEN NATURE CHILDREN'S SPF 50 MINERAL SUNSCREEN LOTION**

***Active ingredients***

Zinc Oxide 21.6%

***Purpose***

Sunscreen

***Uses***

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

***Do not use***

• on damaged or broken skin

***When using this product***

• keep out of eyes. Rinse with water to remove.

***Stop use and ask a doctor if***

• rash occurs

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying

- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### ***Other information***

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### ***Inactive ingredients***

water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, polyhydroxystearic acid, glycerin, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone PEG-10 dimethicone crosspolymer, sodium chloride, phenoxyethanol, chlorphenesin



ZINC OXIDE SUNSCREEN

# CHILDREN'S MINERAL SUNSCREEN LOTION

WATER RESISTANT (80 MINUTES)

BROAD SPECTRUM SPF 50  
HYPOALLERGENIC | PEDIATRICIAN TESTED  
REEF CONSCIOUS\* || FRAGRANCE FREE



3.0 FL OZ (89 mL)

At Open Nature® we believe products should be simple – quality products that are crafted to be gentle for the whole family. Open Nature Mineral Sunscreen Lotion provides broad-spectrum UVA & UVB sun protection that is water and sweat resistant up to 80 minutes. Trust this lightweight, soothing sunscreen to protect your child's sensitive skin.

FORMULATED WITHOUT PARABENS • NOT TESTED ON ANIMALS

\*Formula is compliant with HHS 21 CFR 316.271.

Drug Facts	
Active ingredient	Purpose
Zinc Oxide 21.6%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b>	
For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• apply liberally 15 minutes before sun exposure	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeve shirts, pants, hats, and sunglasses	
<b>Other information</b>	
• protect this product from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b>	
water, C12-15 alkyl benzoate, caprylic/capric triglyceride, styrene/acrylates copolymer, octyldodecyl citrate crosspolymer, phenyl trimethicone, cetyl PEG/PPG-10/1 dimethicone, dimethicone, glycerin, polyhydroxystearic acid, ethyl methicone, cetyl dimethicone, silica, colloidal oatmeal, chrysanthemum parthenium (feverfew) flower/leaf/stem juice, glyceryl behenate, phenethyl alcohol, caprylyl glycol, bis-divinyl dimethicone/PEG-10 dimethicone crosspolymer, sodium chloride, phenoxethanol, chlorphenesin	

DISTRIBUTED BY LUCERNE NORTH AMERICA LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0099

1-866-578-4395

QUALITY & SATISFACTION

100% GUARANTEED

OR YOUR MONEY BACK



Scan here for more information

S3504

RD 19212



3

3

## OPEN NATURE CHILDREN SPF 50 MINERAL SUNSCREEN

zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-725
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	216 mg in 1 mL	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)				
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: X323T6QO4M)				
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)				
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)				
GLYCERIN (UNII: PDC6A3C0OX)				
ETHYL METHICONE (8 MPA.S) (UNII: 3YWG8XYT8H)				
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
OATMEAL (UNII: 8PI54V663Y)				
GLYCERYL MONOBEHENATE (UNII: A626UU0W2A)				
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
CHLORPHENESIN (UNII: I670DAL4SZ)				
TANACETUM PARTHENIUM FLOWER (UNII: 7TVV9D7I89)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-725-03	89 mL in 1 TUBE; Type 0: Not a Combination Product	12/05/2018	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/05/2018		

**Labeler** - SAFEWAY, INC. (009137209)

Revised: 10/2024

SAFEWAY, INC.