# NAUZENE- sodium citrate tablet, chewable Alva-Amco Pharmacal Companies, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **Nauzene Chewables**

# Active ingredient (in each chewable tablet)

Sodium citrate dihydrate 230 mg

# **Purpose**

Upset stomach reliever/antacid

#### Uses

For the relief of nausea associated with upset/sour stomach, including that due to overindulgence in food and drink.

# **Warnings**

**Do not use** if you have Hereditary Fructose Intolerance (HFI). This product contains fructose.

## Ask a doctor before use if you

- have diabetes because this product contains sugar
- are on a sodium-restricted diet
- have phenylketonuria because each chewable tablet contains 4.5 mg phenylalanine.

**Ask a doctor or pharmacist before use if you are** taking any other medications. This product may interact with certain prescription drugs.

**When using this product,** do not take more than 24 tablets in a 24-hour period.

**Stop use and ask a doctor if** nausea lasts more than two weeks or recurs frequently.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- Adults: 2 4 tablets.
- Children: Consult a doctor for appropriate dosage.
- Chew tablets completely.
- Dosage may be repeated after 15 minutes, not to exceed 24 tablets in a 24-hour period unless advised by a doctor.
- Read all package directions and warning before use and use only as directed.
- Nauzene Chewables are intended for use by normally healthy persons only.
- Persons under 18 years of age should use only as directed by a doctor.

# Other information

- Sodium content: 60 mg/tablet
- Store at room temperature.
- \*\*Contents sealed: Each round pink Nauzene chewable tablet bears the identifying mark "ALVA" and is sealed in a clear plastic blister with a foil backing. Do not use if seal appears broken or if product contents do not match product description. Slight red speckling may occur over time.
- **Note:** Nauzene is not intended as a substitute for a balanced nutritional diet or as an electrolyte replenishment.
- You may report serious side effects to the phone number provided under *Questions?* below.

# **Inactive ingredients**

Aspartame, bitter masking salt, dextrose, FDC Red No. 40 Lake, flavors, food starch-modified, fructose, hypromellose, magnesium stearate, maltodextrin, povidone, silicon dioxide, stearic acid, sucrose.

Questions? 1-800-792-2582



Nauzene<sub>®</sub>

42 Chewable Tablets Wild Cherry Flavor

#### **Drug Facts**

Active ingredient (in each chewable tablet) **Purpose** Sodium citrate dihydrate 230mg . . . .Upset stomach reliever/antacid

**Uses** For the relief of nausea associated with upset/sour stomach, including that due to overindulgence in food and drink.

# Warnings

Do not use if you have Hereditary Fructose Intolerance (HFI). This product contains fructose

Ask a doctor before use if you ■ have diabetes because this product contains sugar ■ are on a sodium-restricted diet ■ have phenvlketonuria because each chewable tablet contains 4.5mg phenylalanine.

Ask a doctor or pharmacist before use if you are taking any other medications. This product may interact with certain prescription drugs. When using this product, do not take more than 24 tablets in a

Stop use and ask a doctor if nausea lasts more than two weeks or recurs frequently

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Adults: 2-4 tablets. ■ Children: Consult a doctor for appropriate dosage. 

Chew tablets completely. 

Dosage may be repeated after 15 minutes, not to exceed 24 tablets in a 24-hour period unless advised by a doctor. 

Read all package directions and warnings before use and use only as directed. ■ NAUZENE Chewables are intended for use by normally healthy persons only. ■ Persons under 18 years of age should use only as directed by a doctor.

#### Other information

■ Sodium content: 60 mg/tablet ■ Store at room temperature.
■ \*\*CONTENTS SEALED: Each round pink NAUZENE chewable tablet bears the identifying mark \*ALVA\* and is sealed in a clear plastic bister with a foil backing. Do not use if seal appears broken or if product contents do not match product description. Slight red speckling may occur over time. Note: NAUZENE is not intended as a substitute for a balanced nutritional diet or as an electrolyte replenishment. ■ You may report serious side effects to the phone number provided under Questions? below.

#### Drug Facts (continued) Inactive ingredients

42/42-3RC, 0519

Aspartame, Bitter masking salt, Dextrose, FD&C Red No. 40 Lake, Flavors, Food starch-modified, Fructose, Hypromellose, Magnesium stearate, Maltodextrin, Povidone, Silicon dioxide, Stearic acid, Sucrose.



#### Wild Cherry Flavor

† In laboratory tests, Nauzene reaches 99% of its acid neutralizing ability within 4 minutes

\*Electrolyte-S10™ is Alva-Amco's trade name for sodium citrate dihydrate.



CP-234432 08/2019

LOT:

# **NON-DROWSY**

# IZei

For Upset Stomach & Nausea

**DOCTOR RECOMMENDED** 

**No Aspirin** With Electrolyte S-10<sup>\*</sup>™





Olet.:
ALVA-AMCO Pharmacal Cos., Inc.
Niles, IL 60714, U.S.A.
© 2000-2019 ALVA
® Reg. U.S. Patent and Trademark Office Prod. No.: 42042

EXP.

#### **NON-DROWSY**

DOCTOR RECOMMENDED

# Nauzene

**For Upset Stomach** & Nausea

4 Minute Formula™t for Prompt Relief Aspirin-free Salicylate-free With Electrolyte S-10\*

> **NO GLUTEN INGREDIENTS**

\*\*CONTENTS SEALED NAUZENE.COM

5

# **NAUZENE**

sodium citrate tablet, chewable

## **Product Information**

Route of Administration

HUMAN OTC DRUG Product Type Item Code (Source)

**Active Ingredient/Active Moiety** 

ORAL

NDC:52389-242

Ingredient Name	Basis of Strength	Strength
<b>TRISO DIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	230 mg

Inactive Ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MALTO DEXTRIN (UNII: 7CVR7L4A2D)		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
<b>DEXTROSE</b> (UNII: IY9 XDZ35W2)		
FRUCTOSE (UNII: 6 YSS42 VSEV)		
MODIFIED CORN STARCH (1-OCTENYL SUCCINIC ANHYDRIDE) (UNII: 461P5CJN6T)		
HYPROMELLOSES (UNII: 3NXW29 V3WO)		
POVIDONE K30 (UNII: U725QWY32X)		
SUCROSE (UNII: C151H8 M554)		
CHERRY (UNII: BUC5I9595W)		

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	16 mm
Flavor	CHERRY (Wild Cherry Flavor)	Imprint Code	ALVA
Contains			

P	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date	
1	NDC:52389-242-40	4 in 1 CARTON	07/08/2000		
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:52389-242-42	3 in 1 CARTON	07/06/2017		
2		14 in 1 BLISTER PACK; Type 0: Not a Combination Product			
3	NDC:52389-242-50	5 in 1 CARTON	10/01/2006		
3		$10$ in $1BLISTER$ PACK; Type $0\colon Nota$ Combination Product			
4	NDC:52389-242-10	1 in 1 CARTON	07/15/2016		
4		$10$ in $1BLISTER$ PACK; Type $0\colon Nota$ Combination Product			
5	NDC:52389-242-56	4 in 1 CARTON	11/16/2019		
5		14 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/08/2000	

# Labeler - Alva-Amco Pharmacal Companies, Inc. (042074856)

Revised: 12/2019

Alva-Amco Pharmacal Companies, Inc.