# ALLERGY MULTISYMPTOM- acetaminophen, chlorpheniramine maleate, and phenylephrine hydrochloride tablet, coated RETAIL BUSINESS SERVICES , LLC.

\_\_\_\_\_

#### 1128B-CAR-2021-1022

#### **Drug Facts**

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever
Chlorpheniramine maleate 2 mg	Antihistamine
Phenylephrine HCl 5 mg	Nasal decongestant

#### Uses

- temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
  - headache
  - $\circ~$  sinus congestion and pressure
  - nasal congestion
  - runny nose and sneezing
  - minor aches and pains
- temporarily relieves these additional symptoms of hay fever:
  - itching of the nose or throat
  - itchy, watery eyes
- helps clear nasal passages
- helps decongest sinus openings and passages

#### Warnings

#### Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

# Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

# Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

# Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

# When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

# Keep out of reach of children.

# **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-

800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 4 hours</li> <li>swallow whole; do not crush, chew, or dissolve</li> <li>do not take more than 10 caplets in 24 hours</li> </ul>
children under 12 years	<ul> <li>ask a doctor</li> </ul>

# Other information

- store between 20°-25°C (68°-77°F) in a dry place
- retain carton for complete product information and warnings

# Inactive ingredients

acesulfame potassium, colloidal silicon dioxide, corn starch, croscarmellose sodium, crospovidone, flavor, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

# PRINCIPAL DISPLAY PANEL

NDC 72476-128-02

CAREONE®

FOR ADULTS

ALLERGY MULTI-SYMPTOM

Pain Reliever - Acetaminophen

Nasal Decongestant - Phenylephrine HCL

Antihistamine - Chlorpheniramine Maleate

FOR RELIEF OF:

- Headache
- Sinus Pressure
- Nasal Congestion
- Runny Nose
   Sneezing

• Itchy, Watery Eyes

COOL TASTE

Instant Cooling Sensation

May Cause Drowsiness

Actual Size

24 CAPLETS



# ALLERGY MULTISYMPTOM

acetaminophen, chlorpheniramine maleate, and phenylephrine hydrochloride tablet, coated

Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (S	ource)	NDC:7247	6-128
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingre		Basis of Sti	rength	Strength	

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients	
Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CROSPOVIDONE (UNII: 2S7830E561)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
STARCH, CORN (UNII: 08232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

#### **Product Characteristics**

Color	white (Off-White)	Score	no score
Shape	OVAL	Size	17mm
Flavor	MINT	Imprint Code	AAA;1128
Contains			

#### Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476- 128-02	2 in 1 CARTON	10/21/2020	
1		L2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Μ	arketing I	nformation		
M	larketing l Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date