SINUS PRESSURE AND PAIN PE- acetaminophen and phenylephrine hydrochloride tablet, coated Meijer

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

1120B-MEI-2021-1109

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - sinus congestion and pressure
 - headache
 - minor aches and pains
 - nasal congestion
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information and warnings

Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

NDC 41250-207-06

Compare to Sudafed PE® Sinus Pressure + Pain active ingredients†

meijer®

NON-DROWSY

sinus pressure & pain PE

Acetaminophen | Phenylephrine HCl

Pain Reliever/Fever Reducer, Nasal Decongestant

MAXIMUM STRENGTH

Relief of L Sinus Headache;

Sinus Pressure & congestion

24 CAPLETS

actual size



■ 92K 9 QOCIOL children under 12 years and over ■ do not take more than 10 caplets in 24 hours ■ take 2 caplets every 4 hours ganits and children ■ do not take more than directed (see overdose warning)

uotice any signs or symptoms. attention is critical for adults as well as for children even if you do not Poison Control Center right away (1-800-222-1222). Quick medical Overdose warning: In case of overdose, get medical help or contact a keep out of reach of children. It pregnant or breast-feeding, ask a health professional before use.

> These could be signs of a serious condition. ■ redness or swelling is present

■ uew symptoms occur ■ Tever gets worse or lasts more than 3 days ■ pain or nasal congestion gets worse or lasts more than 7 days


■ uervousness, dizziness, or sleeplessness occur Stop use and ask a doctor if

thinning drug warfarin

■ trouble urinating due to an enlarged prostate gland salagrid ... ■ thyroid disease ■ µigh blood pressure

Drug Facts (continued)

This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Sudafed PE®.



F1120B06MEI 蠿

2

00

NON-DROWSY

MILI OLUGE GLUGS CONTRIUNIO SCGLERINIODUGU

Warnings

bromotes sinus drainage

Рһепуlерһгіпе НСІ 5 тд.

Drug Facts

■ minor aches and pains

a sinus congestion and pressure

■ more than 4,000 mg of acetaminophen in 24 hours hours. Severe liver damage may occur if you take

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 capiets (3,250 mg acetaminophen) in 24

ever or other upper respiratory allergies, and the common cold:

Active ingredients (in each caplet)

USes • temporarily relieves these symptoms associated with hay

■ femboranly reduces fever

рездасре

■ nasal congestion

Nasal decongestant

Purpose

sinus pressure & pain PE

Compare to Sudafed PE® Sinus Pressure + Pain active ingredients

meijer

NON-DROWSY

sinus pressure & pain PE

Acetaminophen | Phenylephrine HCl Pain Reliever/Fever Reducer, Nasal Decongestant

> Relief of: Sinus Headache: Sinus Pressure & Congestion

MAXIMUM STRENGTH



24 CAPLETS

DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN

meijer

SINUS PRESSURE AND PAIN PE

acetaminophen and phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-207
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
CROSPOVIDONE (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	AAA;1120	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:41250- 207-06	2 in 1 CARTON	07/10/2020		
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	07/10/2020		

Labeler - Meijer (006959555)

Revised: 11/2021 Meijer