

**SENNOSIDES- sennosides capsule, liquid filled  
Granules USA Inc**

-----  
**EXTRA STRENGTH  
Senna Softgels  
Standardized Senna Concentrate  
Sennosides 17.2 mg**

**Active Ingredient**

(in each softgel)

Sennosides 17.2 mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6-12 hours

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and consult a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**

ask a health professional before use

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away

## **Directions**

■ take preferably at bedtime or as directed by a doctor.

adults and children 12 years and over

■ 1 capsule once a day. Maximum 2 capsules twice a day.

children 6 to under 12 years

■ maximum 1 capsule twice a day

children under 6 years

■ ask a doctor

## **Other information**

■ store below 30°C and protect from light and moisture

## **Inactive ingredients**

FD&C blue no.1, FD&C blue no.2, FD&C red no. 40, FD&C yellow no.6, fumaric acid, gelatin, glycerol, lecithin, liquid sorbitol, methyl hydroxy benzoate, purified water, refined soya oil, titanium dioxide, yellow bees wax.

## **Questions or comments?**

call **1-877-770-3183**: weekdays 9:00 AM to 4:30 PM EST.

## **Package Label Principal Display Panel**



## SENNOSIDES

sennosides capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69848-016
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	17.2 mg in 17.2

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>FUMARIC ACID</b> (UNII: 88XHZ13131)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	

### Product Characteristics

<b>Color</b>	brown (Maroon coloured, opaque soft gelatin capsules containing dark brown coloured oily mass.)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69848-016-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/29/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/29/2020	

**Labeler** - Granules USA Inc (137098864)