

**COMPARE2 BLACK ELDERBERRY COLD AND FLU RELIEF- bryonia, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating
TRP COMPANY**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Com-Pare2 Black Elderberry Cold + Flu Relief™

Active Ingredients (In each tablet):

Bryonia 6X HPUS, Gelsemium sempervirens 6X, 12X, 30X HPUS, Sambucus nigra 3X, 6X HPUS, Sulphur 12X HPUS, Zincum gluconicum 2X, 6X HPUS

** The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.*

Uses*

According to homeopathic indications, these ingredients provide temporary relief of cold and flu symptoms such as: • Nasal and sinus congestion, runny nose, sore throat, coughing, sneezing, and chills and fever, after serious causes have been ruled out by a physician. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. Sore throat warning - Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 4 years of age unless directed by a physician. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • A physician should always be consulted to rule out serious causes.

If pregnant or breast feeding, ask a health professional before using.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Suitable for adults and children ages 4 and over. Children under the age of 4: Consult a physician before use.
- For best results, take at the start of the symptoms for cold or flu and continue to take for another 48 hours after the symptoms end.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet every three hours.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other Information

- **Do not use if blister seal is broken.**
- Store at room temperature 15 ° to 30 ° C (59 ° to 86 ° F).
- Active ingredients are micro-diluted in accordance with the

Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Retain carton for full drug facts.

Inactive Ingredients

Black carrot extract (colorant), Croscarmellose sodium, Elderberry flavor, Lactose, Magnesium stearate, Maltodextrin, Microcrystalline cellulose, Sucrose.

NDC 17312-077-30

 <p>Black Elderberry COLD + FLU RELIEF</p> <p>FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.</p>														
 <p>Black Elderberry COLD + FLU RELIEF</p> <p>FAST DISSOLVING TABLETS™</p>	<p>NDC # 17312-077-30</p>  <p>Com-Pare2™</p> <p>**Compare to the active ingredients of Sambucol® Cold and Flu Relief.</p>	<p>100% Natural Active Ingredients</p> <p>No Artificial Preservatives</p> <p><small>Drug Facts are in Spanish on the interior of this carton. Encontrara la informacion en espanol sobre este medicamento al interior de la caja.</small></p>												
<p>A little about Black Elderberry Extract: Black Elderberry extract provides strong immune system support to help you and your family stay healthy throughout the year. For centuries the dark berries of European black elder have been traditionally used as a remedy for immune support.</p>	<p>Black Elderberry COLD + FLU RELIEF</p>  <p>TAKE WHEN COLD AND FLU SYMPTOMS START.</p>	 <p>Black Elderberry COLD + FLU RELIEF</p> <p>Alivia Temporalmente:</p> <ul style="list-style-type: none"> • Congestión de nariz y seno • Secreción nasal y estornudos • Tos y dolor de garganta • Escalofríos y fiebre 												
<p>No Drug Interactions</p> <hr/> <p>No Side Effects</p> <hr/> <p>Non-Drowsy</p> 	<p>Temporarily Relieves:</p> <ul style="list-style-type: none"> • Congestion of Nose & Sinus • Runny Nose & Sneezing • Coughing & Sore Throat • Chills & Fever 	<p><small>© 2020 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Deutsche Lane, Suite 208, Reno, NV 89502 Questions or Comments? 888-969-6825 www.compare2usa.com</small></p> <p><small>*This product is not manufactured or distributed by Pharmacia's Laboratories, PPH, owner of the registered trademark, Sambucol®.</small></p>  <p>8 58961 00177 8</p>												
<p>HOMEOPATHIC 100% Natural Active Ingredients</p> <p>30  FAST DISSOLVING TABLETS</p>														
<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients (in each tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Bryonia 6X HPUS.....</td> <td>Fever, chills, scratchy throat, muscle soreness</td> </tr> <tr> <td>Gelsemium sempervirens 6X, 12X, 30X HPUS.....</td> <td>Sneezing, non-productive cough, bronchial irritation</td> </tr> <tr> <td>Sambucus nigra 3X, 6X HPUS.....</td> <td>Fever, nasal congestion, coughing</td> </tr> <tr> <td>Sulphur 12X HPUS.....</td> <td>Sinus pressure, sore throat, nasal pressure</td> </tr> <tr> <td>Zincum gluconicum 2X, 6X HPUS.....</td> <td>Nausea, tiredness, exhaustion, bronchial constriction</td> </tr> </tbody> </table> <p>The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.</p> <p>Uses* According to homeopathic indications, these ingredients provide temporary relief of cold and flu symptoms such as: • Nasal and sinus congestion, runny nose, sore throat, coughing, sneezing, and chills and fever, after serious causes have been ruled out by a physician. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.</p> <p>Warnings A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. Sore throat warning - Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult physician promptly. Do not use more than 2 days or administer to children under 4 years of age unless directed by a physician. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • A physician should always be consulted to rule out serious causes. • If pregnant or breast-feeding, ask a health professional before use. • Keep out of reach of children. • In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Stop use and ask a doctor if: • You experience worsening symptoms. • Any new symptoms appear. • Symptoms last longer than 7 days.</p> <p>Directions • Suitable for adults and children ages 4 and over. Children under the age of 4: Consult a physician before use. • For best results, take at the start of the symptoms for cold or flu and continue to take for another 48 hours after the symptoms end. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet every three hours. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.</p> <p>Other information • Do not use if blister seal is broken. • Store at room temperature 15° to 30° C (59° to 86° F). • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Retain carton for full drug facts.</p> <p>Inactive ingredients Black carrot extract (colorant), Croscarmellose sodium, Elderberry flavor, Lactose, Magnesium stearate, Maltodextrin, Microcrystalline cellulose, Sucrose.</p> <p>Do not use if blister seals are broken. No usar si falta el sello contra o roto.</p>			Active Ingredients (in each tablet)	Purpose	Bryonia 6X HPUS.....	Fever, chills, scratchy throat, muscle soreness	Gelsemium sempervirens 6X, 12X, 30X HPUS.....	Sneezing, non-productive cough, bronchial irritation	Sambucus nigra 3X, 6X HPUS.....	Fever, nasal congestion, coughing	Sulphur 12X HPUS.....	Sinus pressure, sore throat, nasal pressure	Zincum gluconicum 2X, 6X HPUS.....	Nausea, tiredness, exhaustion, bronchial constriction
Active Ingredients (in each tablet)	Purpose													
Bryonia 6X HPUS.....	Fever, chills, scratchy throat, muscle soreness													
Gelsemium sempervirens 6X, 12X, 30X HPUS.....	Sneezing, non-productive cough, bronchial irritation													
Sambucus nigra 3X, 6X HPUS.....	Fever, nasal congestion, coughing													
Sulphur 12X HPUS.....	Sinus pressure, sore throat, nasal pressure													
Zincum gluconicum 2X, 6X HPUS.....	Nausea, tiredness, exhaustion, bronchial constriction													

NDC # 17312-077-30

Com-Pare2™

Black Elderberry COLD + FLU RELIEF FAST DISSOLVING TABLETS™

HOMEOPATHIC 100% Natural Active Ingredients

Active ingredients: Bryonia 6X HPUS; Gelsemium sempervirens 6X, 12X, 30X HPUS; Sambucus nigra 3X, 6X HPUS; Sulphur 12X HPUS; Zincum gluconicum 2X, 6X HPUS

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions

• Suitable for adults and children ages 4 and over. Children under the age of 4: Consult a physician before use. • For best results, take at the start of the symptoms for cold or flu and continue to take for another 48 hours after the symptoms end. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet every three hours. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

Other information

• Do not use if blister seal is broken • Store at room temperature 15° to 30° C (59° to 86° F). • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Retain carton for full drug facts.

Inactive ingredients

Black carrot extract (colorant), Croscarmellose sodium, Elderberry flavor, Lactose, Magnesium stearate, Maltodextrin, Microcrystalline cellulose, Sucrose.

Manufactured for TRP Company, Inc., ©2020

www.compare2usa.com

Int 0320 R0320

Bryonia 6X HPUS.....Fever, chills, scratchy throat, muscle soreness

Gelsemium sempervirens 6X, 12X, 30X HPUS....Sneezing, non-productive cough, bronchial irritation

Sambucus nigra 3X, 6X HPUS.....Fever, nasal congestion, coughing

Sulphur 12X HPUS.....Sinus pressure, sore throat, nasal pressure

Zincum gluconicum 2X, 6X HPUS.....Nausea, tiredness, exhaustion, bronchial constriction

COMPARE2 BLACK ELDERBERRY COLD AND FLU RELIEF

bryonia, gelsemium sempervirens, sambucus nigra, sulphur, zincum gluconicum tablet, orally disintegrating

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:17312-077
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X]
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_X]
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X]
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X]
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
BLACK CARROT ANTHOCYANINS (UNII: 971DA56IOL)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SUCROSE (UNII: C151H8M554)	
EUROPEAN ELDERBERRY JUICE (UNII: Z4IFJ0AK1E)	

Product Characteristics

Color	purple (off purple)	Score	no score
Shape	ROUND	Size	10mm
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-077-30	1 in 1 BOX	05/20/2020	
1		30 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/20/2020	

Labeler - TRP COMPANY (105185719)

Registrant - TRP COMPANY (105185719)

Revised: 12/2025

TRP COMPANY