# MUCUS RELIEF- guaifenesin tablet, extended release NUVICARE LLC

-----

## **Nuvicare Mucus Relief Guaifenesin 600mg**

## Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

# **Purpose**

Expectorant

#### Uses

•helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

### **Warnings**

#### Do not use

• for children under 12 years of age

# Ask a doctor before use if you have

- •persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

# Stop use and ask a doctor if

•cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious illness.

# If pregnant or breast-feeding,

ask a health professional before use.

#### **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222) right away.

#### **Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours
- children under 12 years of age: do not use

#### Other information

store between 20°-25°C (68°-77°F)

### **Inactive ingredients**

Hypromellose, Carbomer, Magnesium Stearate, Microcrystalline cellulose, Sodium Starch Glycolate.

### Questions?

Call 1 (718) 337-8733 or email: support@nuvicare.com



Senckiser's, owner of the registered trademark MUCINEX his product is not manufactured or distributed by Reckitt over: 1 or 2 tablets every 12 hours. Do not Stop use and ask a doctor if **=**cough lasts pregnant or breast-feeding, ask a healt Stearate, Microcrystalline cellulose, Sodium more than 7 days, comes back, or occurs Adults and children 12 years of age and Store between 20° C-25° C (68° F-77° F). with fever, rash, or persistent headache. hese could be signs of a serious illness without regard for the timing of meals In case of overdose, get medical help or Hypromellose, Carbomer, Magnesium do not crush, chew, or break tablet (EEP OUT OF REACH OF CHILDREN this product can be administered **Drug Facts** (continued) Children under 12 years of age take with a full glass of water 1 (718) 337-8733 or email: contact a Poison Control Center exceed 4 tablets in 24 hours Inactive ingredients -800-222-1222) right away. Other information support@nuvicare.com ofessional before use Starch Glycolate. **Directions** Do not use

### **MUCUS RELIEF**

guaifenesin tablet, extended release

B			
Prodi	CT	Inform	ation
I I OUL			ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84324-026

**Route of Administration** ORAL

# **Active Ingredient/Active Moiety**

п	,		
l	Ingredient Name	<b>Basis of Strength</b>	Strength
ı	GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

# **Inactive Ingredients**

macure mg. culcius	
Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL OR ALLYL SUCROSE CROSSLINKED) (UNII: K6MOM3T5YL)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

# **Product Characteristics**

Color	WHITE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	G;600
Contains			

### Packaging

-1	i delidajing				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:84324-026- 01	40 in 1 BOTTLE; Type 0: Not a Combination Product	12/16/2025	

# **Marketing Information**

· ····································			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA213420	12/16/2025	

# Labeler - NUVICARE LLC (119257565)

Revised: 12/2025 NUVICARE LLC