

VITASTEM- tetracycline hydrochloride ointment
ViaDerma Distribution, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Vitas tem

Drug Facts

Active Ingredient

Tetracycline-HCl 30mg

Purpose

First Aid/Antibiotic

Indications:

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings:

For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

Stop use and ask a doctor

if condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients:

Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

Package Labeling:

Drug Facts

Active Ingredient Tetracycline-HCl 30mg	Purpose First Aid/Antibiotic
---	--

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes ■ over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxyethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

SIDE EFFECT:
SAME AS OTHER TETRACYCLINE PRODUCTS.

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic
Topical Ointment



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT A POISON CONTROL IMMEDIATELY.

Topical Ointment

First Aid & Antibiotic

VITASTEM[™]

VIA DERMA[®]
Distribution

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline Hydrochloride 3%
(active ingredient)

0.5 FL OZ (15ml)

VIA DERMA[®]
Distribution

VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline Hydrochloride 3%
(active ingredient)



Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

Patent Pending



NDC# 71262-002-15

VITASTEM-tetracycline hydrochloride ointment, 60 ml (71262-002-01)

Drug Facts

Active Ingredient *Purpose*
Tetracycline-HCl 30mg First Aid/Antibiotic

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes ■ over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxyethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

SIDE EFFECT:
SAME AS OTHER TETRACYCLINE PRODUCTS.

VIA DERMA[®]
Distribution
VITASTEM[™]
First Aid & Antibiotic
Topical Ointment



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT A POISON CONTROL IMMEDIATELY.

Topical Ointment

VITASTEM[™]
First Aid & Antibiotic
VIA DERMA[®]
Distribution

VIA DERMA[®]
Distribution
VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%
(active ingredient)

2.0 FL OZ (60ml)

VIA DERMA[®]
Distribution
VITASTEM[™]
First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%
(active ingredient)



Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

Patent Pending



NDC# 71262-002-15

VITASTEM-tetracycline hydrochloride ointment, 100 ml (71262-002-02)

Drug Facts

Active Ingredient **Purpose**
Tetracycline-HCl 30mg First Aid/Antibiotic

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. May be harmful if swallowed.

Allergy Alert: Do not use if allergic to any ingredient listed on this label.

Do not use

- In eyes ■ over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds ■ animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Stop use if product is misused

- This product is an OTC antibiotic for human use
- Contains no alcohol, no animal ingredients
- Blended for typical skin color
- May stain cloth
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxyethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

SIDE EFFECT:
SAME AS OTHER TETRACYCLINE PRODUCTS.

VIA DERMA[®]
Distribution

VITASTEM™
First Aid & Antibiotic
Topical Ointment



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT A POISON CONTROL IMMEDIATELY.

Topical Ointment

First Aid & Antibiotic

VITASTEM™

VIA DERMA[®]
Distribution

VIA DERMA[®]
Distribution

VITASTEM™
First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%
(active ingredient)

3.38 FL OZ (100ml)

VIA DERMA[®]
Distribution

VITASTEM™
First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%
(active ingredient)



Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152
Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

Patent Pending



NDC# 71262-002-15

Licensed to **ViaDerma Distribution** by:
ViaDerma, Inc. Distributed by: **ViaDerma**
Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd,
Suite 152 Las Vegas, NV 89119
Tel: 1-800-585-8685 | **NDC# 71262-002-15**



VITASTEM™

First Aid & Antibiotic

Topical Ointment

Tetracycline
Hydrochloride 3%

3.38 FL OZ (100ml)

KEEP THIS AND ALL DRUGS AWAY FROM
CHILDREN. IN CASE OF ACCIDENTAL INGESTION,
SEEK MEDICAL ASSISTANCE OR CONTACT
A POISON CONTROL IMMEDIATELY.

VITASTEM

tetracycline hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TETRACYCLINE HYDROCHLORIDE (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8VB5M810T)	TETRACYCLINE HYDROCHLORIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-002-00	1 in 1 BOX	02/09/2017	
1		5 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:71262-002-15	1 in 1 BOX	07/01/2017	
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:71262-002-01	1 in 1 BOX	11/08/2016	
3		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:71262-002-02	1 in 1 BOX	11/08/2016	
4		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	11/08/2016	

Labeler - ViaDerma Distribution, Inc. (081113521)

Revised: 3/2019

ViaDerma Distribution, Inc.