

**PROSANCA- ethyl 70% aloe vera gel**  
**PROSANCA- isopropyl 70% isopropyl spray**  
**proem group**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Hand Sanitizer and Rubbing Alcohol**

70% Ethanol, 91% Ethanol, 70% Isopropyl, 91% Isopropyl, 99% Isopropyl.

Water, Tocophery Acetate, Hydroxythel Urea

For external use only, Flammable, Keep away from heat or flam.

Do not use: in children less 2 months of age on open skin wounds

When use this product: this product keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs, these may be signs of s serious condition

Keep out of reach of children. If swallow get medical or contact of poison Control Center right away

Hand Sanitizer to help reduce bacteria that potentially can cause disease for use when soap are not available.

Rubbing Alcohol keep out of eyes, ears and mouth. Incase of contact with eyes rinse thorough with water.

If swallow, get medical help or contact o poison control Center right away.

70% Ethanol alcohol, 91% Ethanol Alcohol, 70% Isopropyl, 91% Isopropyl, 99% Isopropyl

Use Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap are not avalble.

## Drug Facts

Active ingredient (s)	Purpose
Ethyl alcohol 91% v/v...	Antiseptic

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Tocopheryl Acetate, Hydroxyethyl Urea.

*Distributed by:*  
Proem Group Co.  
Fremont CA 94539  
**Product of Vietnam**



**PROSANCA**

**91%**

**ETHYL  
RUBBING  
ALCOHOL  
FIRST AID  
ANTISEPTIC**

**500ml /  
16 FL OZ**

**Warnings**  
**Flammable.**



**Keep away from heat, spark,  
electrical, fire or flame.**

**CE**  
Certified

**FDA**  
Registered

**ISO** 9001  
2015  
CERTIFIED

## Drug Facts

Active ingredient (s)	Purpose
Isopropyl alcohol 99% v/v...	Antiseptic

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Hydroxyethyl Urea.

Distributed by:  
Proem Group Co.  
Fremont CA 94539  
Product of Vietnam



**PROSANCA**

**99%**

**ISOPROPYL  
RUBBING  
ALCOHOL  
FIRST AID  
ANTISEPTIC**

500ml /  
16 FL OZ

Warnings  
Flammable. 

Keep away from heat, spark,  
electrical, fire or flame.

**CE**  
Certified

**FDA**  
Registered

**ISO** 9001  
2015  
CERTIFIED

## Drug Facts

Active ingredient (s)	Purpose
Isopropyl alcohol 91% v/v...	Antiseptic

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Hydroxyethyl Urea.

Distributed by:  
Proem Group Co.  
Fremont CA 94539  
**Product of Vietnam**



# PROSANCA

# 91%

## ISOPROPYL RUBBING ALCOHOL FIRST AID ANTISEPTIC

500ml /  
16 FL OZ

Warnings  
Flammable.



Keep away from heat, spark,  
electrical, fire or flame.

CE  
Certified

FDA  
Registered

ISO 9001  
2015  
CERTIFIED

## Drug Facts

Active ingredient (s)	Purpose
Isopropyl alcohol 70% v/v...	Antiseptic

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Tocopheryl Acetate, Hydroxyethyl Urea.

### Distributed by:

Proem Group Co.  
Fremont CA 94539  
**Product of Vietnam**



# PROSANCA

# 70%

## ISOPROPYL RUBBING ALCOHOL FIRST AID ANTISEPTIC

500ml /  
16 FL OZ

Warnings  
Flammable.



Keep away from heat, spark,  
electrical, fire or flame.

CE  
Certified

FDA  
Registered

ISO 9001  
2015  
CERTIFIED



Tỉ lệ 1/1

W:23cmxH: 16,5cm

1LÍT

**PROSANCA**  
Hand Sanitizer Gel

- KILLS 99.9% OF GERMS
- 70% ETHYL ALCOHOL
- VITAMIN E
- MOISTURIZER

**ALOE VERA**  
1000ml / 33.81fl oz

Drug Fast	
Active ingredient (s)	Purpose
Ethyl alcohol 70% v/v	Antiseptic
<b>Use (s)</b> Health care personal hand rub to help reduce bacteria that potentially can cause disease.	
<b>Warnings</b> For external use only. Flammable. Keep away from heat or flame.	
<b>Do not use</b> • in children less than 2 months of age • on open skin wounds	
<b>when using this product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	
<b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.	
<b>Other information</b> • Store between 15 - 30C (59- 86F) • Avoid freezing and excessive heat above 40C(104F)	
<b>Inactive ingredients</b> Water (aqua), Iso-propyl alcohol, Iso-propyl Myristate, Glycerin, Tocopheryl Acetate, Aloe vera (parfume), Carbomer .	

Distributed By:  
Proem Group Co.  
Fremont CA 94539  
Product of Vietnam

6 1045294508 1

**PROSANCA**  
Hand Sanitizer Gel

- KILLS 99.9% OF GERMS
- 70% ETHYL ALCOHOL
- VITAMIN E
- MOISTURIZER

**1000ml / 33.81fl oz**

Drug Fast	
Active ingredient (s)	Purpose
Ethyl alcohol 70% v/v	Antiseptic
<b>Use (s)</b> Health care personal hand rub to help reduce bacteria that potentially can cause disease.	
<b>Warnings</b> For external use only. Flammable. Keep away from heat or flame.	
<b>Do not use</b> • in children less than 2 months of age • on open skin wounds	
<b>when using this product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	
<b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.	
<b>Other information</b> • Store between 15 - 30C (59- 86F) • Avoid freezing and excessive heat above 40C(104F)	
<b>Inactive ingredients</b> Water (aqua), Iso-propyl alcohol, Iso-propyl Myristate, Glycerin, Tocopheryl Acetate, Carbomer .	

Distributed By:  
Proem Group Co.  
Fremont CA 94539  
Product of Vietnam

6 1045294508 1

## Drug Facts

<b>Active ingredient (s)</b> Ethyl alcohol 70% v/v...	<b>Purpose</b> Antiseptic
----------------------------------------------------------	------------------------------

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Tocopheryl Acetate, Hydroxyethyl Urea.

*Distributed by:*

Proem Group Co.  
Fremont CA 94539  
**Product of Vietnam**



**PROSANCA**

**70%**

**ETHYL  
RUBBING  
ALCOHOL  
FIRST AID  
ANTISEPTIC**

**1000ml /  
32 FL OZ**

**Warnings**  
Flammable.



**Keep away from heat, spark,  
electrical, fire or flame.**



## PROSANCA

ethyl 70% aloe vera gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77838-336
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	0.1 mL in 100 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	0.145 mL in 100 mL
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT (Aloe Vera)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77838-336-06	100 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
2	NDC:77838-336-07	250 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
3	NDC:77838-336-08	500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
4	NDC:77838-336-09	1000 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
5	NDC:77838-336-10	3875 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	

Tỉ lệ 1/1

W:23cmxH: 16,5cm

1LÍT

**Drug Facts**

Active ingredient (s)	Purpose
Ethyl alcohol 70% v/v	Antiseptic

**Use (s)**  
Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**  
For external use only. Flammable. Keep away from heat or flame.

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**when using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

**Other information**

- Store between 15 - 30C (59- 86F)
- Avoid freezing and excessive heat above 40C(104F)

**Inactive ingredients**  
Water (aqua), Iso-propyl alcohol, Iso-propyl Myristate, Glycerin, Tocopheryl Acetate, Aloe vera (parfume), Carbomer.

Distributed By:  
Proem Group Co.  
Fremont CA 94539

Product of Vietnam





## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

## PROSANCA

ethanol alcohol gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77838-236
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	1.45 mL in 100 mL
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	1 mL in 100 mL
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77838-236-01	100 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
2	NDC:77838-236-02	250 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
3	NDC:77838-236-03	500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
4	NDC:77838-236-04	1000 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	
5	NDC:77838-236-05	3875 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/15/2021	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

## PROSANCA

isopropyl 70% isopropyl spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77838-436
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ETHANETHIOIC ACID, S-(1-((1E)-2-HYDROXYETHENYL)BUTYL) ESTER</b> (UNII: ZTU0NID6V5)	0.145 mL in 100 mL
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	0.145 mL in 100 mL

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77838-436-11	500 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/15/2021	
2	NDC:77838-436-12	1000 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/15/2021	

### Drug Facts

<b>Active ingredient (s)</b> Isopropyl alcohol 70% v/v...	<b>Purpose</b> Antiseptic
--------------------------------------------------------------	------------------------------

#### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

#### Warnings

**For external use only. Flammable. keep away from heat or flame.**

#### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

#### Inactive Ingredients

Purified Water (Aqua), Tocopheryl Acetate, Hydroxyethyl Urea.

Distributed by:  
Proem Group Co.  
Fremont CA 94539  
Product of Vietnam



**PROSANCA**

**70%**  
**ISOPROPYL  
RUBBING  
ALCOHOL**  
FIRST AID  
ANTISEPTIC

500ml /  
16 FL OZ

Warnings  
Flammable. 

Keep away from heat, spark,  
electrical, fire or flame.



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

## PROSANCA

isopropyl 91% isopropyl spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77838-536
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	91 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.145 mL in 100 mL
WATER (UNII: 059QF0KO0R)	
ETHANETHIOIC ACID, S-(1-((1E)-2-HYDROXYETHENYL)BUTYL) ESTER (UNII: ZTU0NID6V5)	0.145 mL in 100 mL

### Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77838-536-13	500 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	01/15/2021	



## Drug Facts

<b>Active ingredient (s)</b> Isopropyl alcohol 91% v/v...	<b>Purpose</b> Antiseptic
--------------------------------------------------------------	------------------------------

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Hydroxyethyl Urea.

### Distributed by:

Proem Group Co.  
Fremont CA 94539  
Product of Vietnam



# PROSANCA

# 91%

## ISOPROPYL RUBBING ALCOHOL FIRST AID ANTISEPTIC

500ml /  
16 FL OZ

Warnings  
Flammable.



Keep away from heat, spark,  
electrical, fire or flame.

CE  
Certified

FDA  
Registered

ISO 9001  
2015  
CERTIFIED

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

## PROSANCA

ethanol 91% ethanol applicator spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77838-836
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	91 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.145 mL in 100 mL
ETHANETHIOIC ACID, S-(1-((1E)-2-HYDROXYETHENYL)BUTYL) ESTER (UNII: ZTU0NID6V5)	0.145 mL in 100 mL

**Product Characteristics**

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77838-836-17	500 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/15/2021	
2	NDC:77838-836-18	1000 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/15/2021	

## Drug Facts

Active ingredient (s)	Purpose
Ethyl alcohol 91% v/v...	Antiseptic

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Tocopheryl Acetate, Hydroxyethyl Urea.

*Distributed by:*  
Proem Group Co.  
Fremont CA 94539  
**Product of Vietnam**



**PROSANCA**

**91%**

**ETHYL  
RUBBING  
ALCOHOL  
FIRST AID  
ANTISEPTIC**

**500ml /  
16 FL OZ**

**Warnings  
Flammable.**



**Keep away from heat, spark,  
electrical, fire or flame.**

**CE**  
Certified

**FDA**  
Registered

**ISO 9001  
2015  
CERTIFIED**

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

## PROSANCA

70% ethanol spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77838-116
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 mL in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	
ETHANETHIOIC ACID, S-(1-((1E)-2-HYDROXYETHENYL)BUTYL) ESTER (UNII: ZTU0NID6V5)	0.145 mL in 100 mL
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.145 mL in 100 mL

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:77838-116-15	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/15/2021	
2	NDC:77838-116-16	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/15/2021	



## Drug Facts

Active ingredient (s)	Purpose
Ethyl alcohol 70% v/v...	Antiseptic

### Use (s)

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

**For external use only. Flammable. keep away from heat or flame.**

### Do not use

- In children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15 - 30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Inactive Ingredients

Purified Water (Aqua), Tocopheryl Acetate, Hydroxyethyl Urea.

*Distributed by:*

Proem Group Co.  
Fremont CA 94539

**Product of Vietnam**



**PROSANCA**

**70%**

**ETHYL  
RUBBING  
ALCOHOL  
FIRST AID  
ANTISEPTIC**

**1000ml /  
32 FL OZ**

**Warnings  
Flammable.**



**Keep away from heat, spark,  
electrical, fire or flame.**



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

## PROSANCA

isopropyl 99% isopropyl spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77838-636
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	99 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.145 mL in 100 mL
WATER (UNII: 059QF0KO0R)	
ETHANETHIOIC ACID, S-(1-((1E)-2-HYDROXYETHENYL)BUTYL) ESTER (UNII: ZTU0NID6V5)	0.145 mL in 100 mL

**Product Characteristics**

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77838-636-14	500 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/15/2021	

## Drug Facts

<b>Active ingredient (s)</b> Isopropyl alcohol 99% v/v...	<b>Purpose</b> Antiseptic
--------------------------------------------------------------	------------------------------

**Use (s)**  
Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**  
**For external use only. Flammable. keep away from heat or flame.**

**Do not use**  
- In children less than 2 months of age  
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

**Other information**  
- Store between 15 - 30C (59-86F)  
- Avoid freezing and excessive heat above 40C (104F)

**Inactive Ingredients**  
Hydroxyethyl Urea.

*Distributed by:*  
Proem Group Co.  
Fremont CA 94539  
Product of Vietnam



**PROSANCA**

**99%**

**ISOPROPYL  
RUBBING  
ALCOHOL  
FIRST AID  
ANTISEPTIC**

500ml /  
16 FL OZ

**Warnings**  
Flammable.



Keep away from heat, spark,  
electrical, fire or flame.

CE  
Certified

FDA  
Registered

ISO 9001  
2015  
CERTIFIED

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	01/15/2021	

**Labeler** - proem group (826841640)

**Registrant** - proem group (826841640)

## Establishment

Name	Address	ID/FEI	Business Operations
HAI THANH V.N PRODUCTION TRADING CO., LTD		555256561	manufacture(77838-116, 77838-336, 77838-436, 77838-536, 77838-636, 77838-836, 77838-236)

